



Poly Blackwire 3325 3.5mm Top (85R08AA)

Additional specifications

Acoustic protection technology	SoundGuard ^[1]
Audio	Noise and echo reduction; Dynamic EQ optimized
Boom mic length (ft)	0.44 ft
Boom mic length (mm)	135 mm
Boom mic rotation	280°
Cable length	66.5 cm
Cable length (imperial)	3.85 ft
Color	Black
Compatible Operating Systems	Windows 10; macOS
Connection type	3.5 mm audio
Ear cushions	Artificial leather (surface material)
Headphone type	On-ear (stereo)
Impedance	32 ohm
Management Software	Plantronics Hub (desktop)
Manufacturer Warranty	Poly standard two-year limited warranty
Microphone bandwidth	100 Hz to 10 kHz
Microphone type	Omnidirectional
Minimum System Requirements	3.5 mm audio
Minimum dimensions (W x D x H)	6.1 x 1.25 x 7.1 in
Minimum dimensions (W x D x H)	15.5 x 3.2 x 17.8 cm
Nominal sound pressure level	118 dB SPL
Sensitivity (microphone)	-38 +/-3 dB
Sensitivity (speaker)	116 dB
Signal-to-noise ratio	>118 dB
Speaker size	14.2 mm
Special features	UC certified
UNSPSC code	43191638
Weight	0.21 lb
Weight	96 g
What's in the box	Headset; User guide

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Disclaimer — Copyright

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 13, 2023 3:56 PM UTC+0000