



## Versatile Portable Projector with High Brightness

### FEATURES

- DLP® technology with BrilliantColor™ for vibrant and rich picture quality
- 4200 ANSI lumens of brightness and 30,000:1 contrast ratio for clear, crisp and bright presentations
- WXGA (1280 x 800) native resolution scalable up to a maximum WUXGA (1920 x 1200) resolution
- Dual-HDMI inputs for high definition content with the same high quality
- Auto vertical keystone
- Diverse connectivity, HDMI v1.4, USB-A power
- Compact and lightweight at 4.8kg for easy portability
- 3D ready and support various forms
- A long life up to 30,000 hrs. (Eco Mode) for low Total Cost of Ownership (TCO)
- Audio ready with built-in 10 watt audio speaker, audio-in and audio-out ports
- Smart Control: quick cooling, instant restart, auto power off, reminder message, security settings, 0.5W in standby mode and more...
- Environmentally friendly design and compliance



## From meeting room to presentations anywhere on the road

The DW2650Z is a native WXGA projector that integrates advanced DLP® and BrilliantColor™ technologies, delivering striking, vibrant images in a widescreen format. It provides an array of connectivity options, including two HDMI v1.4 ports, and boasts a brightness level of 4,200 ANSI Lumens with a remarkable 30,000:1 contrast ratio. Its lightweight and compact design facilitates effortless installation that will fit any budget.



## DW2650Z SPECIFICATIONS

Image	<b>Display Type</b>	Single chip DLP® Technology by Texas Instruments
	<b>Brightness</b>	4200 ANSI Lumens
	<b>Native Resolution</b>	WXGA (1280 x 800)
	<b>Max. Supported Resolution</b>	WUXGA (1,920 x 1,200)
	<b>Contrast Ratio</b>	30,000:1
	<b>Automatic Keystone Correction</b>	Automatic Keystone Correction
	<b>Native Aspect Ratio</b>	16:10
	<b>Keystone Correction</b>	Vertical ±30°
Optical	<b>Throw Ratio</b>	1.544~1.860
	<b>Image Size (Diagonal)</b>	40" - 300"
	<b>Projection Distance</b>	1.31 - 10.21m
	<b>Projection Lens</b>	F = 2.42 - 2.62, f = 22 - 25.79mm
	<b>Zoom Ratio</b>	1.2x
	<b>Offset</b>	104%±5% (Full Height)
Features	<b>Features</b>	3D Ready(DLP link, PC+Video), Direct 3D (HDMI 1.4a), 3D Mandatory Formats supported (top/bottom, right/left, frame sequential)
Compatibility	<b>Video</b>	NTSC, PAL, SECAM / 480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Connectivity	<b>I/O Connection Ports</b>	VGA-In (15pin D-Sub), HDMI Number of Ports 1.4 (2), Audio-In (RCA) , Audio-In (Mini-Jack), Audio-Out (Mini-Jack), RS-232, USB A (2.0 (Power 5V/1.5A)), USB miniB (Service)
General	<b>Lamp Life and Type</b>	20,000 / 30,000 hours (Normal / Eco)
	<b>Speakers</b>	10W (Mono)
	<b>Dimensions (W x D x H)</b>	353 x 290 x 144mm
	<b>Weight</b>	4.8 kg
	<b>Noise Level</b>	33dB/31dB (Normal/Eco Mode)
	<b>Power</b>	Supply: AC 100-240V, 50/60Hz Consumption: 230W (Normal Mode), 180W (Eco Mode), <0.5W (Standby)
	<b>Warranty</b>	Entry Warranty: 2 years projector / 1 year on lamp or 1.000 hours whichever comes first, Laser Phosphor Warranty: 3-Year warranty on projector/ 3-year or 10000h on the Laser Phosphor illumination source. (Whichever comes first)
	<b>Standard Accessories</b>	VGA Cable, Quick Start Guide, Warranty Card (by region), Remote Controller (with battery), AC Power Cord
	<b>Optional Accessories</b>	Remote Control P/N (XX5040005400)
	<b>UPC Code</b>	813097025661