




1x USB-C  
4x USB-A



8K  
Triple video output  
3x HDMI and 2x DP



RJ45 Ethernet Port



SD & MicroSD Slots

## Connect. Collaborate. Unleash your productivity.

The Verbatim CDS-17 is a professional docking station with 17 ports.

The versatile hub simplifies device management, accommodates various peripherals, and enhances productivity, making it an ideal solution for users seeking a comprehensive and efficient docking experience for their laptops or workstations, particularly in graphics-intensive or data-intensive tasks.

The CDS-17 possesses one USB-C 3.2 Gen2 and four USB-A ports, ideal for devices like mouse, keyboard, etc. The RJ45 port ensures stable network connectivity, while the SD/MicroSD slots cater to versatile memory card needs.

# USB-C™ Pro Docking Station 17 Port

CDS-17


General Information	
Product dimensions LxWxD	180 x 100 x 41 mm
Product weight	998
Material	Aluminum+ABS
Colour	Black/Grey
Connection	
Host Port	USB-C Host to connect to your device.
Power IN	DC Power port.
USB Ports	<p>1 x USB-A 2.0: up to 480Mb/s - Design for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc.</p> <p>2 x USB-A 3.2 Gen1: up to 5Gb/s backwards compatible with USB 2.0.</p> <p>1 x USB-A 3.2 Gen2: up to 10Gb/s backwards compatible with USB 3.2 Gen1 and USB 2.0.</p> <p>1 x USB-C 3.2 Gen2: up to 10Gb/s</p> <p>USB-C and USB-A: Power: 5V 0.9A</p>
Video*	<p>1 x HDMI: 8K/30Hz, 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit Bandwidth: Max 12G per Lan</p> <p>2 x HDMI: 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit Bandwidth: Max 6G per Lan</p> <p>2 x DP 1.4: 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit. Supports 1080p/720p - Bandwidth: Max 5.4G per Lan</p> <p>HDMI and DP: Support 1080p/720p</p> <p>Support SST (Single-Stream Transport) &amp; MST (Multi-Stream Transport).</p> <p>This Docking Station uses a DisplayLink Chip, you need to install the "DisplayLink Manager" App to experience the full video function.</p> <p>Download the latest "DisplayLink Manager" App: <a href="https://www.synaptics.com/products/displaylink-graphics/downloads">https://www.synaptics.com/products/displaylink-graphics/downloads</a></p> <p>Please choose the App according to your system, available for Windows, MacOS, Android, Chrome OS and Ubuntu.</p>
Audio	1 x Audio jack 3.5mm: in/out /8 channel sampling rate 192khz/16bit
Memory Card	<p>1 x SD 4.0: Read speed: Up to 250MB/s, Write speed: Up to 250MB/s</p> <p>1 x Micro SD 3.0 Read speed: Up to 104MB/s, Write speed: Up to 80MB/s</p>
Ethernet	1 x RJ45, up to 1Gb/s
Other Features	
Supported OS	Windows 11, 10; MacOS 10.2 or higher
Status LED	Yes
Power Switch	Yes
Power Supply	DC 120W power adapter
DC output	Max. 20V6A 120W and provide 100W power delivery to PC
Safety Lock	Kensington Security Lock Slot
Storage and Operating Conditions	
Operating Temperature	0°C to 40°C (32°F to 104°F)
Operating Humidity	20%-90%RH
Storage Temperature	-20°C to 85°C (-4°F to 185°F)
Storage Humidity	5%-95%RH

# USB-C™ Pro Docking Station 17 Port

CDS-17

PN	Description	Bar Code	EAN128 Code	EAN14 Code
32172	USB-C Pro Docking Station 17 Port CDS-17	023942321729	(02)0023942321729(37)05(91)892	50023942321724

Logistic Information	
Pack Dimensions L x W x H	243 x 175 x 66 mm
Pack Weight	1217
Units per Pack	1
Outer Carton Dimensions L x W x H	350 x 260 x 200 mm
Outer Cartons Weight	6590
Units per Outer Carton	5
Outer Cartons per Layer	9
Layers per Pallet	5
Outer Boxes per pallet	45
Units per Pallet	225



# USB-C™ Pro Docking Station 17 Port

CDS-17

**Verbatim**™

Technology you can trust



Front Angled



Back Angled



Top Angled



Connections




Angle Lit



Angle Lit 2



47454 Packaging 3D



47454 Packaging Flat



Lifestyle 1



Lifestyle 2



Lifestyle 5



Lifestyle 4

## Pack Contents:

- USB-C Pro Docking Station
- USB-C to USB-C Cable
- DC Power Supply
- Quick Start Guide

## System Requirements

- USB-C host port
- Windows 11, 10 or higher or Mac OS X 10.2 or higher

## Warranty

- 2 year limited warranty

For more information, please contact your key account manager

Publication date: 23-01-2024  
© 2024 Verbatim. All rights reserved.  
All brand names are registered trademarks of their respective owners.  
Unauthorized use strictly prohibited.  
Specifications are subject to change without prior notice.