

Xerox® VersaLink® C620 Color Printer



Xerox® VersaLink® C620 Color Printer is built on Xerox® ConnectKey® Technology.
For more information, go to [ConnectKey.com](https://connectkey.com).

System Specification	
Speed¹	Color and Black-and-White: Up to 52/50 ppm Letter/A4 Duplex Print Speed: 40/38 ipm Letter/A4
Monthly Duty Cycle²	Up to 150,000 pages
Processor/Memory/ Hard Drive	Quad Core 1.2GHz/2 GB system memory/32GB eMMC/ Optional: 500+GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 2.0 direct print, NFC; Optional: WiFi®/WiFi® Direct with Xerox® Wireless Network Adapter
Controller Features	Unified Address Book, Remote Control Panel, Configuration Cloning, Fleet Orchestrator, Configuration Watchdog, Security Dashboard
Print	
Print Resolution	Print: Up to 1200 x 1200 dpi
First-Print-Out Time (as fast as)	6.6 seconds color/5.6 seconds black-and-white
Page Description Language	Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c/PCL® 6
Print Features	Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Encrypted Secure Print, Xerox® WorkCentre® Earth Smart Driver Settings, Job Identification, Booklet Layout, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs, Print Around, Print on Alternate Paper
Mobile and Cloud Ready	
Universal Print Ready	Microsoft Universal Print is a cloud print service, available to Microsoft 365 subscribers. It removes the need for on-site print servers and leverages the built-in drivers included in the Windows 10 and 11 PCs. You can enjoy the benefits of cloud hosting with a driverless setup for all Windows 10 and 11 clients. Utilize the Xerox Print Support App (requires installation of Xerox Print and Scan Experience) to gain access to the Xerox Print Properties user interface.
Mobile Connectivity	Optional: Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac) AirPrint (iOS) including iBeacon ³ (Bluetooth) for AirPrint Discovery
Mobile Printing	Mopria® Print, Apple® AirPrint®, Xerox® Print Service (Android), Xerox @PrintByXerox App; Optional: Xerox® Workplace App (iOS/Android), iBeacon ³ (Bluetooth) for AirPrint Discovery
Mobile Apps and Xerox App Gallery	Automate everyday processes with apps that translate, redact, eSign, personalize, print, convert, route, collaborate, and communicate. Visit xerox.com/WorkplaceApps to find apps by industry or workflow. Software and services: Xerox® DocuShare® Content Management Platform (xerox.com/ecm), XMPie® (xerox.com/XMPie), Xerox® Workplace Solutions (xerox.com/WorkplaceSolutions)

Xerox® VersaLink® C620 Color Printer

Xerox® Workplace Suite and Xerox® Workplace Cloud	Optional: Xerox® Workplace Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version (Workplace Suite) and with a cloud based-version (Workplace Cloud) of this solution
Cloud Identity Provider (IdP) Integration	Use your desktop, laptop, or mobile login credentials to log in to your VersaLink® MFPs with direct connections to popular cloud identity providers Okta, Ping Identity, and Microsoft® Azure
Security	
Standard Features	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Firmware Verification, Security Manager, LogRhythm SIEM integration, Splunk SIEM integration, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, Local Authentication (Internal Database), User Access, Port/IP/Domain Filtering, Audit Log, Access Control, User Permissions, Configuration Watchdog, Trusted Platform Module (TPM 2.0), Trusted Boot, AES 256-bit, FIPS 140-3, Job Level Encryption via HTTPS and Drivers, Signed Email, Common Criteria Certification#, Encrypted Secure Print, Immediate Image Overwrite ⁴ for optional hard disks
Optional Features	Xerox® Card Reader Kits, 500+GB Hard Disk, AES 256-bit, FIPS 140-3, with multi-pass Image Overwrite ⁴ , Xerox® Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions
Print Management	
Standard Features	Xerox® Standard Accounting Feature (Print, Email), Network Accounting Enablement
Optional Features	Xerox® Workplace Cloud/Suite, other network accounting solutions available through various Xerox® Business Innovation Partners. Xerox® Virtual Print Management Service; learn more at xerox.com/PrintManagement

Xerox® VersaLink® C620 Color Printer

Features and Accessories



The intuitive, tablet-like, 5-inch touch screen allows you to personalize your experience to get more done in fewer taps. Gain access to an array of productivity boosting apps through the Xerox App Gallery.

The 550-Sheet Tray handles media sizes from 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm (Includes 550-sheets standard capacity and additional 100-sheet bypass tray)

The 100-Sheet Bypass Tray handles media sizes from 3 x 5 in to 8.5 x 14 in/76.2 x 127 mm to 216 x 356 mm

OPTIONAL PAPER FEEDING

550-Sheet Tray

Add up to 4 additional 550-sheet trays for a total paper capacity of 2,850 sheets



OPTIONAL ACCESSORIES

Wireless Network Adapter

Enables wireless connectivity and includes support for Wi-Fi Direct.

Printer Stand


500+GB Hard Disk

Card Reader Kit



XEROX® EASY ASSIST APP

Xerox Easy Assist App provides easy set up and allows you to securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services - all without the need for any IT support. Learn more at xerox.com/EasyAssist.



Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.

Xerox® VersaLink® C620 Color Printer

Device Specification		
Control Panel Languages	US English, International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan, Arabic, Croatian, Ukrainian	
Accessories		
Optional	Wireless Network Adapter 500+GB HDD Unicode Font Kit	
Electrical Requirements		
North America	Voltage: 110–127 VAC +/-10% Frequency: 50/60Hz +/- 3%, 10A	
Europe	Voltage: 220–240 VAC +/-10% Frequency: 50/60Hz +/- 3%, 5A	
Power Consumption		
Running (Average)	Simplex 702W Duplex 581W	
Standby Mode	25W	
Auto Off/Sleep Mode	1.0W	
Warm-up (from Off)	116 sec	
Recovery from Sleep	As fast as 2.9 seconds	
Typical Energy Consumption	0.65kwh	
Operating Environment		
Required Temperature Range	50 to 90°F/10 to 32.2°C	
Required Relative Humidity	15 to 80% RH	
Sound Power Levels	Operating: 7 B(A) or less Standby: 3 B(A) or less	
Sound Pressure Levels	Operating: 55 db(A) or less Standby: 14 db(A) or less	
Dimensions and Weight		
	Packaged	Unpackaged
Base Configuration	Width: 24.6 in/625 mm Depth: 28.4 in/720 mm Height: 22.3 in/567 mm Weight: 85 lbs/38.5 kg	Width: 18.9 in/479 mm Depth: 19.2 in/489 mm Height: 16.2 in/413 mm Weight: 71 lb/32 kg
550-Sheet Tray	Width: 20.7 in/527 mm Depth: 22 in/558 mm Height: 8.5 in/216 mm Weight: 19.7 lb/8.9 kg	Width: 18.2 in/463 mm Depth: 19 in/483 mm Height: 4.7 in/119 mm Weight: 15 lb/6.8 kg
Printer Stand	Width: 20.7 in/525 mm Depth: 22.2 in/565 mm Height: 9.2 in/235 mm Weight: 37.7 lb/17.1 kg	Width: 18.2 in/463 mm Depth: 20 in/510 mm Height: 17.3 in/440 mm Weight: 32.7 lb/14.8 kg
System Certifications/Regulatory Compliance		
Certifications	To view the latest list of certifications, go to xerox.com/OfficeCertifications	

Xerox® VersaLink® C620 Color Printer

Paper Handling	
Bypass Tray (Standard)	
Capacity⁵	100 sheets
Sizes	Custom Sizes: 3 x 5 in to 8.5 x 14 in/76.2 x 127 mm to 216 x 356 mm
Weights	16 to 58 lb bond/60 to 218 gsm
Media Types	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
Trays 1 (Standard)	
Capacity⁵	550 sheets
Sizes	Tray 1: Custom Sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm
Weights	16 to 58 lb bond/60 to 218 gsm
Media Types	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
Optional Paper Feeding	
Capacity⁵	550-Sheet Tray: Add up to 4 additional 550-sheet trays
Sizes	4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm
Weights	16 to 58 lb bond/60 to 218 gsm
Media Types	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
Total Capacity	
Device Total Capacity⁵	Base Model: 650 sheets 550-Sheet Tray: Add up to 4 additional 550-sheet trays for a total capacity of 2,850 sheets Paper Output: 300 sheets

Xerox® VersaLink® C620 Color Printer

Print	
Resolution (up to)	1200 x 1200 dpi
Print Features	<ul style="list-style-type: none"> Application Defaults Banner Sheet Enable/Disable Booklet Layout Cover Selection Fit to New Paper Size Hold All Jobs Image Options (Resolution (Enhanced, High)) Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages) Layout/Watermark N-up (up to 16 pages per sheet) Paper Selection by Attribute Print From Cloud Repositories (Dropbox, OneDrive, and Google Drive) Sample Set Saved Job (color jobs can be printed as black-and-white) Secure Print with Timed Deletion Special Pages (exception page programming: covers, inserts, exception pages) Store and Recall Driver Settings Sustainability Features (Xerox® Earth Smart, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs) Two-sided Printing (as default) User Permissions
Print from USB	<ul style="list-style-type: none"> Allows walk-up printing from Type A USB port on front panel Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, PS, PCL Color jobs can be printed as black-and-white
Operating Systems	<ul style="list-style-type: none"> For latest supported versions please visit our Drivers & Downloads page and specify your device at support.xerox.com Windows Server 2012 and R2 (64-bit) Windows Server 2016 (64-bit) Windows Server 2019 (64-bit) Fedora® Core Ubuntu® Windows Server 2022 (64-bit) Mac OS 12 Monterey, 13 Ventura, 14 Sonoma
Network Protocols	<ul style="list-style-type: none"> TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD Microsoft Windows Networking over IP Support for Microsoft Universal Print Bonjour® AirPrint® Mopria® IPv6 Most protocols not in use can be disabled
Font Capability	PCL: 93 scalable fonts, line printer, and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade, and manage Xerox® Devices and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
Xerox® Pull Print Driver	Makes it easy for IT managers to qualify, deploy, and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.

Xerox® VersaLink® C620 Color Printer

Security

Features

- Audit Log
- Cisco® Identity Services Engine (ISE) compatible
- Configuration Watchdog (Monitors and remediates security settings in the following areas):
 - 802.1x
 - Admin Password Reset
 - Audit Log
 - Automatic Software Upgrade
 - Email Alerts
 - FIPS 140
 - Hold All Jobs
 - Immediate Job Overwrite⁴
 - Installation Policies
 - PII - Login Name
 - PostScript Passwords
 - Remote Services Enablement
 - Remote Start (TWAIN)
 - Reprint Saved Jobs
 - Scheduled Disk Overwrite⁴
 - Secure Print Device Policies
 - SIEM
 - SNMP
 - System Timeout
 - USB (Print from USB)
 - USB Port Management
 - User Data Encryption
- Expanded Authentication
 - Digitally signed PDF (when using Smart Card authentication)
 - Encrypted/Password Protected PDF (when using Email Templates only)
 - FIPS 140 256 bit Hard Disk Encryption⁴, TLS 1.1/1.2/1.3, IPPS, HTTPS, SFTP, SNMPv3
 - Immediate Image Overwrite/Securely delete jobs using approved algorithms⁴
 - Local Authentication (internal database)
 - Network authentication to access device and/or device services via Kerberos (UNIX/Windows Server 2008), SMB (Windows Server 2008, Windows server 2012), NDS, LDAP authentication
 - On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk⁴
 - Smart Card authentication – 144k CAC/PIV Card Support (2048 bit certificate key)/.NET
 - Secure Data
 - Secure Print (up to 10 digit PIN or Network Authentication)
- Expanded Authorization
 - Authorization per user per service
 - SA access based on network credentials
 - Secure Network Access
 - User Permissions required to access Print and Print Features (e.g., color access, or time restrictions) reflects in the print driver
- Hide Print Job Names
- IP Filter, IPsec, IPv6, TLS V1.0, V1.2, V1.3, SNMP V1/V2/V3, HTTPS, 802.1X, SFTP
- Port disablement including USB ports,
- LogRhythm SIEM integration
- Splunk SIEM integration

Xerox® VersaLink® C620 Color Printer

Device Management	
Administrative Protocols	DHCP, BOOTP, SNMP, SLP® v2, HTTP, HTTPS, AutoIP (Self Assigned Address)/DHCP Autonet, TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour
Management Support	SNMP Version 1, SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213) Host Resources MIB RFC 2790, Printer MIB RFC 3805, PWG-Imaging-System-Power MIB, Fleet Orchestrator, Configuration Watchdog
Xerox® Easy Assist App	Xerox Easy Assist App provides easy set up and allows you to securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services — all without the need for any IT support. Learn more at xerox.com/EasyAssist
Xerox® CentreWare® Web Software	A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running on Windows, UNIX, or any other operating system: <ul style="list-style-type: none"> • Works with any SNMP-managed printer from any manufacturer • Remote configuration of SNMP v3 • Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management • Auto-detect Xerox® CentreWare® Web server and download configurations files for touchless remote install
Xerox® Device Manager	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor, and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides: <ul style="list-style-type: none"> • Device monitoring and troubleshooting • Remote configuration of SNMP v3 • Extensive reporting and discovery of new devices • Usage collection, chargeback, and billing capabilities • Auto-detect Xerox® Device Manager server and download configurations files for touchless remote install
Xerox® Workplace Cloud	Remote management to set and audit device configuration data with Xerox® Workplace Cloud, eliminating the need for an on-site server
Fleet Orchestrator	Fleet Orchestrator feature offers the ability to create a group of devices that share information with each other via a secure peer-to-peer connection. The following data can be shared: Software update files, clone files, and 1-Touch App files. Auto-assembly feature allows a new VersaLink® to automatically set itself up on the network to be automatically configured
Xerox® Device Types for SAP Environment	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Program, provides seamless connectivity between SAP systems and your Xerox® Printers and Multifunction Printers. As an SAP customer, you benefit from having SAP-certified Xerox® Device types available right from SAP's online delivery model. SAP-certified device types for Xerox® Printers and Multifunction Printers are available to download. office.xerox.com/Software-Solutions
Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional)	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Center Barcode Fonts. Information available at office.xerox.com/Software-Solutions
Xerox® Embedded Web Server – Integrated Device Web Pages Provided by the Device	
Device Status	Web server embedded in Network Controller: <ul style="list-style-type: none"> • Tray status/contents • Consumables status • Alerts • Remote Control Panel
Job Submission	Print-ready files: PS, PCL, TIFF, PDF, JPEG, TXT, PRN Output feature selection (2-sided, output color, collate, orientation, output destination) Delivery options (Immediate, sample set, delay, secure, save job for reprint)
Device Administration	Allows simple, remote installation setting of configuration options and management of the device, Fleet Orchestrator
Browsers	Brave Browser Chrome Microsoft Edge Mozilla Firefox Opera Safari
Support	Install print drivers and online support available via support.xerox.com
Languages Supported	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Simplified Chinese, Korean, Japanese, Arabic, Croatian, Ukrainian
Remote Services	
Automatic Meter Readings (AMR)	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® Device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time
Automatic Supplies Replenishment (ASR)	Automatically orders supplies for Xerox® Devices based on actual usage, eliminating the need to manually manage supplies inventory
Workplace Cloud Direct	Embedded device agent technology allows your printer to connect directly with Xerox Workplace Cloud for a zero network footprint offering a 'true' cloud-only Print Management and Mobile solution.
Accounting	
Xerox® Standard Accounting Feature	
Tracking	Print, Email usage
Accounting	Up to 2,495 User Accounts (User ID) Up to 500 General Accounts (Client) Up to 498 Group Accounts (Department)
Features	Administrator can manage the feature via the Web User Interface or device control panel in tools Administrator has the ability to import or export User Accounts, Group Accounts, General Accounts, and User Limits via an industry standard CSV file

Xerox® VersaLink® C620 Color Printer

Accounting (continued)	
Accounting Options – Network Accounting (Allows central server to manage all accounting)	
	Enhanced network accounting with up-to-the-minute data on how the system is being used Comprehensive management and enterprise-scale tracking and reporting of device usage of print Numerous solutions are available through Xerox Alliance Partners. For details, visit xerox.com Security enhancements with the addition of HTTPS protocol support Device requests account authentication from third-party server enabling larger databases of users and accounts Accept Authentication Login at control panel and pass to third-party Networking Account Interface with third-party accounting terminal for accounting user interface
Installation Considerations	
Clear area around the device is necessary for access and ventilation.	Top: 10 in/254 mm Rear: 4 in/102 mm Left: 6 in/152 mm Right: 20 in/508 mm Front: 20 in/508 mm
What's In The Box	
All items contained in the box:	VersaLink® C620 Color Printer AC Power Cord Installation Guide Product Information Flyer Product Safety Sheet Software Update Flyer Software and Documentation CD CMY Print Cartridges: 7,000 page capacity ⁶ K Print Cartridge: 8,000 page capacity ⁶

Xerox® Supplies and Accessories	North America and Europe*	All other regions
Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (8,000 Pages)⁶	006R04616	006R04620
Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (6,000 Pages)⁶	006R04617	006R04621
Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (6,000 Pages)⁶	006R04618	006R04622
Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (6,000 Pages)⁶	006R04619	006R04623
Genuine Xerox Black High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (20,000 Pages)⁶	006R04624	006R04632
Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (12,000 Pages)⁶	006R04625	006R04633
Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (12,000 Pages)⁶	006R04626	006R04634
Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (12,000 Pages)⁶	006R04627	006R04635
Genuine Xerox Waste Toner Bottle, Xerox® VersaLink® C620 Color Printer (170,000 Pages)⁷	008R13334	008R13334
Genuine Xerox Black Imaging Kit, Xerox® VersaLink® C620 Color Printer (150,000 Pages)⁸	013R00697	013R00697
Genuine Xerox 3 Color Imaging Kit, Xerox® VersaLink® C620 Color Printer (150,000 Pages)⁸	013R00698	013R00698
Optional Accessories		
550-Sheet Tray	097N02441	
500+GB Hard Disk	097N02443	
Wireless Network Adapter	097N02470	
Xerox Printer Stand	097S05244	

* North America (NA): U.S., Canada
Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino
⁶ Currently undergoing evaluation

¹ Declared in accordance with ISO/IEC 24734.
² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.
³ Wireless Network Adapter is required for iBeacon.

⁴ Requires 500+GB Hard Disk.
⁵ Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.
⁶ Average standard pages. Declared in accordance with ISO/IEC 19798. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, media orientation, run mode, application types, monthly print volumes, and image quality set-points.
⁷ Waste Toner Container yield will vary depending on type of image, area coverage %, and Job run length.
⁸ Average drum yield is based on a run length of 5 pages of 8.5 x 11 in/A4 LEF pages, with split of 35% color/65% black-and-white pages.

Return spent imaging supplies through the Xerox® Green World Alliance® collection/reuse/recycling program. Visit xerox.com/About-Xerox/Recycling.

For more information, visit us at xerox.com/Office.

