## GIGABYTE B650I AORUS ULTRA Motherboard - Supports AMD AM5 CPUs, 8+2+1 Digital VRM, up to 6400MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Product code: B650I AORUS ULTRA **Brand:** GIGABYTE

Product name: B650I AORUS ULTRA Motherboard -Supports AMD AM5 CPUs, 8+2+1 Digital VRM, up to 6400MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE

LAN, USB 3.2 Gen 2

AMD B650, 2 x DDR5, Wi-Fi 6E RZ616, 4 x SATA 6Gb/s, Mini-ITX

GIGABYTE B650I AORUS ULTRA Motherboard - Supports AMD AM5 CPUs, 8+2+1 Digital VRM, up to 6400MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology. GIGABYTE B650I AORUS ULTRA Motherboard - Supports AMD AM5 CPUs, 8+2+1 Digital VRM, up to 6400MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen™ 7. Supported memory types: DDR5-SDRAM, Maximum internal memory: 96 GB, Memory slots type: DIMM.

Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. Maximum resolution: 7680 x 4320 pixels. USB connector type: USB Type-A, USB Type-



Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Maximum number of SMP processors	AMD Socket AM5 AMD Ryzen™ 7	Headphone outputs Microphone in WiFi-AP antenna jack USB connector type	1 ✓ 2 USB Type-A, USB Type-C
Memory		Network	
Supported memory types * I Number of memory slots * I Memory slots type I Memory channels I Non-ECC Supported memory clock speeds	DDR5-SDRAM 2 DIMM Dual-channel 4 4400,4800,5200,5600,6000,6200,6400 MHz 6400 MHz	Ethernet LAN Ethernet interface type Wi-Fi * Top Wi-Fi standard Wi-Fi standards Bluetooth Bluetooth version	✓ 2.5 Gigabit Ethernet  ✓ Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)  ✓ 5.2
	96 GB	Features	
•	1	Motherboard chipset *	AMD B650
Storage controllers		Audio chip	Realtek ALC4080
Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported RAID support RAID levels	4	Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family *	7.1 channels Black Fan, Temperature, Voltage, Water cooling PC mini ITX AMD
Graphics		Windows operating systems	Windows 10 x64, Windows 11 x64
Parallel processing technology support * Maximum resolution HDCP	Not supported 7680 x 4320 pixels  ✓	Expansion slots  PCI Express x16 (Gen 4.x) slots  Number of M.2 (M) slots	1 3
DirectX version Discrete graphics support	12.0 ✓	BIOS	

BIOS type \*

**UEFI AMI** 

ernal I/O		BIOS	
B 2.0 connectors *	1	BIOS memory size	256 Mbit
B 3.2 Gen 1 (3.1 Gen 1)	1	ACPI version	5.0
onnectors *	_	Clear CMOS jumper	✓
SB 3.2 Gen 2x2 connectors	1	Desktop Management Interface	2.7
lumber of SATA III connectors *	4	(DMI) version	2.,
ront panel audio connector	1	System Management BIOS (SMBIOS) version	2.7
ront panel connector	<b>√</b>		
TX Power connector (24-pin)	<b>4</b>	Logistics data	
lumber of EATX power connectors	1	Country of origin	China
PU fan connector	<b>√</b>	Products per shipping (inner) case	1 pc(s)
L2V power connector	<b>√</b>	Battery	
RGB LED pin header	<b>4</b>	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
JSB 2.0 ports quantity *	2	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
JSB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery type	CR2032
JSB 3.2 Gen 2 (3.1 Gen 2) Type-C	1	Packaging data	
oorts quantity *	_	Package width	235 mm
thernet LAN (RJ-45) ports *	1	Package depth	227 mm
IDMI ports quantity *	1	Package height	95 mm
IDMI version	2.1	Package weight	1.41 kg
DisplayPorts quantity	1	Weight & dimensions	
DisplayPort version	1.4	Width	170 mm
		Depth	170 mm
		Height	35 mm
			33 11111
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)





889523034392

0889523034392



4719331850425

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.