U R P U R E PLANET

Our Pure Planet USB-C to lightning cable, 1.2m/4ft

Brand : Our Pure Planet

Product code: OPP081

Product name : USB-C to lightning cable, 1.2m/4ft

Our Pure Planet USB-C to lightning cable, 1.2m/4ft

Our Pure Planet USB-C to lightning cable, 1.2m/4ft:

Whether you're charging your devices or syncing data, the high-speed USB-C to Lightning cable 1.2m/4ft is the super-fast lightning cable that lets you do it in less time - so you can cut the wait and get on with your day.

This durable lightning cable is Apple MFI-certified, laser-welded for extra strength and bend-tested 20,000 times for the ultimate peace of mind. Plus, with a 2-year warranty, you can charge and sync over and over with no worries.

The USB-C to Lightning cable is 1.2m/4ft in length to give you enough space between device and source, for convenient fast charging and quick data transfer.

And when you charge and sync with the USB-C to Lightning cable 1.2m/4ft, you're reducing your impact on the planet. All our products are 200% plastic regenerative, 100% carbon neutral and use 100% sustainable packaging (FSC certified).







| Features | | Technical details | |
|---|---|---|--|
| Cable length * Connector 1 * Connector 2 * Connector 2 gender * Connector 2 gender * Connector 2 form factor Connector 2 form factor Connector contacts plating Product colour * USB version Maximum data transfer rate Plug and Play Country of origin Certification Reinforced charging cable | 1.2 m Lightning USB C Male Male Straight Straight Nickel Black USB 2.0 480 Mbit/s ✓ China CE,REACH,RoHS, 200% plastic regenerative, 100% carbon neutral, FSC certified packaging | Cable type Fast charging HDCP 3D Thunderbolt technology Cable jacket material USB Power Delivery High Dynamic Range (HDR) supported EDID emulation (TX) USB Power Delivery revision USB Power Delivery up to Cable jacket type Display Stream Compression (DSC) Biodegradable package USB Type-C DisplayPort Alternate Mode | Round cable |
| Power | | Compliance certificates | CE, RoHS, WEEE |
| Input voltage Input current (max) Output voltage Output current (max) Weight & dimensions Cable diameter Weight | 9 V 3 A 9 V 3 A 4 mm 26 g | Logistics data Customs product code (TARIC) Harmonized System (HS) code Quantity per box Shipping (inner) case width Shipping (inner) case length Shipping (inner) case height Shipping (inner) case gross weight | 8544421100 8544421100 1 pc(s) 6.8 cm 15.3 cm 18.8 cm 474 g |
| Packaging data Quantity per pack * Package width | 1 pc(s) 61 mm | Products per shipping (inner) case Master (outer) case width Master (outer) case length | 474 g 6 pc(s) 320 mm 360 mm |

| | Logistics data | |
|--|---|---|
| 25 mm 186 mm 70 g Box | Master (outer) case height Master (outer) case gross weight Products per master (outer) case Master (outer) case GTIN (EAN/UPC) | 205 mm 5.28 kg 60 pc(s) 19360069000075 |
| | | |
| CarbonFree, CarbonNeutral, Green Tick Carbon Neutral, Green Tick Sustainable, Ocean Bound Plastic (OBP), Product Carbon Footprint (PCF) Carbon Neutral, SCS Recycled Content Certification, Sedex Members Ethical Trade Audit (SMETA) | | |
| Carbon Reduction Institute (NoCO2), Plastic collective | | |
| 2 year(s) -40 - 70 °C 0 - 45 °C | | |
| | 186 mm 70 g Box ✓ CarbonFree, CarbonNeutral, Green Tick Carbon Neutral, Green Tick Sustainable, Ocean Bound Plastic (OBP), Product Carbon Footprint (PCF) Carbon Neutral, SCS Recycled Content Certification, Sedex Members Ethical Trade Audit (SMETA) Carbon Reduction Institute (NoCO2), Plastic collective 2 year(s) -40 - 70 °C | 25 mm Master (outer) case height Master (outer) case gross weight Products per master (outer) case Box Master (outer) case GTIN (EAN/UPC) CarbonFree, CarbonNeutral, Green Tick Sustainable, Ocean Bound Plastic (OBP), Product Carbon Footprint (PCF) Carbon Neutral, SCS Recycled Content Certification, Sedex Members Ethical Trade Audit (SMETA) Carbon Reduction Institute (NoCO2), Plastic collective 2 year(s) -40 - 70 °C |



9360069000061

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.