NOC

AOC CU34P3CV computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black

Brand : AOC

Product code: CU34P3CV

Product name : CU34P3CV

Screen size (inch) 34, Panel resolution 3440x1440, Refresh rate 100 Hz, Panel type VA, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.4 x 1

AOC CU34P3CV. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black








Display		Network	
Display diagonal *	solution *3440 x 1440 pixels UltraWide Quad HDbect ratio *21:9chnology *LEDchnology *VAtypeW-LEDen *Xightness (typical)300 cd/m²time *4 msscreen✓ape *Curvedrvature rating1500R	Ethernet LAN	∢
Display resolution *		Ergonomics	
HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Screen curvature rating Contrast ratio (typical) *		VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Swivel angle range Tilt angle range Picture-in-Picture On Screen Display (OSD)	100 x 100 mm Kensington 15 cm -175 - 175° -5 - 20°
Contrast ratio (dynamic)	20000000:1	Power	
Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Display diagonal (metric) Surface hardness Colour depth NTSC coverage (typical)	20000000:1 100 Hz 178° 16.7 million colours 0.23175 x 0.23175 mm 110 ppi 86.36 cm 3H 8 bit 85%	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 100 hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency	G G 32 kWh 35 kWh 35 W 0.5 W 0.3 W 100 - 240 V 50 - 60 Hz
Performance		Energy efficiency scale	A to G
Flicker-free technology Low Blue Light technology	4	European Product Registry for Energy Labelling (EPREL) code	1362085

Multimedia		Weight & dimensions	
Number of speakers	2	Weight (with stand)	10 kg
RMS rated power	5 W	Packaging data	
Built-in speaker(s) *	4	Package width	1070 mm
Design		Package depth	190 mm
Market positioning *	Home	Package height	556 mm
Product colour *	Black	Package weight	12.9 kg
Front bezel colour	Black	Packaging content	
Detachable stand	√	Cables included	AC
Ports & interfaces		Power cable length	1.8 m
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	EPEAT Gold
Number of USB Type-C upstream ports quantity	1	Doesn't contain	PVC/BFR
USB Type-A downstream ports		Other features	
quantity	4		
	4	Low input lag Compatibility	✓ VESA-P2
quantity USB Type-C DisplayPort Alternate			
quantity USB Type-C DisplayPort Alternate Mode		Compatibility Picture-by-Picture (PbP) Exterior finish type	VESA-P2 ✓ Textured
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery	J J	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material	VESA-P2 ✓ Textured 100%
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to	✓ ✓ 65 W	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material Heavy metals free	VESA-P2 ✓ Textured 100% Hg (mercury)
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI *	✓ 65 W ✓	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material	VESA-P2 ✓ Textured 100%
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity	✓ 65 W ✓ 1	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material Heavy metals free	VESA-P2 ✓ Textured 100% Hg (mercury)
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	✓ 65 W ✓ 1 2.0	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material Heavy metals free Mean time between failures (MTBF)	VESA-P2 ✓ Textured 100% Hg (mercury)
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	 ✓ 	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material Heavy metals free Mean time between failures (MTBF) Recycling data	VESA-P2 Textured 100% Hg (mercury) 30000 h
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone connectivity	✓ 65 W ✓ 1 2.0 1 1.4 ✓ 3.5 mm	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material Heavy metals free Mean time between failures (MTBF) Recycling data	VESA-P2 Textured 100% Hg (mercury) 30000 h
quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	 ✓ 	Compatibility Picture-by-Picture (PbP) Exterior finish type Recyclable packaging material Heavy metals free Mean time between failures (MTBF) Recycling data	VESA-P2 Textured 100% Hg (mercury) 30000 h



4038986110730

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.