



TP-Link AX3000 Dual Band Wi-Fi 6 VoIP Router

Brand : TP-Link

Product code: EX530V

Product name : AX3000 Dual Band Wi-Fi 6 VoIP Router

2.4 GHz (574 Mbps), 5 GHz (2402 Mbps), 1G RJ45 WAN, 3x 1G RJ45 LAN, 1x USB 3.0, 1x RJ-11, 802.11 a/b/g/n/ac/ax, 99 x 99 x 190 mm
 TP-Link AX3000 Dual Band Wi-Fi 6 VoIP Router. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 3000 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, VPN support: PPTP, IPSec, OpenVPN. Security algorithms: SSID, WPA, WPA2, WPA3. Product type: Tabletop router, Product colour: White, LED indicators: LAN, Power, WAN



WAN connection		Management features	
Ethernet WAN *	✓	MIMO	✓
DSL WAN *	✗	Security	
SIM card slot *	✗	Security algorithms	SSID, WPA, WPA2, WPA3
3G/4G USB modem compatibility *	✗	Guest access	✓
WAN connection type	RJ-45	Access Control List (ACL)	✓
Wireless LAN features		Parental control	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	DMZ support	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Protocols	
WLAN data transfer rate (max) *	3000 Mbit/s	DHCP client	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	DHCP server	✓
WLAN data transfer rate (first band)	574 Mbit/s	Universal Plug and Play (UPnP)	✓
WLAN data transfer rate (second band)	2402 Mbit/s	Design	
Modulation	1024-QAM, OFDMA	Product colour	White
Network		Wall mountable	✓
Ethernet LAN *	✓	LED indicators	LAN, Power, WAN
Ethernet LAN interface type *	Gigabit Ethernet	On/off switch	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Product type *	Tabletop router
Port forwarding	✓	Certificates	
Port triggering	✓	Certification	CE, DFS
Automatic channel selection	✓	Packaging content	
Dynamic DNS (DDNS)	✓	Cables included	LAN (RJ-45), Phone (RJ-11)
SSID-based VLAN assignment	✓	AC adapter included	✓
Number of guest networks (2.4 GHz)	1	Quick installation guide	✓
Number of guest networks (5 GHz)	1	Antenna	
Built-in FTP server	✓	Antenna design *	Internal
VPN support	PPTP, IPSec, OpenVPN	Power	
Ports & interfaces		Power source type *	DC
Ethernet LAN (RJ-45) ports *	4	Output voltage	12 V
		Output current	2 A

Ports & interfaces		Operational conditions	
USB port *	✓	Operating temperature (T-T)	0 - 40 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Storage temperature (T-T)	-40 - 60 °C
RJ-11 ports quantity	1	Operating relative humidity (H-H)	10 - 90%
DC-in jack	✓	Storage relative humidity (H-H)	5 - 90%
Management features		Weight & dimensions	
Quality of Service (QoS) support	✓	Width	99 mm
MU-MIMO technology	✓	Depth	99 mm
		Height	190 mm
		Packaging data	
		Package type	Box



4897098686294

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date