TP-Link Archer VR1210v wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Brand : TP-Link

Product name : Archer VR1210v

Product code: ARCHER VR1210V V2.0

- Super VDSL: The Latest Super VDSL (VDSL2 Profile 35b) tech delivers internet speeds of up to 350 Mbps
- Speedy WiFi: Experience superb wireless connections with 867 Mbps (5 GHz) + 300 Mbps (2.4 GHz) dual band WiFi
- Versatile Connectivity: Fully compatible with VDSL2/ADSL2+/ADSL2/ADSL standards, as well as fiber, cable, and 3G/4G internet services
- Full Gigabit Ports: Take full advantage of broadband speeds up to 1 Gbps
- Superior Range: Two fixed omnidirectional antennas with Beamforming technology provide stable wireless connections and optimal coverage
- MU-MIMO Technology: Simultaneously transfers data to multiple devices to reduce congestion and boost the average throughput
- Telephony: Make or receive phone calls over the internet simply by connecting the device to their existing telephone set
Dual Band, Gigabit, VoIP, VDSL/ADSL, USB 3, black

WAN connection

Ethernet WAN *	✓
DSL WAN *	✓
SIM card slot *	✗
3G/4G USB modem compatibility *	✓
WAN connection type	RJ-45

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max) *	867 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Channels quantity	2 channels

Network

Ethernet LAN *	✓
Ethernet LAN interface type *	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Port forwarding	✓
Port triggering	✓
Dynamic DNS (DDNS)	✓
Static route	✓
USB sharing	✓
Support Samba (storage)	✓
Built-in FTP server	✓
Media server	✓
VPN support	OpenVPN, PPTP VPN, IPSec VPN

DSL features

ADSL	✓

Security

Stateful Packet Inspection (SPI)	✓
Filtering	✓
DMZ support	✓
Network address translation (NAT)	✓

Protocols

DHCP client	✓
DHCP server	✓
Universal Plug and Play (UPnP)	✓
Switching protocols	IPv4, IPv6
Routing protocols	RIP-1, RIP-2
Management protocols	HTTP / HTTPS, SSL

Design

Product colour	Black
Wall mountable	✓
LED indicators	LAN, Link, Power, Status, WAN
On/off switch	✓
Product type *	Portable router

Certificates

Compliance certificates	CE, EAC, RoHS

Packaging content

AC adapter included	✓
Manual	✓

Sustainability

Sustainability compliance	✓

Antenna

Antenna design *	Internal
Antenna gain level (max)	2 dBi
Antenna direction type	Omni-directional

DSL features

ADSL2	✓
ADSL2+	✓
VDSL	✓
VDSL2	✓
Internal modem	✓

Ports & interfaces

Ethernet LAN (RJ-45) ports *	4
USB port *	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
DC-in jack	✓

Management features

Web-based management	✓
Wi-Fi Multimedia (WMM)/(WME)	✓
Quality of Service (QoS) support	✓
Reset button	✓
WPS push button	✓
MU-MIMO technology	✓

Security

Security algorithms	64-bit WEP, 128-bit WEP, IPSec, WPA, WPA-PSK, WPA2, WPA-PSK2
Firewall	✓
Firewall security	NAT, SPI
Guest access	✓
Access Control List (ACL)	✓

Features

Firmware upgradeable	✓

Power

Power source type *	AC, DC
Output voltage	12 V
Output current	1.5 A

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

System requirements

Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Linux operating systems supported	✓
Mac operating systems supported	✓

Weight & dimensions

Width	214 mm
Depth	144.5 mm
Height	80 mm

Packaging data

Package type	Box

4897098685662