

Hisense 100L5HTUKD data projector 2700 ANSI lumens 4K (4096x2400) Grey, Silver

Brand : Hisense

Product code: 100L5HTUKD

Product name : 100L5HTUKD

- 100" 4K ALR Screen
- TV Tuners
- Ultra short throw single laser
- Dolby Atmos Sound

Hisense 100L5H -100" 4K Ultra Short Laser TV supports Dolby Vision HDR /HDR10+/HLG, Dolby Atmos, Alexa & Freeview Play (ALR Screen Included)

Hisense 100L5HTUKD. Projector brightness: 2700 ANSI lumens, Projector native resolution: 4K (4096x2400), Contrast ratio (typical): 3000:1. Light source type: Laser, Service life of light source: 25000 h. Noise level: 32 dB, Country of origin: China, High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG). RMS rated power: 20 W, Audio decoders: Dolby Atmos. Product colour: Grey, Silver



Projector		Features	
Projector brightness *	2700 ANSI lumens	Electronic Programme Guide (EPG)	✓
Projector native resolution *	4K (4096x2400)	Country of origin	China
Contrast ratio (typical) *	3000:1	High Dynamic Range (HDR) supported	✓
Native aspect ratio *	16:9	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Keystone correction, horizontal	1°	Video apps	4oD, All 4, Amazon Prime Video, Apple TV, BBC iPlayer, BritBox, DAZN, Disney+, Freeview Play, ITV Hub, My5, NOW TV, Rakuten TV, YouTube
Keystone correction, vertical	1°	Operating system installed	VIDAA U
Light source		Multimedia	
Light source type *	Laser	RMS rated power	20 W
Service life of light source *	25000 h	Number of built-in speakers	2
Lens system		TV tuner integrated	✓
Throw ratio	0.25	Audio decoders	Dolby Atmos
Ports & interfaces		Design	
USB 2.0 ports quantity *	1	Product colour *	Grey, Silver
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Display	
Headphone outputs	1	Built-in display *	✓
PC Audio in	✗	Display resolution	3840 x 2160 pixels
PC Audio out	✗	Power	
HDMI ports quantity *	3	Power consumption (typical) *	350 W
RF input	2	Power consumption (standby) *	0.5 W
Audio Return Channel (ARC)	✓	Weight & dimensions	
Network		Width	2262 mm
Ethernet LAN *	✓	Depth	28 mm
Wi-Fi *	✓	Height	1292 mm
Web browser	✓	Package width	1680 mm
Bluetooth	✓	Package depth	531 mm
Features		Package height	500 mm
HDCP	✗		
Screen mirroring	✓		
Noise level *	32 dB		

Packaging content

Remote control included *	✓
Cables included	AC, AV

Logistics data

Export Control Classification Number (ECCN)	8528721000
--	------------



6942147487907

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date