

GIGABYTE H610M S2H V2 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Phases Digital VRM, up to 5600MHz DDR5, 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

Brand : GIGABYTE

Product code: H610M S2H V2


Product name : H610M S2H V2 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Phases Digital VRM, up to 5600MHz DDR5, 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

- Supports Intel Core™ 14th/ 13th /12th processors
- Dual Channel Non-ECC Unbuffered DDR5, 2 DIMMs
- 4+1+1 Hybrid Digital VRM Design
- GbE LAN with Bandwidth Management
- NVMe PCIe 3.0 x4 M.2
- 2*DisplayPort / HDMI / D-Sub Ports for Multiple Display
- High Quality Audio Capacitors and Audio Noise Guard
- Smart Fan 6 Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- GIGABYTE APP Center, Simple and Easy Use
- Anti-Sulfur Resistors Design

Intel H610 Motherboard with 4+1+1 Hybrid Phases Digital VRM Design, PCIe 4.0* Design, Gen3 x4 M.2, 2*DisplayPort / HDMI / D-Sub Ports for Multiple Display , Anti-Sulfur Resistor, Smart Fan 6

[GIGABYTE H610M S2H V2 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Phases Digital VRM, up to 5600MHz DDR5, 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



| Processor | | Rear panel I/O ports | |
|--|---|-------------------------------------|---|
| Processor manufacturer * | Intel | DVI-D ports quantity * | 1 |
| Processor socket * | LGA 1700 | DisplayPorts quantity | 1 |
| Compatible processor series * | Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold | Headphone outputs | 1 |
| Maximum number of SMP processors | 1 | Microphone in | ✓ |
| Supported processor sockets | LGA 1700 | Network | |
| Maximum internal memory supported by processor | 96 GB | Ethernet LAN | ✓ |
| Memory | | Ethernet interface type | Gigabit Ethernet |
| Supported memory types * | DDR5-SDRAM | Wi-Fi * | ✗ |
| Number of memory slots * | 2 | Features | |
| Memory slots type | DIMM | Motherboard chipset * | Intel H610 Express |
| Memory channels | Dual-channel | Audio chip | Realtek ALC897 |
| ECC | ✓ | Audio output channels * | 7.1 channels |
| Non-ECC | ✓ | Product colour | Black |
| Supported memory clock speeds | 5600, 5200, 4800, 4400 MHz | PC health monitoring | Fan, LED, Temperature, Voltage, Water cooling |
| Supported memory clock speed (max) | 5600 MHz | Component for * | PC |
| Maximum internal memory * | 96 GB | Motherboard form factor * | micro ATX |
| Supported memory module capacities | 1GB, 2GB, 4GB, 8GB, 12GB, 32GB, 48GB | Motherboard chipset family * | Intel |
| Unbuffered memory | ✓ | Cooling type | Active |
| Storage controllers | | Power source type | ATX |
| Supported storage drive types | HDD & SSD | Windows operating systems supported | Windows 10 x64, Windows 11 x64 |
| Supported storage drive interfaces * | M.2, SATA | Expansion slots | |
| Number of HDDs supported | 4 | PCI Express x1 slots | 1 |
| Number of storage drives supported | 1 | PCI Express x16 slots | 1 |
| | | Number of M.2 (M) slots | 1 |
| | | BIOS | |
| | | BIOS type * | UEFI AMI |

| | | | |
|---|--------------------|--|---|
| Graphics | | BIOS | |
| On-board graphics card | ✓ | BIOS memory size | 128 Mbit |
| Graphics card family | Intel | ACPI version | 5.0 |
| Graphics card | HD Graphics | Clear CMOS jumper | ✓ |
| Maximum resolution | 4096 x 2304 pixels | Clear CMOS button | ✓ |
| HDCP | ✓ | Desktop Management Interface (DMI) version | 2.7 |
| On-board graphics card model | Intel® HD Graphics | System Management BIOS (SMBIOS) version | 2.7 |
| Internal I/O | | Logistics data | |
| USB 2.0 connectors * | 2 | Country of origin | China |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 1 | Products per shipping (inner) case | 1 pc(s) |
| Number of SATA III connectors * | 4 | Battery | |
| Front panel audio connector | ✓ | Battery weight | 3 g |
| Front panel connector | ✓ | Lithium weight per battery | 0.07 g |
| ATX Power connector (24-pin) | ✓ | Number of battery cells | 1 |
| CPU fan connector | ✓ | Battery technology | Lithium-Manganese Dioxide (LiMnO2) |
| Number of chassis fan connectors | 2 | Battery type | CR2032 |
| EPS power connector (8-pin) | ✓ | Packaging data | |
| Number of COM connectors | 1 | Package width | 265 mm |
| TPM connector | ✓ | Package depth | 235 mm |
| Serial port headers | 1 | Package height | 52 mm |
| 12V power connector | ✓ | Package weight | 690 g |
| RGB LED pin header | ✓ | Weight & dimensions | |
| Rear panel I/O ports | | Width | 230 mm |
| USB 2.0 ports quantity * | 4 | Depth | 215 mm |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2 | Height | 35 mm |
| Ethernet LAN (RJ-45) ports * | 1 | Packaging content | |
| PS/2 ports quantity | 1 | Cables included | SATA |
| VGA (D-Sub) ports quantity * | 1 | Batteries included | ✓ |
| HDMI ports quantity * | 1 | Bundled software | Norton® Internet Security (OEM version) LAN bandwidth management software |
| | | Other features | |
| | | Supported DIMM module capacities | 8GB, 16GB |
| | | Technical details | |
| | | Warranty period | 3 year(s) |



4719331859817

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date