



Lenovo ThinkPad T14s AMD Ryzen™ 5 PRO 4650U Laptop 35.6 cm (14") Full HD 8 GB DDR4-SDRAM 256 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Black

Brand : Lenovo

Product family: ThinkPad

Product code: 20UJS3HX05

Product name : T14s



- Windows 11 Pro 64-bit
- AMD Ryzen 5 PRO 4650U (8MB Cache, 2.1GHz)
- 35.6 cm (14") Full HD 1920 x 1080 IPS
- 8GB (3200MHz) DDR4-SDRAM & 256GB SSD

AMD Ryzen 5 PRO 4650U (8MB Cache, 2.1GHz), 8GB DDR4-SDRAM, 256GB SSD, 35.6 cm (14") Full HD 1920 x 1080 IPS, AMD Radeon Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

Lenovo ThinkPad T14s. Product type: Laptop, Form factor: Clamshell. Processor family: AMD Ryzen™ 5 PRO, Processor model: 4650U, Processor frequency: 2.1 GHz. Display diagonal: 35.6 cm (14"), HD type: Full HD, Display resolution: 1920 x 1080 pixels. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 256 GB, Storage media: SSD. On-board graphics card model: AMD Radeon Graphics. Operating system installed: Windows 11 Pro. Product colour: Black



| Design | | Camera | |
|---------------------------|-----------------------|---|--------------------|
| Product type * | Laptop | Front camera HD type | HD |
| Product colour * | Black | Privacy camera | ✓ |
| Form factor * | Clamshell | Privacy type | Privacy shutter |
| Display | | Network | |
| Display diagonal * | 35.6 cm (14") | Top Wi-Fi standard * | Wi-Fi 6 (802.11ax) |
| Display resolution * | 1920 x 1080 pixels | Wi-Fi standards | Wi-Fi 6 (802.11ax) |
| Touchscreen * | ✗ | Mobile network connection * | ✗ |
| HD type | Full HD | Antenna type | 2x2 |
| Panel type | IPS | Ethernet LAN | ✓ |
| LED backlight | ✓ | Ethernet LAN data rates | 100,1000 Mbit/s |
| Native aspect ratio | 16:9 | Bluetooth | ✓ |
| Display brightness | 250 cd/m ² | Bluetooth version | 5.2 |
| Contrast ratio (typical) | 700:1 | Ports & interfaces | |
| Processor | | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2 |
| Processor manufacturer * | AMD | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity | 2 |
| Processor family * | AMD Ryzen™ 5 PRO | Ethernet LAN (RJ-45) ports | 1 |
| Processor model * | 4650U | HDMI ports quantity * | 1 |
| Processor cores | 6 | HDMI version | 2.0 |
| Processor boost frequency | 4 GHz | Combo headphone/mic port | ✓ |
| Processor frequency * | 2.1 GHz | Docking connector | ✓ |
| Processor cache | 8 MB | USB Power Delivery | ✓ |
| Memory | | Performance | |
| Internal memory * | 8 GB | Motherboard chipset | AMD SoC |
| Internal memory type | DDR4-SDRAM | Keyboard | |
| Memory clock speed | 3200 MHz | Pointing device | ThinkPad UltraNav |
| Memory form factor | On-board | Keyboard layout | QWERTY |
| Maximum internal memory * | 8 GB | Keyboard language | English |
| Storage | | Numeric keypad * | ✗ |
| Total storage capacity * | 256 GB | Keyboard backlit | ✓ |
| Storage media * | SSD | Spill-resistant keyboard | ✓ |
| Total SSDs capacity | 256 GB | Software | |
| Number of SSDs installed | 1 | Operating system architecture | 64-bit |
| SSD capacity | 256 GB | Operating system language | English |
| SSD interface | PCI Express 3.0 | Recovery operating system | Windows 10 Pro |
| NVMe | ✓ | | |
| SSD form factor | M.2 | | |

| | | | |
|--------------------------------|----------------------|--------------------------------|---------------------------|
| Storage | | Software | |
| Optical drive type * | ✘ | Operating system installed * | Windows 11 Pro |
| Card reader integrated | ✔ | Battery | |
| Compatible memory cards | MicroSD (TransFlash) | Battery technology | Lithium Polymer (LiPo) |
| Graphics | | Battery capacity * | 57 Wh |
| Discrete graphics card model * | Not available | Security | |
| On-board graphics card * | ✔ | Cable lock slot | ✔ |
| On-board GPU manufacturer | AMD | Smart card reader | ✔ |
| Discrete graphics card * | ✘ | Trusted Platform Module (TPM) | ✔ |
| On-board graphics card model * | AMD Radeon Graphics | Password protection | ✔ |
| Audio | | Password protection type | HDD, Power on, Supervisor |
| Audio chip | Realtek ALC3287 | Certificates | |
| Audio system | Dolby Audio | Certification | MIL-STD-810G |
| Number of built-in speakers | 2 | Weight & dimensions | |
| Speaker power | 1 W | Width | 329 mm |
| Built-in subwoofer | ✘ | Depth | 226.2 mm |
| Built-in microphone | ✔ | Height | 16.7 mm |
| Camera | | Weight * | 1.35 kg |
| Front camera | ✔ | | |
| Front camera resolution | 1280 x 720 pixels | | |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date