ASUS PRIME H610M-E-CSM Intel H610 LGA 1700 micro ATX

Brand: ASUS Product code: 90MB1G10-M0EAYC

Product name: PRIME H610M-E-CSM

- Intel® LGA 1700 Socket: Ready for 13th and 12th Gen Intel® processors
- Comprehensive Cooling: PCH heatsink and Fan Xpert 2+
- Ultrafast Connectivity: 32Gbps M.2 slot, Realtek 1 Gb Ethernet and USB 3.2 Gen 1
- Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware
- ASUS Control Center Express: Real-time IT monitoring and management software for enhanced data protection

PRIME H610M-E-CSM Mainboard socket Intel LGA 1700 (Intel H610, mATX, DDR4 memory, PCle 4.0, 2x M.2, COM header, RGB header)





Processor		Rear panel I/O ports	
	Intel LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	Ethernet LAN (RJ-45) ports * PS/2 ports quantity VGA (D-Sub) ports quantity *	1 2 1
	LGA 1700	HDMI ports quantity * HDMI version	1 2.1
Memory		DisplayPorts quantity	1
Number of memory slots * Memory slots type	DDR5-SDRAM 2 DIMM Dual-channel	DisplayPort version Headphone outputs Line-in Microphone in	1.4 1 ✓
Non-ECC	✓	Network	
Supported memory clock speed (max)	4800,5000,5200,5400,5600 MHz 5600 MHz 96 GB	Ethernet LAN Ethernet interface type Wi-Fi *	✓ Gigabit Ethernet ★
Unbuffered memory	✓	Features	
Storage controllers		Motherboard chipset *	Intel H610
Supported storage drive interfaces *	4	Audio output channels * Component for * Motherboard form factor * Motherboard chipset family *	7.1 channels PC micro ATX Intel
Graphics		Cooling type Power source type	Passive ATX
Parallel processing technology support *	Not supported	Windows operating systems supported	Windows 10, Windows 11
Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2 1 4	PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots	1 1 2

Internal I/O		BIOS	
Front panel audio connector ATX Power connector (24-pin)	√	BIOS type * BIOS memory size	UEFI AMI 128 Mbit
CPU fan connector Number of chassis fan connectors	√ 2	Packaging data	
EPS power connector (8-pin) Number of COM connectors TPM connector	√ 1 √	Package width Package depth Package height Package weight	270 mm 263 mm 51.5 mm 890 g
12V power connector RGB LED pin header	4	Weight & dimensions	
Rear panel I/O ports USB 2.0 ports quantity * 2	Width Depth	244 mm 211 mm	
	2	Packaging content	
		Cables included User guide	SATA ✓



4711387259795

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.