



BenQ LH856UST data projector Ultra short throw projector 3500 ANSI lumens DLP 1080p (1920x1080) 3D Black, White

Brand : BenQ

Product code: 9H.JS177.24E

Product name : LH856UST

BenQ LH856UST. Projector brightness: 3500 ANSI lumens, Projection technology: DLP, Projector native resolution: 1080p (1920x1080). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 38000 h. Fixed focal length: 5.1 mm, Offset: 124.6%. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0b



Projector		Ports & interfaces	
Smart projector *	✗	DVI port *	✗
Projector brightness *	3500 ANSI lumens	Network	
Projection technology *	DLP	Smart TV *	✗
Projector native resolution *	1080p (1920x1080)	Ethernet LAN *	✓
Contrast ratio (typical) *	3000000:1	Ethernet LAN (RJ-45) ports	1
Native aspect ratio *	16:9	Wi-Fi *	✗
Number of colours	1.07 billion colours	Storage	
Horizontal scan range	15 - 135 kHz	Card reader integrated *	✗
Vertical scan range	23 - 120 Hz	Features	
Keystone correction, horizontal	-15 - 15°	Interactive *	✗
Keystone correction, vertical	-15 - 15°	Noise level (economic mode)	32 dB
Light source		Noise level *	34 dB
Light source type *	Laser	Multimedia	
Service life of light source *	20000 h	Built-in speaker(s) *	✓
Service life of light source (economic mode)	38000 h	RMS rated power	10 W
Lens system		Number of built-in speakers	2
Fixed focal length	5.1 mm	Design	
F-number (relative aperture)	2.5	Market positioning *	Education
Throw ratio	0.33	Product type *	Ultra short throw projector
Offset	124.6%	Product colour *	Black, White
Video		Display	
Full HD *	✓	Built-in display *	✗
3D *	✓	Power	
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Power source *	AC
Ports & interfaces		Power consumption (typical) *	170 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	2.0b	AC input voltage	100 - 240 V
USB 2.0 ports quantity *	2	AC input frequency	50/60 Hz
USB 2.0 Type-A ports quantity	1	Cord length	3 m
USB 2.0 Type-B ports quantity	1		

Ports & interfaces		Operational conditions	
Audio (L/R) in *	1	Operating temperature (T-T)	0 - 40 °C
Audio (L/R) out	1	Weight & dimensions	
Microphone in	✓	Width	317.2 mm
Serial interface type *	RS-232	Depth	208 mm
PC in (D-Sub)	✓	Height	376.4 mm
VGA (D-Sub) ports quantity *	2	Weight *	6.5 kg
HDMI ports quantity *	2	Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Mounting brackets included	✓
		AC adapter included	✓
		Other features	
		Security updates end date	31/12/2026



4718755091353

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date