



LG 98UM5K-B Digital signage flat panel 2.49 m (98") LED Wi-Fi 500 cd/m² 4K Ultra HD Black

Brand : LG

Product code: 98UM5K-B.AEQ

Product name : 98UM5K-B



98", ADS, 16:9, 3840 × 2160, UHD, 60 Hz, 500 nits, 430 W, 100-240 V, 50/60 Hz, 2198 × 1253 × 79.5 mm, 78 kg

LG 98UM5K-B. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Product colour: Black

Display		Audio	
Panel type	ADS	RMS rated power	20 W
LED backlight	✓	Design	
LED backlighting type	Direct-LED	Product design *	Digital signage flat panel
Display diagonal *	2.49 m (98")	Placement supported *	Indoor
Display technology *	LED	Product colour *	Black
Display resolution *	3840 x 2160 pixels	VESA mounting *	✓
Display brightness *	500 cd/m ²	Panel mounting interface	800 x 400 mm
HD type *	4K Ultra HD	Bezel width (bottom)	1.7 cm
Native aspect ratio	16:9	Bezel width (side)	1.7 cm
Response time	8 ms	Bezel width (top)	1.7 cm
Contrast ratio (typical)	1200:1	Performance	
Contrast ratio (dynamic)	200000:1	Purpose *	Commercial
Viewing angle, horizontal	178°	Number of OSD languages	22
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Display number of colours	1.07 billion colours	Power	
Rated lifetime	30000 h	Power consumption (typical) *	430 W
Native refresh rate	60 Hz	Power consumption (off)	0.5 W
Haze rate	25%	Power consumption (max)	560 W
Ports & interfaces		AC input voltage	100-240 V
HDMI ports quantity *	3	AC input frequency	100-240 Hz
HDMI version	1.2	Computer system	
HDMI input ports quantity	3	Internal memory	16 GB
HDMI output ports quantity	1	Weight & dimensions	
DVI port *	✓	Display width	2198 mm
DVI-D ports quantity	1	Display depth	79.5 mm
DisplayPorts quantity *	1	Display height	1253 mm
USB port *	✓	Display weight	78 kg
USB ports quantity	1	Packaging data	
USB version	2.0	Package width	2680 mm
USB connector type	USB Type-A	Package depth	320 mm
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Wi-Fi *	✓		
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232C	✓		
Remote (IR) input	1		

Audio

Built-in speaker(s) *	✓
Number of built-in speakers	2

Packaging data


Package height	1730 mm
Package weight	105 kg

Packaging content

Remote control included	✓
Cables included	Power

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%



8806084240774

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date