

DELL P5524Q Digital signage flat panel 138.7 cm (54.6") LCD 350 cd/m^2 4K Ultra HD Black

Brand : DELL P5524Q

Product name: P5524Q

- 138.7cm (54.6") 4K Ultra HD 3840 x 2160 VA
- 8ms, 16:9, 4000:1
- DisplayPort

138.7cm (54.6") 4K Ultra HD 3840 x 2160 VA, 16:9, 1.07B, 8ms, 178°/178°, 4000:1

DELL P5524Q Digital signage flat panel 138.7 cm (54.6") LCD 350 cd/m² 4K Ultra HD Black:

Bring the team together, whether they are in the room or remote, with this brilliant 55" 4K large format monitor with built-in dual 10W speakers.

DELL P5524Q. Product design: Digital signage flat panel. Display diagonal: 138.7 cm (54.6"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m², HD type: 4K Ultra HD. Product colour: Black







19.9 kg






Display		Design	
Panel type	VA	Bezel width (bottom)	2.56 cm
LED backlight	✓	Bezel width (side)	1.57 cm
Display diagonal *	138.7 cm (54.6")	Bezel width (top)	1.57 cm
Display technology *	LCD	Anti-glare screen	✓
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	350 cd/m ²	Purpose *	Corporate
HD type *	4K Ultra HD	On Screen Display (OSD)	
Touchscreen *	×	HDCP	√
Native aspect ratio	16:9	HDCP version	2.2
Response time	8 ms	TIDEF VEISION	2.2
Contrast ratio (typical)	4000:1	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	84 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours	1.07 billion colours	Power consumption (off)	0.3 W
Pixel pitch	0.315 x 0.315 mm	Power consumption (max)	200 W
Active display area (W x H)	1209.6 x 680.4 mm	Energy efficiency class (SDR)	G
Display diagonal (metric)	1386.84 cm	Energy efficiency class (HDR)	Not available
Horizontal scan range	30 - 160 kHz	Energy consumption (SDR) per 1000 84 kWh	
Vertical scan range	23 - 80 Hz	hours	
	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 3840 x 2160	AC input voltage	100 - 240 V
Supported graphics resolutions		AC input frequency	50 - 60 Hz
		Energy efficiency scale	A to G
		Weight & dimensions	
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p	Display width	1209.6 mm
Hardness	3H	Display height	680.4 mm
Native refresh rate	60 Hz	Width	1241 mm
Haze rate	2%	Depth	64.8 mm
Colour gamut	72%	Height	721.5 mm
Joseph Jannac	. =	Weight	19.9 ka

Weight

Ports & interfaces		Packaging data	
HDMI ports quantity *	2	Package weight	26.9 kg
HDMI version	2.1	Packaging content	
DVI port * VGA (D-Sub) input ports 1 DisplayPorts quantity * 1		Remote control included Cables included	✓ AC, DisplayPort, HDMI, USB, VGA
USB port *	<u>-</u>	Operational conditions	
USB ports quantity USB version USB connector type Ethernet LAN * Wi-Fi * USB connector type USB Type-A V USB Type-A V USB Type-A V USB Type-A	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C 10 - 80% -20 - 60 °C 10 - 90% 0 - 5000 m 5000 - 12192 m	
Audio (L/R) in	1	Technical details	
Audio (L/R) out RS-232 interface	1	Sustainability compliance Sustainability certificates	✓ ENERGY STAR, TCO
Audio		Doesn't contain	Mercury, PVC/BFR
Built-in speaker(s) *	✓	Compliance certificates	RoHS
Number of built-in speakers RMS rated power	2 20 W	Other features	
Design		Quick start guide Power supply type	√ Internal
Product design * Placement supported * Product colour * Screen shape VESA mounting * Panel mounting interface	Digital signage flat panel Indoor Black Flat ✓ 400 x 400 mm	Cable management Plug and Play	√ √





5397184821527

5715063228258

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.