Viewsonic VA2408-MHDB computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LED Black

Brand : Viewsonic **Product code:** VA2408-MHDB

Product name: VA2408-MHDB

- 99% sRGB SuperClear® IPS panel
- 1ms (MPRT) response time for precision
- 100Hz Variable Refresh Rate eliminates screen tearing and reduces stuttering
- HDMI, VGA, DisplayPort, and USB downstream/upstream inputs for flexible connectivity
- Eye ProTech+ for always-on eye protection

 $24^{''}$ Full HD Monitor with USB Hub, FHD, 1920×1080 , IPS, 100-240V, 16W, 18W, $542 \times 407 \times 185$ mm, 3.3kg

Viewsonic VA2408-MHDB. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). Product colour: Black





Display		Ports & interfaces	
splay diagonal * 61 cm (24") splay resolution * 1920 x 1080 pixels D type * Full HD stive aspect ratio * 16:9 splay technology * LED nel type * IPS splay type splay type splay brightness (typical) 250 cd/m²	USB Type-A downstream ports quantity VGA (D-Sub) ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity Audio input DC-in jack	2 1 1 1 1.4 1	
Response time *		Ergonomics	
Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic)	pe * Flat tio (typical) * 1300:1 tio (dynamic) 5000000:1 refresh rate * 100 Hz gle, horizontal 178° gle, vertical 178° mber of colours * 16.7 million colours 0.275 x 0.275 mm rdness 3H	Cable lock slot * Cable lock slot type Tilt adjustment Tilt angle range	✓ Kensington ✓ -5 - 20°
Maximum refresh rate *		Power	
Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Surface hardness sRGB coverage (typical)		Power consumption (typical) * Power consumption (standby) * Power consumption (max) AC input voltage Power supply type	16 W 0.3 W 18 W 100 - 240 V External
NTSC coverage (typical)	77%	Operational conditions	
Performance Flicker-free technology	√	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 20 - 90%
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	542 mm
Number of speakers RMS rated power Built-in speaker(s) * Built-in camera *	2 2 W ✓	Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)	185 mm 407 mm 3.3 kg 542 mm 44 mm
Design		Height (without stand)	323 mm
Market positioning * Product colour *	Office Black	Weight (without stand)	2.9 kg
riouuci Coloui *	DIACK	Packaging data	

Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	605 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Package depth	120 mm
Number of USB Type-B upstream ports quantity	1	Package height	400 mm
		Package weight	4.4 kg





766907024753

0766907024753

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.