

# Verbatim GNC-140 GaN Charger 140W with 2 x USB-C PD 140W / 1 x USB-C PD 20W / 1 x USB-A QC 3.0 (EU/UK/US)

**Brand :** Verbatim

**Product code:** 32203

**Product name :** GNC-140 GaN Charger 140W with 2 x USB-C PD 140W / 1 x USB-C PD 20W / 1 x USB-A QC 3.0 (EU/UK/US)

GNC-140 GaN Wall Charger 140W with 2 x USB-C PD 140W / 1 x USB-C PD 20W / 1 x USB-A QC 3.0 (EU/UK/US)

[Verbatim GNC-140 GaN Charger 140W with 2 x USB-C PD 140W / 1 x USB-C PD 20W / 1 x USB-A QC 3.0 \(EU/UK/US\):](#)

## 140W 4-in-1 Charging

Verbatim's 140W GaN Wall Charger combines two USB-C PD 140W ports, one USB-C PD 20W port and one USB-A QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your laptop, tablet, smartphone, gaming devices, and more.

With its foldable US prongs and replaceable EU and UK plugs, it's the ultimate travel companion.

## Safe and Reliable

The GaN charger is made with high-quality, flame-resistant materials and features four safety protection systems, including over-current protection, over-voltage protection, short circuit protection, and over-temperature protection to ensure your safety while charging.



| Performance                                     |   | Power                             |             |
|---|---|-----------------------------------|-------------|
| Charger compatibility *                         | Universal   | Port 4 output current             | 3 A         |
| Power source type *                             | AC  | Compatible power plug types       | EU, UK, US  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1   | Weight & dimensions               |             |
| USB Type-C ports quantity                       | 3   | Width                             | 31.3 mm     |
| Fast charging                                   | ✓   | Depth                             | 76.5 mm     |
| Fast charging technology                        | Quick Charge 3.0  | Height                            | 67.7 mm     |
| Charger type *                                  | Indoor  | Weight                            | 270 g       |
| Programmable power supply (PPS)                 | ✓   | Packaging data                    |             |
| USB Power Delivery                              | ✓   | Quantity per pack                 | 1 pc(s)     |
| USB Power Delivery up to                        | 140 W   | Package type                      | Hanging box |
| Power protection features                       | Over current, Over voltage, Overheating, Short circuit    | Package width                     | 47 mm       |
| Country of origin                               | China   | Package depth                     | 110 mm      |
|   |   | Package height                    | 131.5 mm    |
|   |   | Package weight                    | 390 g       |
| Design  |   | Operational conditions            |             |
| Product colour *                                | Black, Grey   | Operating temperature (T-T)       | -10 - 40 °C |
| Housing material                                | Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC) | Storage temperature (T-T)         | -20 - 80 °C |
| Plug and Play                                   | ✓   | Operating relative humidity (H-H) | 5 - 90%     |
| Gallium nitride (GaN) transistors               | ✓   | Packaging content                 |             |
|   |   | AC adapter included               | ✓           |
| Power   |   | Technical details                 |             |
| Input voltage                                   | 100 - 240 V   | Sustainability compliance         | ✓           |
| Input frequency                                 | 50/60 Hz  | Compliance certificates           | REACH, RoHS |
| Input current                                   | 2.1 A   | Logistics data                    |             |
| Maximum power                                   | 140 W   | Customs product code (TARIC)      | 85366990    |
| Maximum output voltage                          | 20 V  | Master (outer) case width         | 280 mm      |
| Minimum output voltage                          | 3.3 V   |                                   |             |
| Port 1 output power                             | 140 W   |                                   |             |
| Port 2 output power                             | 140 W   |                                   |             |

| Power                 |      | Logistics data                     |          |
|-----------------------|------|------------------------------------|----------|
| Port 3 output power   | 20 W | Master (outer) case length         | 305 mm   |
| Port 4 output power   | 18 W | Master (outer) case height         | 302 mm   |
| Output current (5V)   | 3 A  | Master (outer) case gross weight   | 8.6 kg   |
| Output current (9V)   | 3 A  | Products per master (outer) case   | 20 pc(s) |
| Output current (12V)  | 3 A  | Shipping (inner) case width        | 25.5 cm  |
| Output current (15V)  | 3 A  | Shipping (inner) case length       | 28.5 cm  |
| Output current (20V)  | 5 A  | Shipping (inner) case height       | 13.1 cm  |
| Port 1 output current | 5 A  | Shipping (inner) case gross weight | 4.1 kg   |
| Port 2 output current | 5 A  | Products per shipping (inner) case | 10 pc(s) |
| Port 3 output current | 3 A  |                                    |          |



0023942322030



023942322030



(01)20023942322034



(01)50023942322035

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.