

PHILIPS

Philips 1000 series 24E1N1300A/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black



Brand : Philips

Product family: 1000 series

Product code: 24E1N1300A/00

Product name :
24E1N1300A/00

Monitor 24E1N1300A Full HD LCD monitor

Philips 1000 series 24E1N1300A/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

This monitor is made to keep you connected. With features like USB-C 3.2 with power delivery, users can charge their linked device and work seamlessly, all with one cable. In addition, the singular cable makes for a clean workspace.

Philips 1000 series 24E1N1300A/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 20°
Backlight type	W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	✗		
Display brightness (typical)	250 cd/m ²		
Anti-glare screen	✓		
Screen shape *	Flat	Plug and Play	✓
Contrast ratio (typical) *	1300:1	LED indicators	Operation, Stand-by
Maximum refresh rate *	100 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	E
Viewing angle, vertical	178°	Power consumption (typical) *	18.3 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Response time (fast)	1 ms	Power consumption (off)	0.3 W
Pixel pitch	0.2745 x 0.2745 mm	AC input voltage	100 - 240 V
Pixel density	92.56 ppi	AC input frequency	50/60 Hz
Vertical scan range	48 - 100 Hz	Power supply type	Internal
Viewable size, horizontal	52.7 cm	Operational conditions	
Viewable size, vertical	29.6 cm	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	60.5 cm	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
Display sRGB	✓	Weight & dimensions	
Performance		Width (with stand)	542 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	180 mm
AMD FreeSync *	✗		
VESA Adaptive Sync support	✓		

Performance		Weight & dimensions	
Component video sync	Separate sync	Height (with stand)	417 mm
Flicker-free technology	✓	Weight (with stand)	3.41 kg
Low Blue Light technology	✓	Width (without stand)	542 mm
Multimedia		Depth (without stand)	45 mm
Number of speakers	2	Height (without stand)	316 mm
Built-in speaker(s) *	✓	Weight (without stand)	3.06 kg
Built-in camera *	✗	Packaging data	
Design		Package width	610 mm
Product colour *	Black	Package depth	124 mm
Ports & interfaces		Package height	370 mm
Built-in USB hub *	✓	Package weight	5.26 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
USB Type-A downstream ports quantity	2	Stand included	✓
USB Type-C downstream ports quantity	1	Cables included	HDMI, Power, USB Type-C
USB Type-C DisplayPort Alternate Mode	✓	Manual	✓
USB Power Delivery	✓	Sustainability	
USB Power Delivery up to	65 W	Doesn't contain	Mercury, PVC/BFR
HDMI *	✓	Other features	
HDMI ports quantity	1	Exterior finish type	Textured
HDMI version	1.4	Picture enhancement	SmartImage game
Audio output	✓	Recyclable packaging material	100%
HDCP	✓	Regulatory Approvals	CB; CE Mark; ICES-003; TUV/ISO9241-307; TUV-BAUART; EAC; FCC; VCCI; PSB; PSE
HDCP version	1.4	EasyRead mode	✓
		LowBlue mode	✓
		Mean time between failures (MTBF)	50000 h



8712581803513

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date