## Samsung VM55C-E LCD Indoor

Brand : Samsung Product family: VMC-E Product code: LH55VMCEBGBXEN

**Product name : VM55C-E** 


Samsung VM55C-E. Display diagonal: 139.7 cm (55"), Display resolution:  $1920 \times 1080$  pixels, Display technology: LCD, Display brightness:  $500 \text{ cd/m}^2$ , HD type: Full HD, Operating hours (hours/days): 24/7. Product colour: Black





Display		Ports & interfaces		
Display technology * LCD Display diagonal 139.7 cm (55") Display resolution 1920 x 1080 pixels HD type Full HD Display resolution IPS Display resolution 1920 x 1080 pixels The spectratio 16:9	HDCP HDCP version IR input ports quantity Audio input Audio output Video out	✓ 2.2 1 ✓ Yes		
Pixel pitch *	0.63 x 0.63 mm	Power		
isplay brightness * 500 cd/m²  xel frequency 78 MHz  ontrast ratio (typical) 1000:1  ontrast ratio (dynamic) 100000:1  esponse time 0.008 s  ewing angle, horizontal 178°  ewing angle, vertical 178°  orizontal scan range 57.3 - 70 kHz	Power consumption (typical) * Power consumption (sleep) Energy efficiency scale Energy efficiency class (SDR) Energy consumption (SDR) per 10 hours AC input voltage AC input frequency	220 W 0.5 W A to G G 113 kWh 100 - 240 V 50/60 Hz		
Vertical scan range	47 - 63 Hz	Operational conditions		
Haze rate 28% Colour gamut 72% Operating hours (hours/days) 24/7 Display diagonal (metric) 138 cm	72%	Operating temperature (T-T) Operating relative humidity (H-H) Technical details	0 - 40 °C 10 - 90%	
Design	150 Cm		CB. Federal Communications	
Placement supported *	Indoor	Compliance certificates	Commission (FCC)	
Orientation *	Landscape/Portrait	Sustainability		
Bezel colour Wall mountable VESA mounting Panel mounting interface Product colour	Black	Sustainability compliance	FCC (USA) Part 15, Subpart B Class B CE (Europe): EN 55032:2015+A11:2020 / EN 55035:2017+A11:2020 / EN IEC 61000-3-2:2019 / EN 61000-3-3:2013+A1:2019 VCCI	
Ports & interfaces			(Japan): VCCI-CISPR32: 2015 KC	
HDMI ports quantity HDMI input ports quantity HDMI version DVI port DVI-D ports quantity DisplayPorts quantity DisplayPorts in DisplayPort version Ethernet LAN Ethernet LAN (RJ-45) ports	2 1 2.0  1 1 1 1 1.2  1	Certification	(Korea): KS C 9832 / KS C 9835 RCM (Australia/ Newzealand): AS/N CB (Europe): IEC62368-1/EN62368-1 CCC (China): GB 4943.1-2011 (Singapore): PSB+IEC62368-1NOM (Mexico): Tunerless: NOM-019- SCFI-1998IRAM (Argentina): IRAM+IEC62368-1 SIRC (Saudi Arabia): SASO+IEC62368-1 BIS (India): IEC60950-1 / IS13252KC (Kore	

Ports & interfaces		Weight & dimensions	
RS-232 input ports	1	Width	1212.2 mm
RS-232 output ports	1	Depth	70.4 mm
USB port	✓	Height	683 mm
USB ports quantity	1	Weight	19.5 kg
		Packaging data	
		Package width	1398 mm
		Package depth	257 mm
		Package height	844 mm
		Package weight	27.1 kg



8806095363929

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.