

# Verbatim CMH-09 USB Type-C 10000 Mbit/s Silver

**Brand :** Verbatim

**Product code:** 32152

**Product name :** CMH-09

- Transform a single USB-C port into nine ports including USB-C® and USB-A with different generations for maximum device compatibility
  - 1 x HDMI, 1 x RJ45, 2 x USB-C 3.2 Gen2, 1 x USB-A 3.2 Gen2, 2 x USB-A 3.2 Gen1, 1 x SD card slot, 1 x microSD card slot
  - 4K resolution HDMI video supported
  - Benefit from a stable, wired network connection with the gigabit ethernet port
  - USB 3.2 Gen 1 technology ensures fast data transfer speeds
  - Integrated SD and microSD memory card slots
- 1 x HDMI, 4K 60Hz, 1 x RJ45, up to 1Gb/s, 2 x USB-C 3.2 Gen2, 10Gb/s, 1 x USB-A 3.2 Gen2, 10Gb/s, 2 x USB-A 3.2 Gen1, 5Gb/s, 1 x SD 3.0, 1 x microSD 3.0, 121mm x 49mm x 15.5mm



Ports & interfaces		Weight & dimensions	
Host interface *	USB Type-C	Width	49 mm
Hub interfaces *	HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Depth	121 mm
		Height	15.5 mm
		Weight	88 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Packaging data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Quantity per pack	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Package width	85 mm
HDMI ports quantity	1	Package depth	155 mm
Ports quantity *	9	Package height	20 mm
Ethernet LAN (RJ-45) ports	1	Package weight	132 g
Card reader slot	2	Package type	Hanging box
Compatible memory cards	MicroSD (TransFlash), SD	Packaging content	
Features		Quick start guide	✓
Data transfer rate *	10000 Mbit/s	Operational conditions	
Maximum refresh rate	60 Hz	Operating temperature (T-T)	0 - 40 °C
Product colour	Silver	Storage temperature (T-T)	-20 - 70 °C
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Operating relative humidity (H-H)	10 - 85%
USB Power Delivery	✗	Logistics data	
HD type	4K Ultra HD	Packs per box (outer)	40
LED indicators	✗	Box (outer) per layer	12
Cable length	0.15 m	Products per pallet	1920 pc(s)
Country of origin	China	Master (outer) case width	215 mm
Certification	EAC/CE/UKCA/FCC RoHS/REACH	Layers per pallet	4 pc(s)
Network		Master (outer) case length	345 mm
Ethernet interface type	Gigabit Ethernet	Master (outer) case height	250 mm
Power		Master (outer) case gross weight	6.12 kg
Output voltage	5 V	Products per master (outer) case	40 pc(s)
Output current	1.5 A	Shipping (inner) case width	9.7 cm
		Shipping (inner) case length	32.5 cm
		Shipping (inner) case height	11 cm
		Shipping (inner) case gross weight	1.43 kg

System requirements		Logistics data	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8	Products per shipping (inner) case	10 pc(s)
	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		
Mac operating systems supported		Master (outer) cases per pallet	48 pc(s)
Linux operating systems supported	✓		
Other operating systems supported	ChromeOS		



0023942321521



023942321521



(01)20023942321525



(01)50023942321526

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.