

GIGABYTE H610M S2H V3 DDR4 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 3200MHz DDR4, 1xPCIe 3.0 M.2, GbE LAN , USB 3.2 Gen 1

Brand : GIGABYTE


Product code: H610M S2H V3 DDR4

Product name : H610M S2H V3 DDR4 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 3200MHz DDR4, 1xPCIe 3.0 M.2, GbE LAN , USB 3.2 Gen 1



- Supports Intel® Core™ 14th/ 13th /12th processors
- Dual Channel Non-ECC Unbuffered DDR5, 2 DIMMs
- 4+1+1 Hybrid Digital VRM Design
- GbE LAN with Bandwidth Management
- NVMe PCIe 3.0 x4 M.2
- 2*DisplayPort / HDMI / D-Sub Ports for Multiple Display
- High Quality Audio Capacitors and Audio Noise Guard
- Smart Fan 6 Features Multiple Temperature Sensors , Hybrid Fan Headers with FAN STOP
- GIGABYTE APP Center, Simple and Easy Use
- Anti-Sulfur Resistors Design

Intel H610 Motherboard with 4+1+1 Hybrid Phases Digital VRM Design, PCIe 4.0* Design, Gen3 x4 M.2, 2*DisplayPort / HDMI / D-Sub Ports for Multiple Display , Anti-Sulfur Resistor, Smart Fan 6



[GIGABYTE H610M S2H V3 DDR4 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 3200MHz DDR4, 1xPCIe 3.0 M.2, GbE LAN , USB 3.2 Gen 1:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	3
Processor socket *	LGA 1700	Microphone in	✓
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	USB connector type	USB Type-A
Supported processor sockets	LGA 1700	Network	
Maximum internal memory supported by processor	64 GB	Ethernet LAN	✓
		Ethernet interface type	Gigabit Ethernet
		Wi-Fi *	✗
Memory		Features	
Supported memory types *	DDR4-SDRAM	Motherboard chipset *	Intel H610 Express
Number of memory slots *	2	Audio chip	Realtek ALC897
Memory slots type	DIMM	Audio output channels *	7.1 channels
Memory channels	Dual-channel	Product colour	Black
ECC	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Non-ECC	✓	Component for *	PC
Supported memory clock speeds	3200, 3000, 2933, 2666, 2400, 2133 MHz	Motherboard form factor *	micro ATX
Supported memory clock speed (max)	3200 MHz	Motherboard chipset family *	Intel
Maximum internal memory *	64 GB	Cooling type	Active
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB	Power source type	ATX
Unbuffered memory	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Storage controllers		Expansion slots	
Supported storage drive types	HDD & SSD	PCI Express x1 slots	1
Supported storage drive interfaces *	M.2, SATA III	PCI Express x16 slots	1
Number of HDDs supported	1	Number of M.2 (M) slots	1
Number of storage drives supported	5	BIOS	
		BIOS type *	UEFI AMI
		BIOS memory size	128 Mbit

Graphics		BIOS	
Parallel processing technology support *	Not supported	ACPI version	5.0
Maximum resolution	4096 x 2304 pixels	Clear CMOS jumper	✓
HDCP	✓	Clear CMOS button	✓
Internal I/O		Desktop Management Interface (DMI) version	2.7
USB 2.0 connectors *	2	System Management BIOS (SMBIOS) version	2.7
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Logistics data	
Number of SATA III connectors *	4	Country of origin	China
Front panel audio connector	✓	Products per shipping (inner) case	1 pc(s)
Front panel connector	✓	Battery	
ATX Power connector (24-pin)	✓	Battery weight	3 g
CPU fan connector	✓	Lithium weight per battery	0.07 g
EPS power connector (8-pin)	✓	Number of battery cells	1
TPM connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Serial port headers	1	Battery type	CR2032
12V power connector	✓	Packaging data	
RGB LED pin header	✓	Package width	265 mm
Rear panel I/O ports		Package depth	235 mm
USB 2.0 ports quantity *	4	Package height	52 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Package weight	703 g
Ethernet LAN (RJ-45) ports *	1	Weight & dimensions	
PS/2 ports quantity	2	Width	230 mm
VGA (D-Sub) ports quantity *	1	Depth	215 mm
HDMI ports quantity *	1	Height	35 mm
DVI-D ports quantity *	1	Packaging content	
DisplayPorts quantity	2	Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
Technical details		Warranty period	3 year(s)



4719331859732

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date