



iiyama ProLite T2752MSC-W1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen White



Brand : iiyama

Product family: ProLite

Product code: T2752MSC-W1

Product name : T2752MSC-W1

27", 10 point touch, 1920 x 1080, 16:9, 1000:1

iiyama ProLite T2752MSC-W1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen White:

27" Optical Bonded PCAP 10pt touchscreen monitor with IPS panel technology, edge-to-edge glass design and anti-fingerprint coating



The ProLite T2752MSC-W1 with its Full HD (1920x1080) resolution and with IPS panel technology offers exceptional colors and wide viewing angles. The Optical Bonded Projective Capacitive (PCAP) 10-point touch technology ensures a seamless and accurate touch response and a lower light reflection, in addition, the display is protected against humidity and potential moisture development. A special Nano coating ensures a smoother touch and less resistance in the swipe. It makes the screen less static and susceptible to dirt, dust and fingerprints. A perfect choice for a vast array of applications.

IPS TECHNOLOGY

IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	USB Type-A downstream ports quantity	3
Display resolution *	1920 x 1080 pixels	USB Touch port	✓
HD type *	Full HD	HDMI *	✓
Native aspect ratio *	16:9	HDMI ports quantity	1
Display technology *	LED	DisplayPorts quantity	1
Panel type *	IPS	Audio output	✓
Touchscreen *	✓	HDCP	✓
Touchscreen technology	Projected capacitive system	Network	
Touch technology	Multi-touch	Ethernet LAN	✗
Number of simultaneous touchpoints	10	Ergonomics	
Display brightness (peak)	400 cd/m²	VESA mounting *	✓
Display brightness (typical)	360 cd/m²	Panel mounting interface	100 x 100 mm
Display brightness	255 cd/m²	Wall mountable	✓
Response time *	5 ms	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Aspect ratio	16:9	Tilt adjustment	✓
Contrast ratio (typical) *	1000:1	Tilt angle range	5 - 90°
Viewing angle, horizontal	178°	On Screen Display (OSD) languages	German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Viewing angle, vertical	178°	Number of OSD languages	10
Display number of colours *	16.7 million colours	Plug and Play	✓
Pixel pitch	0.311 x 0.311 mm	LED indicators	✓
Horizontal scan range	30 - 83 kHz	Power	
Viewable size, horizontal	59.8 cm	Energy efficiency class (SDR) *	E
Viewable size, vertical	33.6 cm	Power consumption (typical) *	30 W
Display diagonal (metric)	68.6 cm	Power consumption (standby) *	1.5 W
Performance		Power consumption (off)	0.3 W
NVIDIA G-SYNC *	✗	AC input voltage	100 - 240 V
AMD FreeSync *	✗	AC input frequency	50 Hz
Windows operating systems supported	✓	Energy efficiency scale	A to G
Linux operating systems supported	✓		

Multimedia		Power	
Number of speakers	2	European Product Registry for Energy Labelling (EPREL) code	1824494
RMS rated power	1 W	Weight & dimensions	
Built-in speaker(s) *	✓	Width (with stand)	614 mm
Built-in camera *	✗	Depth (with stand)	239.5 mm
Design		Height (with stand)	403 mm
Market positioning *	Business	Weight (with stand)	6.7 kg
Product colour *	White	Packaging content	
Glass thickness	2.2 mm	Cables included	AC, HDMI, USB
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	✓	Other features	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Full HD	✓
Number of upstream ports	1	Certification	CE, TÜV-Bauart, ErP, CU
		Logistics data	
		Harmonized System (HS) code	85285210



4948570123001

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date