


GIGABYTE Z790 D Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: Z790 D


Product name : Z790 D Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, 2.5GbE LAN, USB 3.2 Gen 2



Z790, 4 x DDR5, 2.5GbE LAN, 4 x SATA 6Gb/s, USB 3.2

GIGABYTE Z790 D Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	HDMI version	2.1
Processor socket *	LGA 1700	DisplayPorts quantity	1
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	DisplayPort version	1.2
Maximum number of SMP processors	1	Headphone outputs	1
Supported processor sockets	LGA 1700	Microphone in	✓
Maximum internal memory supported by processor	192 GB	S/PDIF out port	✓
Memory		WiFi-AP antenna jack	2
Supported memory types *	DDR5-SDRAM	USB connector type	USB Type-A, USB Type-C
Number of memory slots *	4	Network	
Memory slots type	DIMM	Ethernet LAN	✓
Memory channels	Dual-channel	Ethernet interface type	2.5 Gigabit Ethernet
ECC	✓	Wi-Fi *	✗
Non-ECC	✓	Features	
Supported memory clock speeds	4400,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 MHz	Motherboard chipset *	Intel Z790 Express
Supported memory clock speed (max)	7600 MHz	Audio chip	Realtek ALC897
Maximum internal memory *	192 GB	Audio output channels *	7.1 channels
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Product colour	Brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	ATX
Supported storage drive interfaces *	M.2, PCI Express 4.0, SATA III	Motherboard chipset family *	Intel
Number of HDDs supported	4	Power source type	ATX
Number of storage drives supported	7	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID support	✓	Expansion slots	
RAID levels	0, 1, 5, 10	PCI Express x1 (Gen 3.x) slots	2
Graphics		PCI Express x16 (Gen 3.x) slots	1
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 4.x) slots	1
Maximum resolution	4096 x 2304 pixels	PCI Express x16 (Gen 5.x) slots	1
HDCP	✓	Number of M.2 (M) slots	3
DirectX version	12.0		

Graphics		BIOS	
Discrete graphics support	✓	BIOS type *	UEFI AMI
Internal I/O		BIOS memory size	256 Mbit
USB 2.0 connectors *	2	ACPI version	5.0
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Clear CMOS jumper	✓
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Clear CMOS button	✓
Number of SATA III connectors *	4	Desktop Management Interface (DMI) version	2.7
Total number of SATA connectors	4	System Management BIOS (SMBIOS) version	2.7
Front panel audio connector	✓	Logistics data	
Front panel connector	✓	Country of origin	China
ATX Power connector (24-pin)	✓	Products per shipping (inner) case	1 pc(s)
Number of EATX power connectors	2	Battery	
CPU fan connector	✓	Battery weight	3 g
EPS power connector (8-pin)	✓	Lithium weight per battery	0.07 g
TPM connector	✓	Number of battery cells	1
Thunderbolt headers	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
12V power connector	✓	Battery type	CR2032
RGB LED pin header	✓	Packaging data	
Rear panel I/O ports		Package width	335 mm
USB 2.0 ports quantity *	2	Package depth	270 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Package height	80 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Package weight	1.8 kg
USB 3.2 Gen 2x2 Type-C ports quantity	1	Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	305 mm
HDMI ports quantity *	1	Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331861186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date