

## Viewsonic VG Series VG2757V-2K LED display 68.6 cm (27") 2560 x 1440 pixels Quad HD Black

**Brand :** Viewsonic

**Product family:** VG Series

**Product code:** VG2757V-2K


**Product name :** VG2757V-2K

- Instant, secure access to your digital workspace using Windows Hello
  - Crystal-clear video with a built-in Zoom® Certified 5MP pop-up camera with LED fill lights, microphone, and 5W speakers
  - Integrated docking station with Ethernet, Daisy Chain capability, and dual USB-C ports for seamless connectivity
  - 15W quick charging for mobile devices via USB-C connection
  - Flicker-free, low blue light screen with Eye ProTech+ for always-on eye protection
- 27", QHD 2560 x 1440, 100Hz, IPS, 350 cd/m<sup>2</sup>, Eye ProTech+, 5 Mpix  
Viewsonic VG Series VG2757V-2K. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDMI *	✓
Display resolution *	2560 x 1440 pixels	HDMI ports quantity	1
HD type *	Quad HD	HDMI version	2.0
Native aspect ratio *	16:9	DisplayPorts quantity	1
Display technology *	LED	DisplayPort out quantity	1
Panel type *	IPS	Headphone out *	✓
Display brightness (peak)	350 cd/m <sup>2</sup>	Headphone connectivity	3.5 mm
Response time *	5 ms		
Anti-glare screen	✓	<b>Network</b>	
Screen shape *	Flat	Ethernet LAN	✓
Supported graphics resolutions	2560 x 1440		
Contrast ratio (typical) *	1300:1	<b>Ergonomics</b>	
Contrast ratio (dynamic)	8000000:1	VESA mounting *	✓
Maximum refresh rate *	100 Hz	Panel mounting interface	100 x 100 mm
Viewing angle, horizontal	178°	Height adjustment *	✓
Viewing angle, vertical	178°	Height adjustment	11 cm
Display number of colours *	16.7 million colours	Pivot	✓
Response time (fast)	5 ms	Pivot angle	90 - 90°
Pixel pitch	0.233 x 0.233 mm	Swivelling	✓
Horizontal scan range	15 - 150 kHz	Swivel angle range	0 - 120°
Vertical scan range	50 - 100 Hz	Tilt adjustment	✓
Display diagonal (metric)	69 cm	Tilt angle range	-5 - 40°
Surface hardness	3H		
Colour depth	8 bit	<b>Power</b>	
Colour gamut standard	NTSC	Energy efficiency class (SDR) *	E
Colour gamut	76%	Energy consumption (SDR) per 1000 hours *	22 kWh
sRGB coverage (typical)	100%	Power consumption (typical) *	29.77 W
NTSC coverage (typical)	76%	Power consumption (standby) *	0.5 W
		Power consumption (max)	34.29 W
<b>Performance</b>		AC input voltage	100 - 240 V
Low Blue Light technology	✓	Power supply type	Internal

<b>Multimedia</b>		<b>Power</b>	
Number of speakers	2	Energy efficiency scale	A to G
RMS rated power	5 W	<b>Operational conditions</b>	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 40 °C
Megapixel (approx.)	5 MP	Operating relative humidity (H-H)	20 - 90%
Built-in microphone	✓	<b>Weight &amp; dimensions</b>	
Built-in camera *	✓	Width (with stand)	612.7 mm
<b>Design</b>		Depth (with stand)	217.2 mm
Product colour *	Black	Height (with stand)	533.4 mm
Feet colour	Black	Weight (with stand)	8 kg
<b>Ports &amp; interfaces</b>		Width (without stand)	612.7 mm
Built-in USB hub *	✓	Depth (without stand)	56.9 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (without stand)	390.1 mm
USB upstream port type	USB Type-C	Weight (without stand)	5.5 kg
Number of upstream ports	1	<b>Packaging content</b>	
USB Type-A downstream ports quantity	1	Cables included	HDMI, USB Type-C, USB Type-C to USB Type-A
USB Type-C downstream ports quantity	1	Quick start guide	✓
USB Type-C DisplayPort Alternate Mode	✓	<b>Sustainability</b>	
		Sustainability certificates	ENERGY STAR, ErP, TCO
		<b>Other features</b>	
		Warranty period	5 year(s)
		Compliance certificates	BIS, BSMI, CE, EAC, REACH, RoHS, WEEE, cTUVus



0766907024357



766907024357

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.