

Ricoh fi-7600 ADF + Manual feed scanner 600 x 600 DPI A3 Black, White

Brand : Ricoh

Product code: PA03740-B501

Product name : fi-7600



- Straight paper path and Paper Picking Control function to ensure stable paper feeding
 - Manual Feed Mode for handling various thicknesses and sizes
 - Paper Protection function and Skew Reducer to protect important documents
 - Back-lit LCD panel for easy operation
 - Independent Side Guides to easily align mixed batches
- fi-7600 - ADF, 50.8 x 69 mm - 304.8 x 431.8 mm, 2x CCD, 600dpi, USB 3.1, 11 kg

Ricoh fi-7600 ADF + Manual feed scanner 600 x 600 DPI A3 Black, White:

The fi-7600 achieves scanning speeds of 100 ppm/200 ipm (A4 landscape, color, 200/300 dpi), is capable of loading up to 300 sheets at a time and scanning up to as many as 44,000 sheets a day. With its high quality technologies and user-friendly design, the scanner is suitable for continuous high volume scanning. The scanner's ability to scan various documents such as thin paper, plastic cards, envelopes and long page documents boosts user productivity.



Scanning		Ports & interfaces	
Maximum scan size *	304.8 x 5588 mm	USB port *	✓
Optical scanning resolution *	600 x 600 DPI	USB version	3.2 Gen 2 (3.1 Gen 2)
Colour scanning	✓	Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)
Duplex scanning *	✓	Power	
Output colour depth	24 bit	Power supply type *	AC
Output greyscale depth	8 bit	Power consumption (typical)	64 W
Output monochrome depth	1 bit	Power consumption (standby)	0.35 W
ADF scan speed (b/w, A4)	100 ppm	Power consumption (off)	0.35 W
ADF scan speed (colour, A4)	100 ppm	Power consumption (PowerSave)	1.7 W
Duplex ADF scan speed (b/w, A4)	200 ipm	Input voltage	100-240 V
Duplex ADF scan speed (colour, A4)	200 ipm	System requirements	
Black/white scanning colour modes	Grayscale, Monochrome	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64 Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64	
Selectable background colour	✓		
Background colours	Black, White		
Design			
Scanner type *	ADF + Manual feed scanner		
Product colour *	Black, White		
Display	LCD		
Built-in display *	✓		
Performance			
Sensor type *	Dual CCD		
Light source	White LED (4x)		
Daily duty cycle (max) *	44000 pages		
Scan drivers	ISIS, TWAIN		
Input capacity		Windows operating systems supported	
Auto document feeder (ADF) input capacity	300 sheets	Server operating systems supported	
Paper handling		Operational conditions	
Scanning media types supported	Envelopes, Plain paper, Plastic Card, Thin paper	Operating temperature (T-T)	5 - 35 °C
Multi feed detection	✓	Operating relative humidity (H-H)	20 - 80%
Maximum ISO A-series paper size *	A3	Weight & dimensions	
ISO A-series sizes (A0...A9)	A3, A3+, A4, A5, A6, A7, A8		
Auto Document Feeder (ADF) media weight	20 - 413 g/m ²		

Paper handling		Weight & dimensions	
Maximum scan area (ADF)	304.8 x 431.8 mm	Width	236 mm
Minimum scan area (ADF)	50.8 x 69 mm	Depth	432 mm
		Height	214 mm
		Weight	11 kg
Packaging content			
Cables included		AC, USB	
Quick start guide		✓	
AC adapter included		✓	
ADF paper chute		✓	
Stacker		✓	
Drivers included		✓	
Bundled software		PaperStream Capture, PaperStream IP, Software Operation Panel, Error Recovery Guide, Scanner Central Admin tools	
Other features			
Downloadable software		ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode	
Technical details			
Sustainability certificates		ENERGY STAR	
Compliance certificates		RoHS	
Logistics data			
Harmonized System (HS) code		84716070	



4939761309021

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date