

iiyama ProLite XUB2490HSUH-B1 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black


Brand : iiyama

Product family: ProLite

Product code: XUB2490HSUH-B1

Product name :
XUB2490HSUH-B1

iiyama ProLite XUB2490HSUH-B1. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Height adjustment	15 cm
Panel type *	IPS	Pivot	✓
Touchscreen *	✗	Pivot angle	0 - 90°
Display brightness (typical)	250 cd/m ²	Swivelling	✓
Response time *	4 ms	Swivel angle range	-45 - 45°
Display surface	Matt	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	5 - 22°
Supported graphics resolutions	1920 x 1080 (HD 1080)	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1000:1	On Screen Display (OSD) languages	German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Contrast ratio (dynamic)	8000000:1	Number of OSD languages	9
Maximum refresh rate *	60 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Power consumption (typical) *	14 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Pixel pitch	0.275 x 0.275 mm	Power consumption (off)	0.3 W
Horizontal scan range	30 - 115 kHz	AC input voltage	100 - 240 V
Viewable size, horizontal	52.7 cm	Input current	1.5 A
Viewable size, vertical	29.6 cm	Energy efficiency scale	A to G
DDC/CI	✓	European Product Registry for Energy Labelling (EPREL) code	352216
sRGB coverage (typical)	96%	Operational conditions	
NTSC coverage (typical)	72%	Operating temperature (T-T)	5 - 35 °C
Performance		Storage temperature (T-T)	-20 - 60 °C
NVIDIA G-SYNC *	✗	Operating relative humidity (H-H)	10 - 80%
AMD FreeSync *	✗	Storage relative humidity (H-H)	5 - 85%
Component video sync	Separate sync	Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	539.5 mm
Low Blue Light technology	✓	Depth (with stand)	209.5 mm
Multimedia			
Number of speakers	2		

Multimedia		Weight & dimensions	
RMS rated power	4 W	Height (with stand)	365.5 mm
Built-in speaker(s) *	✓	Weight (with stand)	5 kg
Built-in camera *	✓	Width (without stand)	539.5 mm
Design		Depth (without stand)	45.5 mm
Market positioning *	Home	Height (without stand)	323 mm
Product colour *	Black	Packaging data	
Feet colour	Black	Package width	610 mm
Ports & interfaces		Package depth	410 mm
Built-in USB hub *	✓	Package height	159 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package weight	6.6 kg
USB upstream port type	USB Type-A	Package type	Box
USB Type-A downstream ports quantity	3	Quantity per pack	1 pc(s)
HDMI *	✓	Packaging content	
HDMI ports quantity	1	Stand included	✓
DisplayPorts quantity	1	Cables included	AC, HDMI, USB
Audio input	✗	Sustainability	
Headphone out *	✓	Sustainability certificates	ENERGY STAR
Headphone outputs	1	Other features	
HDCP	✓	Certification	CE, TÜV-Bauart, EAC, VCCI-B, PSE
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210



4948570123186

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date