

## Samsung Galaxy A35 5G Enterprise Edition 16.8 cm (6.6") Hybrid Dual SIM Android 14 USB Type-C 6 GB 128 GB 5000 mAh Navy

**Brand :** Samsung

**Product family:** Galaxy

**Product code:** SM-A356BZKBEEB



**Product name :** A35 5G Enterprise Edition

- Awesome Camera
- Awesome Performance
- Awesome Durability

SM-A356BZKBEEB

Samsung Galaxy A35 5G Enterprise Edition . Display diagonal: 16.8 cm (6.6"), Display resolution: 1080 x 2340 pixels. Processor frequency: 2 GHz, Processor family: Samsung Exynos. RAM capacity: 6 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Hybrid Dual SIM. Operating system installed: Android 14. Battery capacity: 5000 mAh. Product colour: Navy. Weight: 209 g



Display		Camera	
Display diagonal *	16.8 cm (6.6")	Camera High Dynamic Range (HDR) mode	✓
Screen shape	Flat	Time lapse mode	✓
Display technology marketing name	Super AMOLED	Image stabilizer	✓
Panel type	AMOLED	Image stabilizer type	Optical Image Stabilization (OIS)
Display glass type	Gorilla Glass	Night mode	✓
Gorilla Glass version	Gorilla Glass Victus+	Panorama	✓
Display resolution *	1080 x 2340 pixels	Macro photography	✓
Display number of colours	16 million colours		
Maximum refresh rate	120 Hz	Network	
Display brightness	1000 cd/m <sup>2</sup>	SIM card capability *	Hybrid Dual SIM
Maximum display brightness (Outdoor)	1650 cd/m <sup>2</sup>	Mobile network generation *	5G
Pixel density	389 ppi	SIM card type *	NanoSIM + eSIM
Brand specific technologies	Always-on display	3G standards *	UMTS, WCDMA
Processor		4G standard *	LTE-TDD & LTE-FDD
Processor family *	Samsung Exynos	5G standard *	Sub6 FDD, Sub6 TDD
Processor cores	8	Wi-Fi	✓
Processor boost frequency	2.4 GHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Processor frequency *	2 GHz	Bluetooth *	✓
Storage		Bluetooth version	5.3
User memory	108 GB	Wi-Fi Direct	✓
RAM capacity *	6 GB	MIMO	✓
Internal storage capacity *	128 GB	Modulation	1024-QAM
Compatible memory cards *	MicroSD (TransFlash)	Ports & interfaces	
Maximum memory card size	1 TB	USB port *	✓
Camera		USB connector type	USB Type-C
Rear camera sensor size	1/1.96"	USB version	2.0
Second rear camera sensor size	1/4"	Design	
Third rear camera sensor size	1/5"	Form factor *	Bar
Rear camera resolution (numeric) *	50 MP	Product colour *	Navy
Second rear camera resolution (numeric)	8 MP	Colour name	Awesome Navy

Camera		Design	
Third rear camera resolution (numeric)	5 MP	International Protection (IP) code	IP67
Rear camera aperture number	1.8	Housing material	Glass, Metal
Second rear camera aperture number	2.2	<b>Performance</b>	
Third rear camera aperture number	2.4	Fast charging	✓
Rear camera pixel size	0.8 µm	Fingerprint reader	✓
Second rear camera pixel size	1.12 µm	Face recognition	✓
Third rear camera pixel size	1.12 µm	<b>Navigation</b>	
Rear camera field of view (FOV) angle	80°	GPS (satellite)	✓
Second rear camera field of view (FOV) angle	120°	GLONASS	✓
Third rear camera field of view (FOV) angle	78°	BeiDou	✓
Digital zoom	10x	Galileo	✓
Front camera type *	Single camera	Quasi-Zenith Satellite System (QZSS)	✓
Front camera sensor size	1/3.06"	Position location *	✓
Front camera resolution (numeric) *	13 MP	<b>Multimedia</b>	
Front camera aperture number	2.2	Audio system	Dolby Atmos
Front camera pixel size	1.12 µm	Audio formats supported	3GA, AAC, AMR, AWB, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Front camera field of view (FOV) angle	80°	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Rear camera flash *	✓	<b>Software</b>	
Flash type	LED	Platform *	Android
Video capture resolution (max)	3840 x 2160 pixels	Operating system installed *	Android 14
Maximum frame rate	240 fps	<b>Battery</b>	
Resolution at capture speed	1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps	Removable battery	✗
Rear camera type *	Triple camera	Battery capacity *	5000 mAh
Auto focus	✓	<b>Sensors</b>	
		Proximity sensor	✓
		Accelerometer	✓
		Ambient light sensor	✓
		Geomagnetic sensor	✓
		Hall sensor	✓
		<b>Weight &amp; dimensions</b>	
		Width	78 mm
		Depth	8.2 mm
		Height	161.7 mm
		Weight *	209 g
		<b>Packaging content</b>	
		Cables included	USB Type-C
		SIM card ejector pin	✓
		<b>Technical details</b>	
		Repairability index	8.4



8806095525655

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date