



LG OLED83C44LA.AEK TV 2.11 m (83") 4K Ultra HD Smart TV Wi-Fi Brown

Brand : LG

Product code: OLED83C44LA.AEK

Product name : OLED83C44LA.AEK

- 4K OLED evo technology with self-lit pixels for perfect contrast and 100% colour accuracy
- Advanced $\alpha 9$ AI processor for stunning pictures and sound - Designed for and exclusive to LG OLED
- Smart webOS platform with Freeview Play, Netflix, Disney+ and more, plus supreme connectivity
- Incredible brightness with Brightness Booster
- Ultra Slim Design - sharp profile, narrow bezels and premium stand

LG OLED evo C4 83" 4K Smart TV, 2024

LG OLED83C44LA.AEK. Display diagonal: 2.11 m (83"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: OLED evo, Screen shape: Flat. Smart TV. Motion interpolation technology: OLED Motion, Response time: 0.1 ms, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Brown



83"



Display		Performance	
Display diagonal *	2.11 m (83")	High Dynamic Range (HDR) supported *	✓
HD type *	4K Ultra HD	Multi-screen	✓
Display technology *	OLED evo	AMD FreeSync	✓
LED backlight	✗	AMD FreeSync type	FreeSync Premium
Screen shape *	Flat	NVIDIA G-SYNC	✓
Native aspect ratio *	16:9	NVIDIA G-SYNC type	G-SYNC Compatible
Response time	0.1 ms	Game features	Auto Low Latency Mode (ALLM), Game Dashboard, Game Optimizer, HGIG, NVIDIA GeForce Now, Utomik, Variable Refresh Rate (VRR)
Motion interpolation technology *	OLED Motion	WISA Ready	✗
Native refresh rate	120 Hz	4K Ultra HD upscaling	✓
Display resolution *	3840 x 2160 pixels	Child lock	✓
TV tuner		USB recording	✓
Tuner type *	Analog & digital	Ports & interfaces	
Analog signal format system *	PAL	HDMI version	2.1
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2	Audio Return Channel (ARC)	✓
Number of tuners	1 tuner(s)	USB 2.0 ports quantity *	3
Smart TV		Digital audio optical out	1
Smart TV *	✓	HDMI ports quantity *	4
Internet TV *	✓	Management features	
Operating system installed *	WebOS	Voice control	✓
Operating system version	24	Electronic Programme Guide (EPG)	✓
Timeshift	✓	Programming period	8 day(s)
Screen mirroring	✓	Sleep timer	✓
Video on Demand (VOD) support	✓	Works with Amazon Alexa	✓
Apple AirPlay 2 support	✓	Works with the Google Assistant	✓
Hybrid Broadcast Broadband TV (HbbTV)	✓		
Smart modes	Cinema, Eco, Filmmaker, Game, Sports, Standard, Vivid		

Smart TV		Power	
Far-field voice interaction	✓	Power consumption (typical) *	150 W
Video apps	All 4, Amazon Prime Video, Apple TV, BBC iPlayer, Chili, DAZN, Disney+, Freeview Play, ITV X, My5, NOW TV, Netflix, Paramount+, Rakuten TV, Twitch, UKTV Play, YouTube	Power consumption (standby) *	0.5 W
		Energy efficiency class (SDR) *	F
Music apps	Amazon Music, Apple Music, BBC Sounds, Spotify, Tidal	Energy efficiency class (HDR) *	G
Sports apps	DAZN	Energy consumption (SDR) per 1000 hours *	150 kWh
Audio		Energy consumption (HDR) per 1000 hours *	283 kWh
Number of speakers *	4	Weight & dimensions	
RMS rated power *	40 W	Width (with stand)	1851 mm
Audio output channels	2.2 channels	Depth (with stand)	279 mm
Audio decoders	Dolby Atmos	Height (with stand)	1092 mm
Sound modes	AI Acoustic Tuning, AI Sound Pro, Clear Voice Pro	Weight (with stand)	41.6 kg
Speaker direction	Down firing	Width (without stand)	1851 mm
TV Sound Mode Share	✓	Depth (without stand)	55.3 mm
Enhanced Audio Return Channel (eARC)	✓	Height (without stand)	1062 mm
Network		Weight (without stand)	32.3 kg
Wi-Fi *	✓	Stand width	119.9 cm
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Stand depth	27.9 cm
Bluetooth *	✓	Packaging data	
Bluetooth version	5.1	Package width	2050 mm
Ethernet LAN *	✓	Package depth	285 mm
Miracast	✓	Package height	1210 mm
Browsing	✓	Package weight	56 kg
Web browser	✓	Package type	Box
Design		Packaging content	
Product colour *	Brown	Desktop stand	✓
VESA mounting *	✓	Mounting kit	✗
Panel mounting interface	400 x 400 mm	Remote control included	✓
Performance		Remote control type	Magic Remote
High Dynamic Range (HDR) technology	Dolby Vision, High Dynamic Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG)	E-manual	✓
Game mode	✓	Logistics data	
Teletext function	✓	Products per pallet layer	4 pc(s)
Subtitles function	✓	Products per pallet	21 pc(s)
Ambient light sensor	✓	Layers per pallet	2 pc(s)
AI Upscale	✓	Other features	
Backlight dimming technology	Pixel Dimming	Country of origin	Poland



8806084615497

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date