



LG OLED65B46LA.AEK TV 165.1 cm (65") 4K Ultra HD Smart TV Wi-Fi Black


Brand : LG

Product code: OLED65B46LA.AEK

Product name : OLED65B46LA.AEK



65"



Dimensions: mm



- 4K OLED technology with self-lit pixels for perfect contrast and 100% colour accuracy
- Intelligent $\alpha 8$ processor with AI Super Upscaling
- Smart webOS platform with Freeview Play, Netflix, Disney+ and more, plus supreme connectivity
- Dolby Vision with Filmmaker mode for true-to-cinema pictures
- Responsive gaming - advanced features for next-gen consoles

LG OLED B4 65" 4K Smart TV, 2024

LG OLED65B46LA.AEK. Display diagonal: 165.1 cm (65"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: OLED evo, Screen shape: Flat. Smart TV. Motion interpolation technology: OLED Motion, Response time: 0.1 ms, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black

Display		Performance	
Display diagonal *	165.1 cm (65")	High Dynamic Range (HDR) supported *	✓
HD type *	4K Ultra HD	Multi-screen	✓
Display technology *	OLED evo	AMD FreeSync	✓
LED backlight	✗	AMD FreeSync type	FreeSync Premium
Screen shape *	Flat	NVIDIA G-SYNC	✓
Native aspect ratio *	16:9	NVIDIA G-SYNC type	G-SYNC Compatible
Response time	0.1 ms	Game features	Auto Low Latency Mode (ALLM), Game Dashboard, Game Optimizer, HGIG, NVIDIA GeForce Now, Utomik, Variable Refresh Rate (VRR)
Motion interpolation technology *	OLED Motion	WISA Ready	✓
Native refresh rate	120 Hz	4K Ultra HD upscaling	✓
Display resolution *	3840 x 2160 pixels	Child lock	✓
TV tuner		USB recording	✓
Tuner type *	Analog & digital	Ports & interfaces	
Analog signal format system *	PAL	HDMI version	2.1
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2	Audio Return Channel (ARC)	✓
Number of tuners	1 tuner(s)	USB 2.0 ports quantity *	2
Smart TV		Digital audio optical out	1
Smart TV *	✓	HDMI ports quantity *	4
Internet TV *	✓	Management features	
Operating system installed *	WebOS	Voice control	✓
Operating system version	24	Electronic Programme Guide (EPG)	✓
Timeshift	✓	Programming period	8 day(s)
Screen mirroring	✓	Sleep timer	✓
Video on Demand (VOD) support	✓	Works with Amazon Alexa	✓
Apple AirPlay 2 support	✓	Works with the Google Assistant	✓
Hybrid Broadcast Broadband TV (HbbTV)	✓		
Smart modes	Cinema, Eco, Filmmaker, Game, Sports, Standard, Vivid		

Smart TV		Power	
Far-field voice interaction	✘	Power consumption (typical) *	98.1 W
Video apps	All 4, Amazon Prime Video, Apple TV, BBC iPlayer, Chili, DAZN, Disney+, Freeview Play, ITV X, My5, NOW TV, Netflix, Paramount+, Rakuten TV, Twitch, UKTV Play, YouTube	Power consumption (standby) *	0.5 W
		Energy efficiency class (SDR) *	F
		Energy efficiency class (HDR) *	G
		Energy consumption (SDR) per 1000 hours *	98.1 kWh
Music apps	Amazon Music, Apple Music, BBC Sounds, Spotify, Tidal	Energy consumption (HDR) per 1000 hours *	169 kWh
Sports apps	DAZN	Weight & dimensions	
Audio		Width (with stand)	1449 mm
Number of speakers *	2	Depth (with stand)	235 mm
RMS rated power *	20 W	Height (with stand)	896 mm
Audio output channels	2.0 channels	Weight (with stand)	17.3 kg
Audio decoders	Dolby Atmos	Width (without stand)	1449 mm
Sound modes	AI Acoustic Tuning, AI Sound Pro, Clear Voice Pro	Depth (without stand)	45.9 mm
Speaker direction	Down firing	Height (without stand)	832 mm
TV Sound Mode Share	✓	Weight (without stand)	17.1 kg
Enhanced Audio Return Channel (eARC)	✓	Stand width	105.7 cm
Network		Stand depth	23.5 cm
Wi-Fi *	✓	Packaging data	
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Package width	1600 mm
Bluetooth *	✓	Package depth	172 mm
Bluetooth version	5.1	Package height	950 mm
Ethernet LAN *	✓	Package weight	24.4 kg
Miracast	✓	Package type	Box
Browsing	✓	Packaging content	
Web browser	✓	Desktop stand	✓
Design		Mounting kit	✘
Product colour *	Black	Remote control included	✓
VESA mounting *	✓	Remote control type	Magic Remote
Panel mounting interface	300 x 200 mm	E-manual	✓
Performance		Logistics data	
High Dynamic Range (HDR) technology	Dolby Vision, High Dynamic Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG)	Products per pallet layer	7 pc(s)
Game mode	✓	Products per pallet	14 pc(s)
Teletext function	✓	Layers per pallet	2 pc(s)
Subtitles function	✓	Other features	
Ambient light sensor	✓	Country of origin	Poland
AI Upscale	✓		
Backlight dimming technology	Pixel Dimming		



8806084673909

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date