

## GIGABYTE AORUS FO32U2 32" OLED Gaming Monitor - 3840 x 2160(UHD), 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1

**Brand :** GIGABYTE

**Product code:** FO32U2 EK

**Product name :** AORUS FO32U2 32" OLED Gaming Monitor - 3840 x 2160(UHD), 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1

AORUS FO32U2 32" OLED Gaming Monitor - 3840 x 2160(UHD), 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1

GIGABYTE AORUS FO32U2 32" OLED Gaming Monitor - 3840 x 2160(UHD), 240Hz, 0.03ms, KVM, 250 cd/m2, FreeSync Premium Pro, DisplayHDR True Black 400, HDMI 2.1:

Immerse yourself in gaming excellence with the AORUS FO32U2 Gaming Monitor and its captivating 32-inch OLED display. Witness vibrant colors and deep contrasts as the OLED technology brings every pixel to life. With a remarkable 240Hz refresh rate and an ultra-responsive 0.03ms response time, enjoy unparalleled gaming fluidity. The QHD resolution ensures crystal-clear visuals. Elevate your gaming experience with the AORUS FO32U2, where the brilliance of OLED transforms every pixel into a vivid masterpiece, creating a visual spectacle that sets a new standard for gaming monitors. Boasting exclusive Tactical Features and AI-based OLED Care, it's designed for those who demand the best and refuse to settle.



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	HDMI version	2.1
Display resolution *	3840 x 2160 pixels	DisplayPorts quantity	1
HD type *	4K Ultra HD	DisplayPort version	1.4
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	OLED	DC-in jack	✓
Panel type *	OLED	<b>Ergonomics</b>	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	250 cd/m <sup>2</sup>	Panel mounting interface	100 x 100 mm
Response time *	0.03 ms	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Contrast ratio (dynamic)	1500000:1	Height adjustment	13 cm
Maximum refresh rate *	240 Hz	Pivot	✓
Viewing angle, horizontal	178°	Pivot angle	0 - 90°
Viewing angle, vertical	178°	Swivelling	✓
Display number of colours *	1.07 billion colours	Swivel angle range	0 - 20°
Pixel pitch	0.181 x 0.181 mm	Tilt adjustment	✓
Viewable size, horizontal	69.9 cm	Tilt angle range	-5 - 20°
Viewable size, vertical	39.5 cm	<b>Power</b>	
High Dynamic Range (HDR) supported	✓	Energy efficiency class (SDR) *	Not available
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black	Energy efficiency class (HDR) *	G
Colour depth	10 bit	Energy consumption (HDR) per 1000 hours *	41 kWh
Colour gamut standard	DCI-P3	Power consumption (standby) *	0.5 W
Colour gamut	99%	Power consumption (max)	53 W
<b>Performance</b>		Power consumption (PowerSave)	0.3 W
NVIDIA G-SYNC *	✗	AC input voltage	100 - 250 V
AMD FreeSync *	✓	AC input frequency	50/60 Hz
AMD FreeSync type	FreeSync Premium	Energy efficiency scale	A to G
Flicker-free technology	✓	<b>Weight &amp; dimensions</b>	
		Width (with stand)	718.3 mm
		Depth (with stand)	158.6 mm

<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Number of speakers	2	Height (with stand)	613.6 mm
RMS rated power	10 W	Weight (with stand)	8.53 kg
Built-in speaker(s) *	✓	Width (without stand)	718.3 mm
Built-in camera *	✗	Depth (without stand)	57.2 mm
<b>Design</b>		Height (without stand)	417.5 mm
Market positioning *	Gaming	Weight (without stand)	6.2 kg
Product colour *	Black	<b>Packaging data</b>	
<b>Ports &amp; interfaces</b>		Package width	980 mm
Built-in USB hub *	✓	Package depth	190 mm
USB upstream port type	USB Type-A, USB Type-C	Package height	580 mm
Number of USB Type-B upstream ports quantity	1	Package weight	13.2 kg
Number of USB Type-C upstream ports quantity	1	<b>Packaging content</b>	
USB Type-A downstream ports quantity	2	Cables included	DisplayPort, HDMI, USB
USB Power Delivery	✓	<b>Other features</b>	
USB Power Delivery up to	18 W	Hardware calibration	✓
DVI port	✗	Warranty period	3 year(s)
HDMI *	✓	<b>Logistics data</b>	
HDMI ports quantity	2	Products per shipping (inner) case	1 pc(s)



4719331858117

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date