
## GIGABYTE H610M GAMING WF DDR4 Motherboard - Supports Intel Core 14th CPUs, 6+1+1 Hybrid Digital VRM, up to 3200MHz DDR4, 2xPCle 3.0 M.2, Wi-Fi 802.11ac, GbE LAN, USB 3.2 Gen 1

**Brand:** GIGABYTE

Product code: H610M GAMING WF

DDR4

**Product name:** H610M GAMING WF DDR4 Motherboard - Supports Intel Core 14th CPUs, 6+1+1 Hybrid Digital VRM, up to 3200MHz DDR4, 2xPCle 3.0 M.2, Wi-Fi 802.11ac, GbE LAN, USB 3.2 Gen 1



- Dual Channel Non-ECC Unbuffered DDR4, 2 DIMMs
- 6+1+1 Hybrid Digital VRM Design
- EZ-Latch

  PCIe 4.0x16 Slot with Quick Release Design
- Fast Networks∏Wi-Fi 802.11ac & GbE LAN
- NVMe PCle 3.0 x4 M.2
- High Quality Audio Capacitors and Audio Noise Guard
- Smart Fan 6 Features Multiple Temperature Sensors , Hybrid Fan Headers with FAN STOP LGA1700, Intel\$ Core 14th, 2 x DDR4, 1 x HDMI, GbE LAN, Micro ATX, H610 Express

GIGABYTE H610M GAMING WF DDR4 Motherboard - Supports Intel Core 14th CPUs, 6+1+1 Hybrid Digital VRM, up to 3200MHz DDR4, 2xPCIe 3.0 M.2, Wi-Fi 802.11ac, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	3
Processor socket *	LGA 1700	Microphone in	✓
	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	USB connector type	USB Type-A
Compatible processor series *	Intel® Core™ i9, Intel® Pentium®  Gold	Network Ethernet LAN	,
Supported processor sockets	LGA 1700	Ethernet LAN  Ethernet interface type	✓ Gigabit Ethernet
Maximum internal memory	64.60	Wi-Fi *	J
supported by processor	64 GB	Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Memory		Top WI-FI Standard	802.11a, 802.11b, 802.11g, Wi-Fi 4
Supported memory types *	DDR4-SDRAM	Wi-Fi standards	(802.11a, 802.11b, 802.11g, Wi-114 (802.11n), Wi-Fi 5 (802.11ac)
Number of memory slots *	2	Bluetooth	<b>V</b>
Memory slots type	DIMM	Bluetooth version	5.1
Memory channels	Dual-channel	Features	
ECC	✓		Intel IIC10 Evarese
Non-ECC	1	Motherboard chipset * Audio chip	Intel H610 Express Realtek ALC897
Consideration and all and an extension	2133,2400,2666,2933,3000,3200	Audio criip  Audio output channels *	7.1 channels
Supported memory clock speeds	MHz	Product colour	Brown
Supported memory clock speed (max)	3200 MHz	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory *	64 GB	Component for *	PC
Supported memory module	1GB, 2GB, 4GB, 8GB, 12GB, 16GB,	Motherboard form factor *	micro ATX
capacities	32GB	Motherboard chipset family *	Intel
Unbuffered memory	*	Cooling type	Active
Storage controllers		Power source type	ATX
Supported storage drive types	HDD & SSD	Windows operating systems	MC-110 C4 MC-111 C4
Supported storage drive interfaces	M.2, SATA III	supported	Windows 10 x64, Windows 11 x64
Number of HDDs supported	4	Expansion slots	
Number of storage drives supported	5	PCI Express x1 slots	1
		PCI Express x16 slots	1
		Number of M.2 (M) slots	1

Graphics		BIOS	
Parallel processing technology	Not supported	BIOS type *	UEFI AMI
support *		BIOS memory size	128 Mbit
Graphics card family	Intel	ACPI version	5.0
Graphics card	HD Graphics	Clear CMOS jumper	✓
Maximum resolution	4096 x 2304 pixels	Clear CMOS button	✓
HDCP DirectX version	12.0	Desktop Management Interface (DMI) version	2.7
Internal I/O		System Management BIOS (SMBIOS) version	2.7
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * Number of SATA III connectors * Total number of SATA connectors Front panel audio connector	2	Logistics data	
		Country of origin	China
	4	Products per shipping (inner) case	1 pc(s)
	4	Battery	
	✓	•	2 .
Front panel connector	✓	Battery weight	3 g
ATX Power connector (24-pin)	✓	Lithium weight per battery	0.07 g
CPU fan connector	✓	Number of battery cells	1
EPS power connector (8-pin)	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
TPM connector	1	Battery type	CR2032
Serial port headers	1	Packaging data	
12V power connector	<b>√</b>	Package width	270 mm
RGB LED pin header	✓	Package depth	268 mm
Rear panel I/O ports		Package height	68 mm
USB 2.0 ports quantity *	4	Package weight	1.18 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	5 5	1.10 kg
ports quantity *	2	Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	244 mm
PS/2 ports quantity	1	Depth	220 mm
VGA (D-Sub) ports quantity *	1	Height	35 mm
HDMI ports quantity *	1	Packaging content	
DVI-D ports quantity *	1	Cables included	SATA
DisplayPorts quantity	2	Batteries included	✓
		Butteries included	Norton Internet Security (OEM
		Bundled software	version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331861766

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.