

DELL P Series P2425E computer monitor 61.1 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black

Brand : DELL

Product family: P Series

Product code: DELL-P2425E

Product name : P2425E

- 61.1cm (24.07") WUXGA 1920 x 1200 LED IPS

- 8ms, 16:10, 300cd/m², 1500:1

- USB, HDMI, DisplayPort

61.1cm (24.07") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425E computer monitor 61.1 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black:

Certified by TÜV for 4-star eye comfort, this 16:10 hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL P Series P2425E. Display diagonal: 61.1 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black








Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Backlight type	61.1 cm (24.1") 1920 x 1200 pixels WUXGA 16:10 LCD IPS ✓ LED	Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play LED indicators	-90 - 90° ✓ -45 - 45° ✓ -5 - 21° ✓
Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Supported graphics resolutions	 X 300 cd/m² 8 ms ✓ Flat 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA) 	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (SDR) * Power consumption (standby) * Power consumption (max) Power consumption (off)	15 W 0.3 W 190 W 0.3 W
Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch	480p, 576p, 720p, 1080p 1500:1 100 Hz 178° 16.7 million colours 5 ms 0.27 x 0.27 mm	AC input voltage AC input frequency Input current Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code Operational conditions	100 - 240 V 50/60 Hz 2 A Internal A to G 1870769
Pixel density Horizontal scan range Vertical scan range	94.07 ppi 30 - 122 kHz 48 - 100 Hz	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90%

Display		Operational conditions	
Viewable size, horizontal	51.8 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	32.4 cm	Non-operating altitude	0 - 12192 m
Viewable size diagonal	61.1 cm	Weight & dimensions	
Surface hardness	3H	Width (with stand)	531.8 mm
sRGB coverage (typical)	99%	Depth (with stand)	181.8 mm
Dell ComfortView technology	√	Height (with stand)	364 mm
Performance		Weight (with stand)	5.02 kg
NVIDIA G-SYNC *	×	Width (without stand)	531.8 mm
AMD FreeSync *	×	Depth (without stand)	50 mm
Flicker-free technology Low Blue Light technology		Height (without stand) Weight (without stand)	343.7 mm 3.51 kg
Windows operating systems	•	Bezel width (side)	6.7 mm
supported	Windows 10, Yes	Bezel width (top)	6.7 mm
Mac operating systems supported	MacOS	Bezel width (bottom)	1.3 cm
Multimedia		Packaging data	
Built-in speaker(s) *	×	Package weight	7.12 kg
Built-in camera *	×	USB cable length	1 m
Design		Packaging content	
Product colour *	Black	Stand included	4
Front bezel colour	Black	Cables included	AC, DisplayPort, USB
Feet colour	Grey	Quick start guide	✓
Ports & interfaces		DisplayPort cable length	1.8 m
Built-in USB hub *	4	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance	✓
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports	3	Doesn't contain	Arsenic, Mercury, PVC/BFR
quantity	5	Carbon footprint	
USB Type-C downstream ports quantity	1	Total carbon footprint (kg of CO2e)	179
USB Type-C DisplayPort Alternate	1	Carbon emissions, manufacturing (kg of CO2e)	87
Mada			
Mode		Carbon emissions, logistics (kg of	12
USB Power Delivery	4	Carbon emissions, logistics (kg of CO2e)	13
	90 W	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	
USB Power Delivery USB Power Delivery up to	4	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of	74
USB Power Delivery USB Power Delivery up to HDMI *	90 W	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e)	74
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	✓ 90 W ✓ 1 1.4 2	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	74
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	✓ 90 W ✓ 1 1.4 2 1.4	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e)	74 5
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	✓ 90 W ✓ 1 1.4 2 1.4 ×	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	74 5 105
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP	✓ 90 W ✓ 1 1.4 2 1.4 ×	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features	74 5 105
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version	✓ 90 W ✓ 1 1.4 2 1.4 ×	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity	74 5 105 GaBi verison1
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in	✓ 90 W ✓ 1 1.4 2 1.4 ×	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates	74 5 105 GaBi verison1 1
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version	✓ 90 W ✓ 1 1.4 2 1.4 ×	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity	74 5 105 GaBi verison1 1 RoHS, TÜV mark
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in	90 W ✓ 1 1.4 2 1.4 × ✓ 1.4	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates Brand-specific features	74 5 105 GaBi verison1 1
USB Power Delivery USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics	✓ 90 W ✓ 1 1.4 2 1.4 × ✓ 1.4 ×	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates Brand-specific features Dell Display Manager (DDM)	74 5 105 GaBi verison1 1 RoHS, TÜV mark
USB Power Delivery up to USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics VESA mounting * Panel mounting interface	90 W 1 1.4 2 1.4 ✓ 1.4 ✓ 1.00 x 100 mm	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates Brand-specific features Dell Display Manager (DDM)	74 5 105 GaBi verison1 1 RoHS, TÜV mark
USB Power Delivery up to USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot *	90 W 1 1.4 2 1.4 ✓ 1.4 ✓ 100 x 100 mm ✓ Kensington	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates Brand-specific features Dell Display Manager (DDM)	74 5 105 GaBi verison1 1 RoHS, TÜV mark
USB Power Delivery up to USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment *	90 W ✓ 1 1.4 2 1.4 × ✓ 1.4 × ✓ 1.00 x 100 mm ✓ Kensington ✓	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates Brand-specific features Dell Display Manager (DDM)	74 5 105 GaBi verison1 1 RoHS, TÜV mark
USB Power Delivery up to USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type	90 W 1 1.4 2 1.4 ✓ 1.4 ✓ 100 x 100 mm ✓ Kensington	Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version Other features RJ-45 ports quantity Compliance certificates Brand-specific features Dell Display Manager (DDM)	74 5 105 GaBi verison1 1 RoHS, TÜV mark





5397184821688

0884116468653



884116468653

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.