

DELL P Series P2425HE computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: P2425HE

Product name : P2425HE

DELL P Series P2425HE. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Π

| Display | | Ergonomics | |
|--------------------------------|---|--|------------------------------------|
| Display diagonal * | 60.5 cm (23.8") | Pivot | ✓ |
| Display resolution * | 1920 x 1080 pixels | Pivot angle | -90 - 90° |
| HD type * | Full HD | Swivelling | 1 |
| Native aspect ratio * | 16:9 | Swivel angle range | -45 - 45° |
| Display technology * | LCD | Tilt adjustment | < |
| Panel type * | IPS | Tilt angle range | -5 - 21° |
| LED backlight | 4 | On Screen Display (OSD) | 1 |
| Backlight type | LED | Plug and Play | 1 |
| Touchscreen * | × | LED indicators | 1 |
| Display brightness (typical) | 250 cd/m ² | Power | |
| Response time * | 8 ms | Energy efficiency class (SDR) * | D |
| Anti-glare screen | 4 | Energy efficiency class (HDR) * | Not available |
| Screen shape * | Flat | Energy consumption (SDR) per 1000 | |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) | hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) | 14 kWh 13.9 W 0.3 W 180 W |
| Supported video modes | 480p, 576p, 720p, 1080p | Power consumption (off) | 0.3 W |
| Contrast ratio (typical) * | 1500:1 | AC input voltage | 100 - 240 V |
| Maximum refresh rate * | 100 Hz | AC input frequency | 50/60 Hz |
| Viewing angle, horizontal | 178° | Input current | 2 A |
| Viewing angle, vertical | 178° | Power supply type | Internal |
| Display number of colours * | 16.7 million colours | Energy efficiency scale | A to G |
| Response time (fast) | 5 ms | Operational conditions | |
| Pixel pitch | 0.2745 x 0.2745 mm | • | 0 40 %C |
| Pixel density | 92.53 ppi | Operating temperature (T-T) | 0 - 40 °C |
| Horizontal scan range | 30 - 110 kHz | Storage temperature (T-T) | -20 - 60 °C |
| Vertical scan range | 48 - 100 Hz | Operating relative humidity (H-H) | 10 - 80% |
| Viewable size, horizontal | 52.7 cm | Storage relative humidity (H-H) | 5 - 90% |

| Display | | Operational conditions | |
|---|-----------------------|---|--|
| Viewable size, vertical | 29.6 cm | Operating altitude | 0 - 5000 m |
| Viewable size diagonal | 60.5 cm | Non-operating altitude | 0 - 12192 m |
| Surface hardness | ЗН | Weight & dimensions | |
| sRGB coverage (typical) | 99% | Width (with stand) | 538.6 mm |
| Dell ComfortView technology | ✓ | Depth (with stand) | 181.8 mm |
| Performance | | Height (with stand) | 364 mm |
| NVIDIA G-SYNC * | × | Weight (with stand) | 5.18 kg |
| AMD FreeSync * | × | Width (without stand) | 538.6 mm |
| Flicker-free technology | ✓ | Depth (without stand) | 50 mm |
| Low Blue Light technology | < | Height (without stand) | 314.2 mm |
| Windows operating systems | Windows 10, Yes | Weight (without stand) | 3.69 kg |
| supported | | Bezel width (side) | 5.8 mm |
| Mac operating systems supported | MacOS | Bezel width (top) | 5.8 mm |
| Multimedia | | Bezel width (bottom) | 1.2 cm |
| Built-in speaker(s) * | × | Packaging data | |
| Built-in camera * | × | Package weight | 7.24 kg |
| Design | | USB cable length | 1 m |
| Product colour * | Black | Packaging content | |
| Front bezel colour | Black | Stand included | 1 |
| Feet colour | Grey | Cables included | AC, DisplayPort, USB Type-C |
| Ports & interfaces | | Quick start guide | ✓ |
| Built-in USB hub * | 1 | DisplayPort cable length | 1.8 m |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Sustainability | |
| Number of USB Type-C upstream | | Sustainability compliance | 1 |
| ports quantity | 1 | Sustainability certificates | TCO, ENERGY STAR |
| USB Type-A downstream ports | 3 | Doesn't contain | Arsenic, Mercury, PVC/BFR |
| quantity USB Type-C downstream ports | | | ······································ |
| quantity | 1 | Carbon footprint | 1.00 |
| USB Type-C DisplayPort Alternate | 1 | Total carbon footprint (kg of CO2e) | 168 |
| Mode | • | Carbon emissions, manufacturing (kg of CO2e) | 85 |
| USB Power Delivery | 4 | Carbon emissions, logistics (kg of | 12 |
| USB Power Delivery up to | 90 W | CO2e) | 12 |
| HDMI * | × . | Carbon emissions, energy usage (kg | 68 |
| HDMI ports quantity HDMI version | 1 1.4 | of CO2e) | |
| DisplayPorts quantity | 2 | Carbon emissions, end-of-life (kg of CO2e) | 3 |
| DisplayPort version | 1.4 | Total carbon emissions, w/o use | 100 |
| Headphone out * | X | phase (kg of CO2e) | |
| HDCP | 7 | PAIA version | GaBi verison1 |
| HDCP version | 1.4 | Other features | |
| AC (power) in | ✓ | RJ-45 ports quantity | 1 |
| Ergonomics | | Compliance certificates | TÜV mark, RoHS |
| VESA mounting * | 1 | Brand-specific features | |
| Panel mounting interface | 100 x 100 mm | Dell Display Manager (DDM) | 1 |
| Cable management | ✓ | compatibility | ✓ |
| Cable lock slot * | 4 | | |
| Cable lock slot type | Kensington | | |
| Height adjustment * | ✓ | | |
| Height adjustment | 15 cm | | |
| | | | |





884116468714

0884116468714

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.