

## DELL P Series P2725H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: P2725H

Product name : P2725H

DELL P Series P2725H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







TCO

Display		Ergonomics	
Display diagonal * Display resolution *	68.6 cm (27") 1920 x 1080 pixels	Pivot Pivot angle	✓ -90 - 90°
HD type *	Full HD	Swivelling	4
Native aspect ratio *	16:9	Swivel angle range	-45 - 45°
Display technology *	LCD	Tilt adjustment	1
Panel type *	IPS	Tilt angle range	-5 - 21°
LED backlight	1	On Screen Display (OSD)	1
Backlight type	LED	Plug and Play	1
Touchscreen *	×	LED indicators	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	P
Anti-glare screen		Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000	16 kWh
Supported graphics resolutions Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours *	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) 480p, 576p, 720p, 1080p 1500:1 100 Hz 178° 178° 16.7 million colours	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type Energy efficiency scale	15.8 W 0.3 W 74 W 0.3 W 100 - 240 V 50/60 Hz 1.5 A Internal A to G
Response time (fast)	5 ms		
Pixel pitch	0.3114 x 0.3114 mm	Operational conditions	
Pixel density	81.57 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 83 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	48 - 76 Hz	Operating relative humidity (H-H)	10 - 80%
Viewable size, horizontal	59.8 cm	Storage relative humidity (H-H)	5 - 90%

Display		Operational conditions	
Display	22.6 cm	Operational conditions	0 5000 m
Viewable size, vertical Viewable size diagonal	33.6 cm 68.6 cm	Operating altitude Non-operating altitude	0 - 5000 m 0 - 12192 m
Surface hardness	3H		0 - 12192 11
sRGB coverage (typical)	99%	Weight & dimensions	
Dell ComfortView technology	✓	Width (with stand)	610.7 mm
Performance		Depth (with stand)	192.3 mm
NVIDIA G-SYNC *	×	Height (with stand) Weight (with stand)	384.6 mm 5.7 kg
AMD FreeSync *	Ŷ	Width (without stand)	610.7 mm
Flicker-free technology	7	Depth (without stand)	50 mm
Low Blue Light technology	4	Height (without stand)	354.7 mm
Windows operating systems	Windows 10, Yes	Weight (without stand)	4.03 kg
supported		Bezel width (side)	6.4 mm
Mac operating systems supported	MacOS	Bezel width (top)	6.4 mm
Multimedia		Bezel width (bottom)	1.2 cm
Built-in speaker(s) *	×	Packaging data	
Built-in camera *	×	Package weight	8.47 kg
Design		USB cable length	1.8 m
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	✓
Feet colour	Grey	Cables included	AC, DisplayPort, HDMI, USB
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	✓	DisplayPort cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	HDMI cable length	1.8 m
Number of USB Type-B upstream ports quantity	1	Sustainability	
USB Type-A downstream ports	2	Sustainability compliance	<b>v</b>
quantity	3	Sustainability certificates	ENERGY STAR, TCO
USB Type-C downstream ports quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Power Delivery	1	Carbon footprint	
USB Power Delivery up to	15 W	Total carbon footprint (kg of CO2e)	194
VGA (D-Sub) ports quantity	1	Carbon emissions, manufacturing	
	-		92
HDMI *	- -	(kg of CO2e) Carbon emissions, logistics (kg of	
HDMI * HDMI ports quantity	✓ 1	(kg of CO2e) Carbon emissions, logistics (kg of CO2e)	16
HDMI ports quantity HDMI version	✓ 1 1.4	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	16
HDMI ports quantity HDMI version DisplayPorts quantity	✓ 1 1.4 1	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e)	16 77
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	1 1.4 1.2	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	16 77
HDMI ports quantity HDMI version DisplayPorts quantity	✓ 1 1.4 1	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	16 77
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	✓ 1 1.4 1 1.2 ×	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	16 77 8 117
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP	<pre> 1 1 1.4 1 1.2 X </pre>	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version	16 77 8
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version	<pre> 1 1 1.4 1 1.2 X </pre>	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b>	16 77 8 117 GaBi verison1
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in	<pre> 1 1 1.4 1 1.2 X </pre>	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b> Compliance certificates	16 77 8 117
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics	✓ 1 1.4 1 1.2 ★ ✓ 1.4 ✓	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b> Compliance certificates <b>Brand-specific features</b>	16 77 8 117 GaBi verison1
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in Ergonomics VESA mounting *	<ul> <li>✓</li> <li>1</li> <li>1.4</li> <li>1</li> <li>1.2</li> <li>×</li> <li>✓</li> <li>1.4</li> <li>✓</li> </ul>	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b> Compliance certificates <b>Brand-specific features</b> Dell Display Manager (DDM)	16 77 8 117 GaBi verison1
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable management Cable lock slot *	✓ 1 1.4 1 1.2 × ✓ 1.4 ✓ 100 x 100 mm ✓ ✓	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b> Compliance certificates <b>Brand-specific features</b>	16 77 8 117 GaBi verison1 RoHS, TÜV mark
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type	<ul> <li>✓</li> <li>1</li> <li>1.4</li> <li>1</li> <li>1.2</li> <li>×</li> <li>✓</li> <li>1.4</li> <li>✓</li> </ul>	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b> Compliance certificates <b>Brand-specific features</b> Dell Display Manager (DDM)	16 77 8 117 GaBi verison1 RoHS, TÜV mark
HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * HDCP HDCP version AC (power) in <b>Ergonomics</b> VESA mounting * Panel mounting interface Cable management Cable lock slot *	✓ 1 1.4 1 1.2 × ✓ 1.4 ✓ 100 x 100 mm ✓ ✓	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version <b>Other features</b> Compliance certificates <b>Brand-specific features</b> Dell Display Manager (DDM)	16 77 8 117 GaBi verison1 RoHS, TÜV mark





884116468738

0884116468738

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.