iiyama

iiyama ProLite XB3270QSU-B1 computer monitor 81.3 cm (32") 2560 x 1440 pixels Wide Quad HD LED Black

Brand : iiyama   **Product family:** ProLite   **Product code:** XB3270QSU-B1

Product name : XB3270QSU-B1

32", 2560 x 1440, 100Hz, 16:9, 250 cd/m², 1200:1, HDMI x2, DisplayPort, USB x3, 726 x 580 x 239.5mm, 8.6kg

iiyama ProLite XB3270QSU-B1 computer monitor 81.3 cm (32") 2560 x 1440 pixels Wide Quad HD LED Black:

A height adjustable 32" IPS Panel Technology monitor featuring WQHD resolution

The ProLite XB3270QSU-B1 is a 31.5'' screen featuring an IPS panel and WQHD (2560x1440) resolution, delivering both excellent colour performance with wide viewing angles and noticeably sharper images, which is ideal for productivity solutions, demanding office and financial applications. The 150mm height-adjustable stand ensures you can adjust the screen position to your preferences, and the flicker-free panel with blue light reducer function reduces eye fatigue.

IPS TECHNOLOGY
IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

Display

Display diagonal *	81.3 cm (32")
Display resolution *	2560 x 1440 pixels
HD type *	Wide Quad HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	3 ms
Screen shape *	Flat
Aspect ratio	16:9
Contrast ratio (typical) *	1200:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Pixel pitch	0.272 x 0.272 mm
Horizontal scan range	30 - 90 kHz
Viewable size, horizontal	69.8 cm
Viewable size, vertical	39.3 cm
Display diagonal (metric)	80 cm

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
VESA Adaptive Sync support	✔
Flicker-free technology	✔

Multimedia

Number of speakers	2
RMS rated power	4 W
Built-in speaker(s) *	✔

Ports & interfaces

HDCP	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable management	✔
Height adjustment *	✔
Height adjustment	15 cm
Swivelling	✔
Swivel angle range	45 - 45°
Tilt adjustment	✔
Tilt angle range	5 - 20°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Czech, German, English, French, Italian, Japanese, Polish, Russian

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	27 kWh
Power consumption (typical) *	35 W
Power consumption (standby) *	0.3 W
Power consumption (off)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1869779

Weight & dimensions

Width (with stand)	726 mm
Depth (with stand)	239.5 mm

Multimedia

Built-in camera *	✖

Design

Market positioning *	Business
Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	3
HDMI *	✔
HDMI ports quantity	2
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✔
Headphone connectivity	3.5 mm

Weight & dimensions

Height (with stand)	580 mm
Weight (with stand)	8.6 kg

Packaging data

Package width	810 mm
Package depth	176 mm
Package height	512 mm
Package weight	10.8 kg

Packaging content

Cables included	HDMI, Power, USB
Quick start guide	✔

Other features

Certification	CE, TÜV-Bauart, EAC, VCCI-B, PSE, RoHS support, ErP, WEEE, REACH, UKCA

4948570123636