



Viewsonic VG3208-4K computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : Viewsonic

Product code: VG3208-4K


Product name : VG3208-4K

- SuperClear® VA panel with 4K UHD 3840 x 2160 resolution
 - Height adjustable swivel stand with tilt function
 - HDR10 Delivers Stellar Contrast and Color Accuracy
 - Dual HDMI and DisplayPort inputs for flexible connectivity
 - TCO, EnergyStar, EPEAT certified for sustainability
- 32" 4K UHD Monitor, HDR 10, VA, 3840 x 2160, LED, 300 cd/m², 714.3 x 456~546 x 213mm, 7.9kg
Viewsonic VG3208-4K. Display diagonal: 81.3 cm (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	81.3 cm (32")	Cable lock slot type	Kensington
Display resolution *	3840 x 2160 pixels	Height adjustment *	✓
HD type *	4K Ultra HD	Height adjustment	9 cm
Native aspect ratio *	16:9	Swivelling	✓
Display technology *	LED	Swivel angle range	360 - 360°
Panel type *	VA	Tilt adjustment	✓
LED backlight	✓	Tilt angle range	-4 - 20°
Touchscreen *	✗	Power	
Display brightness (typical)	300 cd/m ²	Energy efficiency class (SDR) *	F
Response time *	4 ms	Energy efficiency class (HDR) *	G
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	32 kWh
Screen shape *	Flat	Energy consumption (HDR) per 1000 hours *	37 kWh
Contrast ratio (typical) *	3000:1	Power consumption (typical) *	40 W
Contrast ratio (dynamic)	50000000:1	Power consumption (standby) *	0.5 W
Maximum refresh rate *	60 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	Power supply type	External
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours *	16.7 million colours	European Product Registry for Energy Labelling (EPREL) code	1992945
Pixel pitch	0.182 x 0.182 mm	Operational conditions	
Display diagonal (metric)	80 cm	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Operating relative humidity (H-H)	20 - 90%
Colour depth	8 bit	Weight & dimensions	
sRGB coverage (typical)	104%	Width (with stand)	714.3 mm
NTSC coverage (typical)	72%	Depth (with stand)	213 mm
Performance		Height (with stand)	546 mm
Low Blue Light technology	✓	Weight (with stand)	7.9 kg
Design		Width (without stand)	714.3 mm
Market positioning *	Business		
Product colour *	Black		

Ports & interfaces		Weight & dimensions	
HDMI *	✓	Depth (without stand)	59.2 mm
HDMI ports quantity	2	Height (without stand)	427.5 mm
HDMI version	2.0	Weight (without stand)	5.5 kg
DisplayPorts quantity	1	Packaging data	
Audio output	✓	Package width	875 mm
Ergonomics		Package depth	147 mm
VESA mounting *	✓	Package height	515 mm
Panel mounting interface	100 x 100 mm	Package weight	9.8 kg
Cable management	✓		
Cable lock slot *	✓		



0766907027273



766907027273

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.