

**Hisense 55A6NTUK TV 139.7 cm (55") 4K Ultra HD Smart TV Wi-Fi  
Black 300 cd/m<sup>2</sup>**

**Brand :** Hisense

**Product code:** 55A6NTUK

**Product name :** 55A6NTUK

- UHD 4K - Direct Lit Backlight
- Quad Core 4k Processor
- Precision Colour
- Smooth Motion
- Freely
- Dolby Vision
- Adaptive light
- DTS Virtual X

Hisense 55 Inch 4K Smart TV 55A6NTUK - Dolby Vision, Game Mode PLUS with 60Hz VRR ALLM, Smooth Motion, AI Sports Mode, Vidaa Smart OS with Voice Control supporting Freely, Youtube, Netflix and Disney+ (2024 New Model)

Hisense 55A6NTUK. Display diagonal: 139.7 cm (55"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Screen shape: Flat, LED backlighting type: Direct-lit LED. Smart TV. Display brightness: 300 cd/m<sup>2</sup>, Response time: 8 ms, Contrast ratio (typical): 1400:1, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black



Display		Performance	
Display diagonal *	139.7 cm (55")	Smartphone/tablet remote support	✓
HD type *	4K Ultra HD	USB recording	✓
Display technology *	LED	<b>Ports &amp; interfaces</b>	
LED backlight	✓	HDMI version	2.0
LED backlighting type	Direct-lit LED	Audio Return Channel (ARC)	✓
Screen shape *	Flat	PC in (D-Sub) *	✗
Native aspect ratio *	16:9	Ethernet LAN (RJ-45) ports	1
Display brightness *	300 cd/m <sup>2</sup>	USB 2.0 ports quantity *	2
Response time	8 ms	Composite video in	1
Native refresh rate	60 Hz	Digital audio optical out	1
Contrast ratio (typical) *	1400:1	Headphone outputs	1
Dynamic contrast ratio marketing name	Mega Contrast	Common interface (CI) *	✗
Viewing angle, horizontal	178°	Common interface Plus (CI+) *	✓
Viewing angle, vertical	178°	HDMI ports quantity *	3
Display resolution *	3840 x 2160 pixels	AC (power) in	✓
Display diagonal (metric)	139 cm	<b>Management features</b>	
<b>TV tuner</b>		Voice control	✓
Tuner type *	Digital	Voice guide	✓
Analog signal format system *	Not supported	Electronic Programme Guide (EPG)	✓
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2	Programming period	8 day(s)
<b>Smart TV</b>		On Screen Display (OSD)	✓
Smart TV *	✓	Number of OSD languages	34
Internet TV *	✓	Sleep timer	✓
Operating system installed *	VIDAA	Works with Amazon Alexa	✓
Operating system version	U7.6	<b>Power</b>	
Screen mirroring	✓	Power consumption (standby) *	0.5 W
Apple AirPlay 2 support	✓	Energy efficiency class (SDR) *	E
		Energy efficiency class (HDR) *	G

<b>Smart TV</b>		<b>Power</b>	
Video apps	All 4, Amazon Prime Video, Apple TV, BBC iPlayer, BritBox, Chili, Disney+, Freely, ITV X, My5, NOW TV, Netflix, Paramount+, Rakuten TV, UKTV Play, YuppTV	Energy consumption (SDR) per 1000 hours *	64 kWh
Music apps	BBC Sounds, Deezer, YouTube Music	Energy consumption (HDR) per 1000 hours *	100 kWh
Sports apps	BBC Sports	Energy efficiency scale	A to G
<b>Audio</b>		<b>Brand-specific features</b>	
Number of speakers *	2	Hisense technologies (AV/TV)	4K upscaling
RMS rated power *	20 W	<b>Weight &amp; dimensions</b>	
Audio output channels	2.0 channels	Width (with stand)	1233 mm
Built-in subwoofer	✗	Depth (with stand)	274 mm
Audio decoders	DTS, DTS Virtual:X, Dolby Audio	Height (with stand)	767 mm
<b>Network</b>		Weight (with stand)	11 kg
Wi-Fi *	✓	Width (without stand)	1233 mm
Bluetooth *	✓	Depth (without stand)	86 mm
Bluetooth version	4.2	Height (without stand)	716 mm
Ethernet LAN *	✓	Weight (without stand)	10.9 kg
Web browser	✓	<b>Packaging data</b>	
<b>Design</b>		Quick installation guide	✓
Product colour *	Black	Manual	✓
VESA mounting *	✓	Package width	1400 mm
Panel mounting interface	200 x 400 mm	Package depth	135 mm
On/off switch	✓	Package height	846 mm
Housing material	Plastic	Package weight	16.5 kg
Stand type	Legs stand	Package type	Box
Stand colour	Black	<b>Packaging content</b>	
<b>Performance</b>		Desktop stand	✓
High Dynamic Range (HDR) technology	Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)	Cables included	AC
Game mode	✓	Remote control included	✓
Video formats supported	AVI, H.264, HEVC/H.265, MPEG2, MPEG4, VP9	<b>Other features</b>	
Noise reduction *	✓	Batteries included	✓
High Dynamic Range (HDR) supported *	✓	Battery type	AAA
Processor cores	4	Number of batteries supported	2
Game features	Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR)		
Plug and Play	✓		
4K Ultra HD upscaling	✓		
Parental control	✓		



6942351406329

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date