



DELL Precision 5690 Intel Core Ultra 7 165H Mobile workstation 40.6 cm (16") Full HD+ 32 GB LPDDR5x-SDRAM 1 TB SSD NVIDIA RTX 1000 Ada Wi-Fi 7 (802.11be) Windows 11 Pro Grey

Brand : DELL

Product family: Precision

Product code: HKHPY

Product name : 5690



- Windows 11 Pro 64-bit
- Intel Core Ultra 7 165H (24MB Cache)
- 40.6 cm (16") Full HD+ 1920 x 1200 IPS, NVIDIA RTX 1000 Ada (6GB GDDR6)
- 32GB LPDDR5x-SDRAM & 1000GB SSD

Intel Core Ultra 7 165H (24MB Cache), 32GB LPDDR5x-SDRAM, 1000GB SSD, 40.6 cm (16") Full HD+ 1920 x 1200 IPS, Intel Arc Graphics, NVIDIA RTX 1000 Ada (6GB GDDR6), WLAN, Webcam, Windows 11 Pro 64-bit

[DELL Precision 5690 Intel Core Ultra 7 165H Mobile workstation 40.6 cm \(16"\) Full HD+ 32 GB LPDDR5x-SDRAM 1 TB SSD NVIDIA RTX 1000 Ada Wi-Fi 7 \(802.11be\) Windows 11 Pro Grey:](#)

Intelligent performance. Power to create your masterpieces.

A premium workstation built for users who want a large display and exceptional, intelligent performance in a thin and light design. Features FHD HDR IR camera, Haptics trackpad and premium audio for a high-quality experience.



Copilot+PC

Design		Camera	
Product type *	Mobile workstation	Video capturing speed	30 fps
Product colour *	Grey	Infrared (IR) camera	✓
Form factor *	Clamshell	Network	
Market positioning	Business	Top Wi-Fi standard *	Wi-Fi 7 (802.11be)
Intel® vPro™ Platform Eligibility	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Display		Mobile network connection *	✗
Display diagonal *	40.6 cm (16")	Antenna type	2x2
Display resolution *	1920 x 1200 pixels	WLAN controller model	Intel Wi-Fi 7 BE200
Touchscreen *	✗	WLAN controller manufacturer	Intel
HD type	Full HD+	Bluetooth	✓
Panel type	IPS	MIMO	✓
LED backlight	✓	MIMO type	Multi User MIMO
Native aspect ratio	16:10	Ports & interfaces	
Anti-glare screen	✓	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Display brightness	500 cd/m ²	HDMI ports quantity *	1
Pixel density	142 ppi	HDMI version	2.1
RGB colour space	DCI-P3	Thunderbolt 4 ports quantity	2
Colour gamut	100%	Intel® Thunderbolt 4	✓
Maximum refresh rate	60 Hz	Combo headphone/mic port	✓
Contrast ratio (typical)	1300:1	USB Type-C DisplayPort Alternate Mode	✓
Processor		USB Power Delivery	✓
Processor manufacturer *	Intel	Performance	
Processor family *	Intel Core Ultra 7	Ambient light sensor	✓
Processor generation	Intel® Core™ Ultra (Series 1)	Accelerometer	✓
Processor model *	165H	Proximity sensor	✓
Processor cores	16		
Processor threads	22		
Processor boost frequency	5 GHz		

Processor		Performance	
Performance cores	6	Gyroscope	✓
Efficient cores	8	Hall sensor	✓
Low Power Efficient-cores	2	Keyboard	
Performance-core Max Turbo Frequency	5 GHz	Pointing device	Touchpad
Efficient-core Max Turbo Frequency	3.8 GHz	Keyboard language	UK English
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Numeric keypad *	✗
Performance-core base frequency	1.4 GHz	Keyboard backlit	✓
Efficient-core base frequency	0.9 GHz	Copilot key	✓
Low Power Efficient-core Base Frequency	700 MHz	Software	
Processor cache	24 MB	Operating system architecture	64-bit
Processor cache type	Smart Cache	Operating system language	German, Dutch, English, French, Italian
Processor base power	28 W	Trial software	No Microsoft Office Licence Included - 30 day Trial Offer Only
Maximum turbo power	115 W	Operating system installed *	Windows 11 Pro
Neural processor unit (NPU)		Microsoft Copilot	✓
Neural processor unit (NPU)	Intel AI Boost	Battery	
Maximum frequency NPU	1.4 GHz	Battery technology	Lithium-Ion (Li-Ion)
Sparsity support	✓	Number of battery cells	6
Windows Studio effects support	✓	Battery capacity *	99.5 Wh
AI datatype support on NPU	FP16, FP32, Int8	Battery voltage	11.55 V
AI software frameworks supported by NPU	DirectML, ONNX RT, OpenVINO, Windows ML	Battery recharge time	3 h
Memory		Fast charging	✓
Internal memory *	32 GB	Battery charge indicator	✓
Internal memory type	LPDDR5x-SDRAM	Battery weight	363 g
Memory form factor	On-board	Power	
Maximum internal memory *	32 GB	AC adapter power	165 W
Memory channels	Dual-channel	AC adapter frequency	50 - 60 Hz
Memory data transfer rate	7467 MT/s	AC adapter input voltage	100 - 240 V
Storage		Security	
Total storage capacity *	1 TB	Cable lock slot	✓
Storage media *	SSD	Cable lock slot type	Wedge
Total SSDs capacity	1 TB	Fingerprint reader	✓
Number of SSDs installed	1	Trusted Platform Module (TPM)	✓
SSD capacity	1 TB	Trusted Platform Module (TPM) version	2.0
SSD interface	PCI Express 4.0	Password protection	✓
NVMe	✓	Operational conditions	
SSD form factor	M.2	Operating temperature (T-T)	0 - 35 °C
SSD performance class	40	Storage temperature (T-T)	-40 - 65 °C
M.2 SSD size	2280 (22 x 80 mm)	Operating relative humidity (H-H)	10 - 90%
Optical drive type *	✗	Storage relative humidity (H-H)	0 - 95%
Graphics		Operating altitude	-15.2 - 3048 m
Discrete graphics card model *	NVIDIA RTX 1000 Ada	Non-operating altitude	-15.2 - 10668 m
Discrete graphics card memory	6 GB	Operating shock	110 G
Discrete graphics memory type	GDDR6	Non-operating shock	160 G
On-board graphics card *	✓	Operating vibration	0.66 G
On-board GPU manufacturer	Intel	Non-operating vibration	1.3 G
Discrete graphics card *	✓	Weight & dimensions	
On-board graphics card family	Intel Arc Graphics	Width	353.7 mm
On-board graphics card model *	Intel Arc Graphics	Depth	240.3 mm
Audio		Height (front)	2.05 cm
Number of built-in speakers	4	Height (rear)	2.22 cm
Speakers manufacturer	Waves	Weight *	2.03 kg
Built-in microphone	✓	Carbon footprint	
Number of microphones	2	Total carbon footprint (kg of CO2e)	246
Camera		Carbon emissions, manufacturing (kg of CO2e)	200
Front camera	✓		

Camera

Front camera resolution (numeric)	2.07 MP
Front camera resolution	1920 x 1080 pixels
Front camera HD type	Full HD

Carbon footprint

Carbon emissions, logistics (kg of CO2e)	7
Carbon emissions, energy usage (kg of CO2e)	36
Carbon emissions, end-of-life (kg of CO2e)	2
Total carbon emissions, w/o use phase (kg of CO2e)	210
PAIA version	GaBi verison1

Packaging content

Cables included	AC
-----------------	----



5397184805602

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date