

Storage		Power	
NVMe	✓	Power supply input frequency	50/60 Hz
SSD form factor	M.2	Operational conditions	
SSD performance class	35	Operating temperature (T-T)	10 - 35 °C
Compatible memory cards	Not supported	Storage temperature (T-T)	-40 - 65 °C
RAID support	✗	Operating relative humidity (H-H)	20 - 80%
Graphics		Storage relative humidity (H-H)	5 - 95%
Discrete graphics card *	✗	Operating altitude	-15.2 - 3048 m
On-board graphics card *	✓	Non-operating altitude	-15.2 - 10668 m
Discrete graphics card model *	Not available	Operating vibration	0.26 G
On-board GPU manufacturer	Intel	Non-operating vibration	1.37 G
On-board graphics card family	Intel® UHD Graphics	Operating shock	40 G
On-board graphics card model *	Intel UHD Graphics 770	Non-operating shock	105 G
Maximum on-board graphics card resolution	7680 x 4320 pixels	Sustainability	
Network		Sustainability compliance	✓
Ethernet LAN *	✓	Sustainability certificates	TCO, ENERGY STAR, EPEAT Climate +
Ethernet LAN data rates	10,100,1000 Mbit/s	Doesn't contain	PVC/BFR
Wi-Fi *	✓	Weight & dimensions	
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Width *	36 mm
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Depth *	178 mm
WLAN controller manufacturer	Intel	Height *	182 mm
WLAN controller model	Intel Wi-Fi 6E AX211	Packaging content	
Antenna type	2x2	Display included *	✗
Bluetooth	✓	Mouse included on selected markets	Dell Optical Mouse-MS116 - Black
Ports & interfaces		Keyboard included on selected markets	Dell Multimedia Keyboard-KB216 - UK (QWERTY) - Black
USB 2.0 ports quantity *	2	Cables included	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Power cable length	1.8 m
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Carbon footprint	
PowerShare	✓	Total carbon footprint (kg of CO2e)	91
Number of USB ports with PowerShare support	1	Carbon emissions, manufacturing (kg of CO2e)	59
HDMI ports quantity *	1	Carbon emissions, logistics (kg of CO2e)	2
HDMI version	1.4b	Carbon emissions, energy usage (kg of CO2e)	28
DisplayPorts quantity	1	Carbon emissions, end-of-life (kg of CO2e)	1
DisplayPort version	1.4a	Total carbon emissions, w/o use phase (kg of CO2e)	62
Ethernet LAN (RJ-45) ports	1	PAIA version	GaBi verison1



5397184802236

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date