

Motorola razr 50 ultra 17.5 cm (6.9") Dual SIM Android 14 5G USB Type-C 12 GB 512 GB 4000 mAh Green, Peach

Brand : Motorola Product family: razr Product code: PB1T0057GB

Product name: razr 50 ultra

6.9" FHD+ pOLED + 4" pOLED, 12/512GB, Snapdragon 8s Gen 3, 50MP + 50MP, 32MP, eSIM + SIM, Bluetooth 5.4, WiFi, USB Type-C, 4000mAh, Android 14

Motorola razr 50 ultra. Display diagonal: 17.5 cm (6.9"), Display resolution: 2640 x 1080 pixels. Processor family: Qualcomm Snapdragon, Processor model: 8s Gen 3. RAM capacity: 12 GB, RAM type: LPDDR5X, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Dual camera. SIM card capability: Dual SIM. Operating system installed: Android 14. Battery capacity: 4000 mAh. Product colour: Green, Peach. Weight: 189 g





Display		Network	
Display diagonal *	17.5 cm (6.9")	3G standards *	HSPA+, UMTS
. , ,	85.33%	4G standard *	LTE
Screen to body ratio	P-OLED	5G standard *	Sub6
Panel type		Wi-Fi	
Display glass type	Corning Glass	VVI-F1	√ 002 11 - 002 11 - 002 11 - Wi Fi A
Gorilla Glass version	Gorilla Glass Victus		802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi
Display resolution *	2640 x 1080 pixels	Wi-Fi standards	6 (802.11ax), Wi-Fi 6E (802.11ax),
Native aspect ratio	22:9		Wi-Fi 7 (802.11be)
Maximum refresh rate	165 Hz	Bluetooth *	✓
Touch response rate	300 Hz	Bluetooth version	5.4
Display brightness	3000 cd/m ²	2G bands (primary SIM)	850,900,1800,1900 MHz
High Dynamic Range (HDR) supported	✓	Near Field Communication (NFC)	✓
High Dynamic Range (HDR)	High Dynamic Range 10+ (HDR10	Subscription	
technology	Plus)	Subscription type *	No subscription
DCI-P3 coverage	120%	Ports & interfaces	
Pixel density	413 ppi	USB port *	√
Second display	V	USB connector type	USB Type-C
Second display diagonal	10.2 cm (4")	USB version	2.0
Second display resolution	1272 x 1080 pixels	Headphone connectivity	Not supported
Second display brightness	2400 cd/m ²	,	Not supported
Second display type	P-OLED	Design	
Second display pixel density	417 ppi	Form factor *	Flip
Second display refresh rate	165 Hz	Product colour *	Green, Peach
Second display touch response rate		Colour name	Peach Fuzz
Second display DCI-P3 coverage	100%	International Protection (IP) code	IPX8
Processor		Protection features	Dust resistant, Splash proof, Water resistant
Processor family *	Qualcomm Snapdragon	Housing material	Aluminium
Processor model *	8s Gen 3	Performance	
Storage			,
RAM capacity *	12 GB	Fast charging	√
RAM type	LPDDR5X	Wireless charging	√
Internal storage capacity *	512 GB	Reverse wireless charging	▼ Turks Davis
		Fast charging technology	TurboPower

Compatible memory cards ** Not supported Fingerprint reader 4 Camera Finger camera resolution (numeric)* 50 MP Rear camera resolution (numeric)* 50 MP Navigation Rear camera aperture number 1.7 GES (satellite) 4 Second rear camera aperture number 1.7 GES (satellite) 4 Rear camera aperture number 0.8 µm Gallico 4 Rear camera pixel size 0.8 µm Gallico 4 Second rear camera pixel size 0.8 µm Gallico 4 Rear camera pixel size 0.8 µm Gallico 4 Front camera pixel size 0.6 4 µm Gallico 4 Front camera pixel size 0.6 4 µm LED (solito in caution* 4 Front camera aperture number 2.4 Member (microthones) 3 Front camera aperture number 2.4 Multimedia Front camera aperture pixel size 0.7 µm Multimedia Front camera aperture number 2.4 Multimedia X Filiali type ED	Storage		Performance	
Camera Face recognition √ Rear camera resolution (numeric) 50 MP Voice commands Second rear camera resolution (numeric) 50 MP Assisted GPS (A-GPS) ✓ Rear camera aperture number 1.7 GPS (satellite) ✓ Second rear camera aperture number 2 GEONASS ✓ Second rear camera pixel size 0.64 µm BeliDou ✓ Second rear camera pixel size 0.64 µm Electronic compass ✓ Front camera aperture number 2x Position location* ✓ Front camera aperture number 2.4 Multimedia Front camera aperture number 2.4 Multimedia Front camera aperture number 2.4 Multimedia Front camera pixel size 0.7 µm Multimedia Front camera aperture number 4 PM radio X Flash type 1.20 Number of microphones 3 3 Front camera aperture number 4.0 Number of microphones 3 4 Flash type Audio system Dolly Atmos		Not supported		,
Central Camera resolution (numeric) * 50 MP Voice commands ✓ Tender Camera Camera Presolution (numeric) * 50 MP Rear camera resolution (numeric) * 50 MP Assisted GPS (A-GPS) * ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	,	Not supported	= '	
Rear camera resolution (numeric)* 50 MP Assisted GPS (A-GPS) V Second rear apperture number 1.7 GPS (satellite) V Second rear camera aperture number 2 GLONASS V Rear camera aperture number 0.8 µm Galice V Rear camera pixel size 0.8 µm Galice V Second rear camera pixel size 0.8 µm Galice V Second rear camera pixel size 0.8 µm Electronic compass V Front camera specture number 2.4 Position location* V Front camera aperture number 2.4 Secure User Plane Location (SUPL) V Front camera aperture number 2.4 Multimedia V Front camera aperture number 2.4 Multimedia V Front camera aperture number 2.4 Multimedia V Front camera aperture number 2.7 Multimedia X Front camera aperture number 2.8 V Multimedia X Video cabure resolution (mumber) 3.80 2.5	Camera		•	
Former	,	50 MP		•
Rear camera aperture number 1.7 GPS (Satellite) V Second rear camera aperture number 2 GLONASS V Rear camera pixel size 0.8 µm BelDou V Second rear camera pixel size 0.64 µm Galileo V Optical zoom 2x Position location* V Front camera type " 2.5 lingle camera LTE Positioning Protocol (LPP) V Front camera resolution (numeric)* 32 MP Secure User Plane Location (SUPL) V Front camera paperture number 2.4 Multimedia V Front camera paper sesolution (numeric)* 32 MP Secure User Plane Location (SUPL) V Rear camera flash " LED Mumber of microphones 3 cerve Rear camera flash * LED Number of microphones 3 cerve Video capture resolution (max) 3840 x 2160 pixels Speakers serero Video capture resolution (max) 3840 x 2160 pixels Speakers serero Resolution at capture speed 1920x1080@30f0ps Operating system installed * Android <		50 MP		
Second rear camera aperture number	,	1.7		V
number 2 BelDou Very Comment of the process of the p	·			V
Rear camera pixel size 0.8 µm Galileo V Scoodif ear camera pixel size 0.64 µm Electronic compass V Optical zoom 2x Position location* V Front camera resolution (numeric)* 32 MP Secure User Plane Location (SUPL) V Front camera aperture number 2.4 Multimedia V Front camera apeture number 0.7 µm Multimedia V Rear camera fisch* 4 FM radio X Rear camera fisch* 4 FM radio X Rear camera fisch* 4 FM radio X Video capture resolution (max) 3840 x 2160 pixels Speakers stereo Maximum frame rate 960 fps Audio system Dolby Atmos Maximum frame rate 1920x1080e9240ps, 1920x1080e9240ps, 1920x1080e9240ps, 1920x1080e930ps, 1920x1080e930		2		4
Second rear camera pixel size 0.64 μm Electronic compass ✓ Pront camera type Single camera LTE Positioning protocol (LPP) ✓ Front camera resolution (numeric) 3 MP Secure User Plane Location (SUPL) ✓ Front camera paperture number 2.4 Multimedia X Front camera pixel size 0.7 μm Multimedia X Rear camera flash JED Number of microphones 3 Video capture resolution (max) 3840 x 2160 pixels Speakers stereo Maximum frame rate 960 fps Audio system Dolby Atmos Maximum frame rate 960 fps Speakers Audio optem Maximum frame rate 960 fps Platform Android Maximum frame rate 960 fps Audio system Android Resolution at capture speed 1920x1080@210fps, 1920x1080@30fps, 3840x12160@30fps, 3840x12160@60fps Operating system installed Android 14 Rear camera type * Dual camera Battery Audio xom Android 14 Reac detection ✓ Sensors ✓	Rear camera pixel size	0.8 μm		4
Optical zoom ZX Position location "	Second rear camera pixel size	0.64 μm		1
Front camera spesiuluton (numeric)	•	2x	•	1
Front camera perture number 2.4	Front camera type *	•		1
Front camera aperture number 7.7 μm	Front camera resolution (numeric) *			•
Rear camera flash	•			•
Flash type Video capture resolution (max) 3840 x 2160 pixels Speakers Maximum frame rate 1920x1080@120fps, 1920x1080@30fps, 1920x1080%30fps, 1920x1080%30fps	·	•		
Video capture resolution (max) 3840 x 2160 pixels Speakers stereo Maximum frame rate 960 fps Audio system Dolby Atmos Resolution at capture speed 1920x1080@310ps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@960fps, 1920x1080@960fps, 1920x1080@960fps, 1920x1080@960fps, 1920x1080@960fps, 3840x2160@30fps, 3840x2160@30fps				
Maximum frame rate 960 fps Audio system Dolby Atmos 1920x1080@120fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@960fps, 3840x2160@30fps, 3840x2160@30	• •		·	
Resolution at capture speed 1920x1080@120fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@30fps, 1920x1080@90fps, 1920x1080mp, 1920x1080@90fps, 1920x1080@90fps, 1920x1080@90fps, 1920x1080mp, 1920x1080@90fps, 1920x1080@90fps, 1920x1080mp, 1920		·	•	
Resolution at capture speed 1920x1080@240fps, 1920x1080@360fps, 1920x1080@360fps Platform* Android 14 Rear camera type* Dual camera Battery 4000 mAh Face detection Sensors Virtual assistant 4000 mAh Time lapse mode Sensors Virtual assistant 4000 mAh Video stabilizer Yesensor Virtual assistant Virtual assistant 4000 mAh Image stabilizer stope Sensors Virtual assistant Virtual assistant 4000 mAh Image stabilizer Yesensor Virtual assistant Virtual assistant 4000 mAh Image stabilizer Yesensor Yesensor Virtual assistant Virtual assistant 4000 mAh Image stabilizer Yesensor Yesensor Yesensor Vestival assistant Vestiv	Maximum frame rate	•	Audio system	Dolby Atmos
Resolution at capture speed 1920x1080@30fps, 1920x1080@30fps, 1920x1080@60fps, 1920x1080@960fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps, 3840x2160@30fps Android 14 Rear camera type * Dual camera Battery 4000 mAh Face detection * Semoss * Video stabilizer / Accelerometer * Image stabilizer type Electronic Image Stabilization (EIS), Optical Image Stabilization (OIS) Ambient light sensor * Self-timer / Hall sensor * Night mode * Weight & dimensions * Smile detection * Weight & dimensions * Smile detection * Popth 7.4 mm Panorama * Popth 7.09 mm Portrait mode * Weight * 189 g Audio zoom * Polded width 7.4 cm Al scene recognition * Polded width 7.4 cm Silf card capability* Dual SIM Folded height 8.81 cm Silf card type * NanoSIM + eSIM <td></td> <td></td> <td>Software</td> <td></td>			Software	
1920x1080@960fps, 3840x2160@30fps, 384		1920x1080@30fps,	Platform *	Android
Rear camera type * Dual camera Rear camera type * Dual camera Face detection Fime lapse mode Video stabilizer Video stabil	Resolution at capture speed		Operating system installed *	Android 14
Rear camera type * Dual camera Battery capacity * 4000 mAh Face detection			Virtual assistant	Google Gemini
Face detection Time lapse mode Video stabilizer Video sta				
Time lapse mode Venough stabilizer Venough yearsor <		- '	Battery	
Video stabilizer Image stabilizer Image stabilizer type Electronic Image Stabilization (EIS), Optical Image Stabilization (OIS) Self-timer Night mode Meight & dimensions Midth Portrait mode Accelerometer Width Panorama Portrait mode Al scene recognition Ambient light sensor Width 574 mm Portrait mode Accelerometer Weight & dimensions Width 74 mm Popth 7.09 mm Height 171.4 mm Weight * 189 g Folded width 7.4 cm Folded depth 7.09 cm Network SIM card capability * Dual SIM Dual SIM Folded height Dial SIM Folded height 8.81 cm Mobile network generation * SG SIM card type * NanoSIM + eSIM Edge, GSM Edge, GSM Accadapter included Quick start guide Cables included VSB Type-C SIM card ejector pin Protective case Video Accaderenceter Accaderenceter Accaderenceter Accaderenceter Valianceter Vali	**	Dual camera	•	4000 mAh
Image stabilizer V Accelerometer V Image stabilizer type Electronic Image Stabilization (OIS) Optical Image Stabilization (OIS) Ambient light sensor V Self-timer V Hall sensor V Night mode Weight & dimensions V Smile detection Width 74 mm Panorama Popth 7.09 mm Portrait mode Pepth 7.09 mm Audio zoom Pepth 171.4 mm Al scene recognition Weight * 189 g Network Folded width 7.4 cm SIM card capability * Dual SIM Folded height 8.81 cm Mobile network generation * 5G Packaging content SIM card type * NanoSIM + eSIM AC adapter included V 2G standards Edge, GSM Quick start guide V Cables included USB Type-C SIM card ejector pin Protective case V	Face detection	Dual camera	Battery capacity *	4000 mAh
Image stabilizer type Electronic Image Stabilization (EIS), Optical Image Stabilization (OIS) Self-timer Night mode Night mode Night mode Night wode Note word Note word Note word Nation zoom Al scene recognition Network Network Noul SIM SIM card capability* NanoSIM + eSIM Nobile network generation * Sig standards Edge, GSM Noul SIM AC adapter included Quick start guide Cables included Quick start guide Cables included Note word Note word Note word Note word Noul SIM card ejector pin Protective case Note word Note	Face detection Time lapse mode	Dual camera	Battery capacity * Sensors	
Self-timer	Face detection Time lapse mode Video stabilizer	Dual camera	Battery capacity * Sensors Proximity sensor	✓
Self-timerHall sensor/Night modeVeight & dimensionsSmile detectionVidth74 mmPanoramaVepth7.09 mmPortrait modeDepth7.09 mmAudio zoomVeight *171.4 mmAl scene recognitionVeight *189 gNetworkFolded width7.4 cmSIM card capability *Dual SIMFolded depth1.53 cmMobile network generation *5GPackaging contentSIM card type *NanoSIM + eSIMAC adapter includedV2G standardsEdge, GSMAC adapter includedVSB Type-CSIM card ejector pin Protective caseV	Face detection Time lapse mode Video stabilizer	Dual camera ✓ ✓ ✓	Battery capacity * Sensors Proximity sensor Accelerometer	✓
Night mode Smile detection Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SiM card capability* NanoSIM + eSIM 2G standards Page, GSM AC adapter included Quick start guide Quic	Face detection Time lapse mode Video stabilizer Image stabilizer	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor	✓
Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability* Dual SIM Mobile network generation* SG SIM card type* 2G standards Edge, GSM AC adapter included Quick start guide Quick start guide Cables included Quick generation Vidth AV mm 7.4 mm 171.4 mm	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope	✓
Portrait mode Audio zoom Al scene recognition Network Network Nobile network generation* SIM card type* NanoSIM + eSIM 2G standards Edge, GSM Packaging content AC adapter included Quick start guide Cables included Quick start guide Cables included V.00 mm 7.09 mm 171.4 mm 189 g Folded width 7.4 cm Folded depth 1.53 cm 8.81 cm Packaging content AC adapter included Quick start guide Cables included USB Type-C SIM card ejector pin Protective case V.00 mm 171.4 mm 171.4 mm 171.4 mm 171.4 mm 171.4 mm 171.4 mm 189 g A c adapter 1.53 cm	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor	✓
Audio zoom Al scene recognition Network SIM card capability* Mobile network generation* SIM card type * 2G standards Edge, GSM Dian SIM Edge, GSM Al scene recognition Al eight Weight * Folded width Folded depth Folded height Folded height Al adapter included Quick start guide Cables included SIM card ejector pin Protective case Al 171.4 mm 171.4 mm 171.4 mm 189 g Al em Folded width Folded width Folded width Folded width Folded width Folded width Folded depth Folded height Al adapter SIM card ejector pin Frotective case Al Sim card ejector pin Frotective case	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions	√ √ √ √
All scene recognition Network Folded width Folded depth Folded height Mobile network generation* SIM card type * 2G standards Folded height AC adapter included Quick start guide Cables included SIM card ejector pin Protective case Weight * Folded width Folded width Folded depth Folded height 8.81 cm Packaging content AC adapter included USB Type-C SIM card ejector pin Protective case	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width	✓ ✓ ✓ ✓ ✓
Network Folded width Folded depth Folded depth Folded height F	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth	74 mm 7.09 mm
Network Folded depth 1.53 cm SIM card capability * Dual SIM Folded height 8.81 cm Mobile network generation * 5G Packaging content SIM card type * NanoSIM + eSIM AC adapter included ✓ 2G standards Edge, GSM Quick start guide ✓ Cables included USB Type-C SIM card ejector pin ✓ Protective case ✓	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height	74 mm 7.09 mm 171.4 mm
SIM card capability * Dual SIM Folded height 8.81 cm Mobile network generation * 5G SIM card type * NanoSIM + eSIM 2G standards Edge, GSM Cables included Cables included Cables included Fortective case Cables included	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight *	74 mm 7.09 mm 171.4 mm 189 g
Mobile network generation * 5G SIM card type * NanoSIM + eSIM 2G standards Edge, GSM AC adapter included Quick start guide Cables included USB Type-C SIM card ejector pin Protective case	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm
SIM card type * NanoSIM + eSIM 2G standards Edge, GSM AC adapter included Quick start guide Cables included USB Type-C SIM card ejector pin Protective case	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm
2G standards Edge, GSM AC adapter included Quick start guide Cables included USB Type-C SIM card ejector pin Protective case ✓	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm
Cables included USB Type-C SIM card ejector pin ✓ Protective case ✓	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability * Mobile network generation *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm
SIM card ejector pin ✓ Protective case ✓	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability * Mobile network generation * SIM card type *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Packaging content	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm 8.81 cm
Protective case ✓	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability * Mobile network generation * SIM card type *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Packaging content AC adapter included Quick start guide	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm 8.81 cm
	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability * Mobile network generation * SIM card type *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Packaging content AC adapter included Quick start guide Cables included	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm 8.81 cm
AC adapter power 68 W	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability * Mobile network generation * SIM card type *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Packaging content AC adapter included Quick start guide Cables included SIM card ejector pin	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm 8.81 cm
	Face detection Time lapse mode Video stabilizer Image stabilizer Image stabilizer Image stabilizer type Self-timer Night mode Smile detection Panorama Portrait mode Audio zoom Al scene recognition Network SIM card capability * Mobile network generation * SIM card type *	Dual camera	Battery capacity * Sensors Proximity sensor Accelerometer Ambient light sensor Gyroscope Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height Packaging content AC adapter included Quick start guide Cables included SIM card ejector pin Protective case	74 mm 7.09 mm 171.4 mm 189 g 7.4 cm 1.53 cm 8.81 cm





840023264443

0840023264443

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.