

ZYXEL

Zyxel USG-LITE 60AX wired router 2.5 Gigabit Ethernet White

Brand : Zyxel

Product code: USGLITE60AX-EU0101F

Product name : USG-LITE 60AX

- Get the Highlights
 - USG LITE 60AX
 - Security
 - Subscription-free ransomware protection
 - 2.5 GbE
 - Dual 2.5 GbE mGig connectivity
 - Nebula
 - Intelligent cloud management
 - WiFi 6
 - Blazingly Fast WiFi 6
- USG LITE 60AX

[Zyxel USG-LITE 60AX wired router 2.5 Gigabit Ethernet White:](#)

Speed. Safety. Simplicity.

Built-in WiFi 6 & Ransomware Protection

Zyxel USG-LITE 60AX. Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Ethernet interface type: 2.5 Gigabit Ethernet, Cabling technology: 10/100/1000Base-T(X). Security algorithms: WPA2. Cables included: LAN (RJ-45), Bundled software: License free Ransomware & Cybersecurity. Processor manufacturer: Qualcomm, Processor frequency: 2000 MHz, Storage media: Flash. Product colour: White, Housing material: Polycarbonate (PC), LED indicators: Power



WAN connection		Design	
Ethernet WAN *	✓	Product colour *	White
DSL WAN *	✗	Housing material	Polycarbonate (PC)
SIM card slot *	✗	Rack mounting	✗
3G/4G USB modem compatibility *	✗	Wall mountable	✗
SFP WAN *	✗	LED indicators	Power
Network		On/off switch	✓
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Built-in display	✗
Ethernet interface type *	2.5 Gigabit Ethernet	Touchscreen	✗
Cabling technology	10/100/1000Base-T(X)	Country of origin	Taiwan
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Power	
Forwarding rate	2000 Mpps	Power consumption (max)	31 W
Switching capacity	2 Gbit/s	Power source type	DC
Throughput	2 Gbit/s	Redundant power supply (RPS) support	✗
VLAN support	✓	AC input voltage	110 - 240 V
Port forwarding	✓	Output voltage	12 V
Auto MDI/MDI-X	✓	Output current	3 A
Policy-based routing	✓	Power over Ethernet (PoE)	✗
Concurrent connections	20000	Operational conditions	
Number of users	10 user(s)	Operating temperature (T-T)	0 - 40 °C
Management features		Storage temperature (T-T)	-30 - 70 °C
Web-based management *	✓	Operating relative humidity (H-H)	5 - 95%
Ports & interfaces		Storage relative humidity (H-H)	5 - 95%
Ethernet LAN (RJ-45) ports *	5	Weight & dimensions	
Protocols		Width	161.7 mm
DHCP client *	✓	Depth	65 mm
DHCP server *	✓	Height	229 mm
Security		Weight	707 g
Security algorithms *	WPA2	Packaging data	
		Package width	259 mm

Security		Packaging data	
Firewall	✓	Package depth	266 mm
Guest access	✓	Package height	73 mm
VPN tunnels quantity	5	Package tare weight	1.17 kg
Technical details		Package weight	1.48 kg
Introduction month	June	Package type	Box
Introduction year	2024	Logistics data	
Warranty period	2 year(s)	Shipping (inner) case height	7.3 cm
Packaging content		Shipping (inner) case net weight	1.48 kg
AC adapter included	✓	Products per shipping (inner) case	1 pc(s)
Cables included	LAN (RJ-45)	Master (outer) cases per pallet (air)	24 pc(s)
Manual	✓	Products per pallet (air)	240 pc(s)
Quick start guide	✓	Pallet gross length	120 cm
Quick installation guide	✓	Pallet gross width	80 cm
User Guide on CD-ROM	✗	Pallet height (air)	2.2 m
Bundled software	License free Ransomware & Cybersecurity	Master (outer) cases per pallet (sea)	24 pc(s)
Features		Products per pallet (sea)	240 pc(s)
Built-in processor	✓	Pallet height (sea)	2.2 m
Processor manufacturer	Qualcomm		
Processor frequency	2000 MHz		
Storage media	Flash		
Flash memory	512 MB		
Internal memory	1000 MB		



4718937637706

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date