## Jabra Evolve 65 TE - Link390a MS Stereo

## Brand : Jabra

Product code: 6699-833-309

Product name : Jabra Evolve 65 TE - Link390a MS Stereo

## - Up to 16 hours battery talk-time

- Great for working wirelessly
- Up to 30m/100ft wireless range
- Connect to up to 2 devices
- Enhanced durability
- 2-year warranty
- Passive Noise Cancellation
- Integrated busy light
- On-ear wearing style
- Up to 15 days standby
- Dual Bluetooth® connectivity
- Up to 16 hours talk time
- Integrated Busylight
- Jabra Evolve 65 TE USB-A MS Stereo

Jabra Evolve 65 TE - Link390a MS Stereo. Product type: Headset. Connectivity technology: Wired & Wireless, Bluetooth. Recommended usage: Office/Call center. Headphone frequency: 20 - 20000 Hz. Wireless range: 30 m. Weight: 106.3 g. Product colour: Black



Performance		Battery	
Product type * Wearing style * Recommended usage * Headset type Product colour * Control unit type LED indicators	Headset Head-band Office/Call center Binaural Black On-ear control unit	Battery operated Battery type Battery technology Continuous audio playback time Talk time Battery recharge time Standby time	✓ Built-in battery Lithium-Ion (Li-Ion) 24 h 16 h 2 h 360 h
Number of simultaneously connected devices (max)	8	Music player	
Plug and Play	1	Audio formats supported	SBC
Ports & interfaces		<b>Operational conditions</b>	
Connectivity technology * USB connectivity	Wired & Wireless	Operating temperature (T-T) Storage temperature (T-T)	-10 - 50 °C -5 - 45 °C
USB connector	USB Type-A	Weight & dimensions	
Bluetooth Bluetooth profiles Bluetooth version Wireless range	<ul> <li>A2DP, AGHFP, HFP, HSP</li> <li>5.2</li> <li>30 m</li> </ul>	Width Depth Height Weight	60.5 mm 157 mm 186 mm 106.3 g
Headphones		Packaging data	
Maximum input power Ear coupling * Headphone frequency Driver unit Number of drivers	10 mW Circumaural 20 - 20000 Hz 2.8 cm 1	Package width Package depth Package height	51 mm 176 mm 206 mm
		Packaging content	
Noise canceling Noise canceling type	- ✔ Passive	Quick start guide Warranty card	4
Microphone		Carrying case Cables included	✓ USB Type-C to USB Type-A
Microphone type * Microphone frequency Microphone sensitivity Microphone direction type	Boom 100 - 7000 Hz -17 dB Unidirectional	Pouch Quantity	✓ 1
		Certificates	
		Compliance certificates	CE, Federal Communications Commission (FCC)

## Other features

Bundled software

Jabra Direct, Jabra Xpress





5706991031515

0706487026495



706487026495

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.