

SONY

## Sony ZV-E10 II 26 MP CMOS 3840 x 2160 pixels Black

Brand : Sony

Product code: ZVE10M2KB.CEC

Product name : ZV-E10 II

ZV-E10 II vlog camera, 26.0 MP, 19.9 MP, CMOS, 3" (7.5 cm) TFT, Bluetooth, USB 5 Gbit/s (USB 3.2)), HDMI, Body + 16-50 mm lens with powerful power zoom (SELP16502)  
 Sony ZV-E10 II. Megapixel (approx.): 26 MP, Sensor type: CMOS, Maximum image resolution: 3840 x 2160 pixels. ISO sensitivity (max): 32000. Optical zoom: 3.1x, Focal length range: 16 - 50 mm. Fastest camera shutter speed: 1/8000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.62 cm (3"), Touchscreen. Weight: 292 g. Product colour: Black



<b>Picture quality</b>		<b>Memory</b>	
Megapixel (approx.) *	26 MP	Compatible memory cards *	SD
Sensor type *	CMOS	Memory slots	1
Maximum image resolution *	3840 x 2160 pixels	<b>Display</b>	
Still image resolution(s) *	APS-C L: 6192 x 4128 (26 M), M: 4384 x 2920 (13 M), S: 3104 x 2064 (6.4 M)	Display *	TFT
Image stabilizer *	✓	Touchscreen *	✓
Image stabilizer location	Lens	Display diagonal *	7.62 cm (3")
Total megapixels	27 MP	Display diagonal (metric)	7.5 cm
Sensor format	Advanced Photo System type-C (APS-C)	Display resolution	1036800 dot
Image formats supported *	HEIF, JPEG, RAW	<b>Ports &amp; interfaces</b>	
<b>Lens system</b>		USB version *	2.0
Optical zoom *	3.1x	USB connector	USB Type-C
Focal length range	16 - 50 mm	HDMI *	✓
Minimum focal length (35mm film equiv)	24 mm	HDMI connector type	Micro
Maximum focal length (35mm film equiv)	75 mm	Microphone in	✓
Minimum aperture number	3.5	Headphone outputs	1
Maximum aperture number	5.6	Headphone connectivity	3.5 mm
Lens mount interface	E mount	<b>Network</b>	
<b>Focusing</b>		Bluetooth *	✓
Focus adjustment *	Auto	Bluetooth version	4.2
Auto focusing (AF) modes *	Contrast Detection Auto Focus	Wi-Fi *	✓
Auto Focus (AF) points	495	Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Auto Focus (AF) points selection	Auto	Near Field Communication (NFC) *	✗
<b>Exposure</b>		<b>Camera</b>	
ISO sensitivity (min) *	100	Shooting modes *	Aperture priority, Auto, Manual, Scene
ISO sensitivity (max) *	32000	Anti-dust function	✓
ISO sensitivity	50, 100, 6400, 32000, 102400	Tripod mounting supported *	✓
Light exposure modes *	Auto, Manual	Built-in processor	✓
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)	Image processor	BIONZ X

<b>Exposure</b>		<b>Design</b>	
Light metering *	Evaluative (Multi-pattern)	Product colour *	Black
Auto Exposure (AE) lock	✓	<b>Battery</b>	
Number of measurement zones	1200	Battery life (CIPA standard)	610 shots
<b>Shutter</b>		Battery life (max)	2.1 h
Fastest camera shutter speed *	1/8000 s	Battery type	NP-FZ100
Slowest camera shutter speed *	30 s	Number of batteries supported	1
Camera shutter type	Electronic	<b>Operational conditions</b>	
<b>Flash</b>		Operating temperature (T-T)	0 - 40 °C
Flash modes *	Pre-flash	Storage temperature (T-T)	-20 - 55 °C
Flash sync-speed	1/30 s	<b>Weight &amp; dimensions</b>	
Flash exposure correction	±3EV (1/2; 1/3 EV step)	Width	114.8 mm
Pre-flash	✓	Depth	54.2 mm
Brand specific flash systems	TTL	Height	67.5 mm
<b>Video</b>		Weight	292 g
Video recording *	✓	<b>Packaging data</b>	
Maximum video resolution *	3840 x 2160 pixels	Quantity per pack	1 pc(s)
HD type *	4K Ultra HD	<b>Packaging content</b>	
Video resolutions	1280 x 720,1920 x 1080,2560 x 1440,3840 x 2160	Shoulder strap	✓
Video formats supported	AVC, H.264, HEVC/H.265, MPEG4, XAVC HS, XAVC S	Batteries included	✓
<b>Audio</b>		Lens cap included	✓
Built-in microphone *	✓	<b>Other features</b>	
Built-in speaker(s)	✓	Metering	1200-zone evaluative metering
Audio formats supported	AAC-LC, LPCM	Colour temperature	9900 K
		Media Transfer Protocol (MTP)	✓



4548736161023

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date