



Jabra Engage 75 SE - Stereo, UK/HK/SG/AU/NZ

Brand : Jabra

Product code: 9659-583-117

Product name : Engage 75 SE - Stereo, UK/HK/SG/AU/NZ

- Up to 13 hours battery life
- Great for long wireless calls
- Incredible wireless range
- Connect to up to 5 devices
- Built to last
- Passive Noise-Cancellation
- Base with touchscreen
- 3 wearing styles
- 52 Hours standby
- Industry-leading wireless performance. Better customer connections
- Crystal-clear calls. Enhance the customer experience
- More talk time, less interruptions. Increase productivity

Engage 75 SE - Stereo, UK/HK/SG/AU/NZ

Jabra Engage 75 SE - Stereo, UK/HK/SG/AU/NZ. Product type: Headset. Connectivity technology: Wireless, Bluetooth. Recommended usage: Office/Call center. Headphone frequency: 40 - 16000 Hz. Wireless range: 150 m. Weight: 90 g. Product colour: Black



Performance		Microphone	
Product type *	Headset	Microphone frequency	100 - 10000 Hz
Wearing style *	Head-band	Number of microphones	2
Recommended usage *	Office/Call center	MEMS (Micro-Electro-Mechanical System) microphone	✓
Headset type	Binaural	Base station	
Product colour *	Black	Base station colour	Black
Operating keys	Answer/end call, Mute, Volume +, Volume -	Battery	
Volume control	Button	Battery operated	✓
Control unit type	On-ear control unit	Battery type	Built-in battery
Control type	Buttons	Battery technology	Lithium-Ion (Li-Ion)
DECT connectable	✓	Rechargeable battery	✓
Hearing protection technologies	Jabra PeakStop, Jabra Safetone 2.0	Talk time	13 h
Number of paired devices remembered	2	Battery recharge time	1.5 h
Suitable for use in country/location	Hong Kong	Charging source	USB
Ports & interfaces		Standby time	52 h
Connectivity technology *	Wireless	Operational conditions	
Bluetooth	✓	Operating temperature (T-T)	-10 - 55 °C
Bluetooth version	5.0	Storage temperature (T-T)	-5 - 45 °C
Frequency response (music mode)	40 - 16000 Hz	Weight & dimensions	
Frequency response (talk mode)	150 - 6800 Hz	Weight	90 g
Wireless range	150 m	Packaging data	
Headphones		Package width	190 mm
Ear coupling *	Supraaural	Package depth	147 mm
Headphone frequency	40 - 16000 Hz	Package height	93 mm
Driver unit	2.8 cm		

Microphone		Packaging content	
Microphone type *	Boom	AC adapter included	✓
		Cables included	Phone, USB Type-A to USB Type-C
		Base station	✓
		Quantity	1
Other features			
		Applications supported	Jabra Direct, Jabra SDK, Jabra Xpress



5706991031331

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date