

ZYXEL

Zyxel POE12-3PD-ZZ0101F PoE adapter Gigabit Ethernet

Brand : Zyxel

Product code: POE12-3PD-ZZ0101F

Product name : POE12-3PD-ZZ0101F

PoE12-3PD 802.3bt Outdoor PoE Extender

[Zyxel POE12-3PD-ZZ0101F PoE adapter Gigabit Ethernet:](#)

The PoE12-3PD is a Gigabit PoE Extender designed for point to multipoint PoE applications, which effortlessly extend the range of power and data connectivity when your devices are located at a distance that far away from power source or connection to a PoE Switch. It features four RJ-45 Gigabit Ethernet ports, offering one (1) PoE++ PoE input port with up to 60W power input and three PoE output to your devices. Instead of connecting to an AC adapter, connecting via a PoE switch enables better visibility for network management to cover the edge of your network. It features three PoE+ ports to power a variety of PoE devices, including IP cameras, VoIP handsets, IoT device, Sensors, PoE switches and wireless access points. PoE12-3PD is good for residential and commercial network environment



Network		Packaging content	
Ethernet interface type	Gigabit Ethernet	Number of products included	24 pc(s)
Ethernet LAN data rates	1000 Mbit/s	Wall mounting kit	✓
Cabling technology	10/100/1000	AC adapter included	✗
Power over Ethernet (PoE)	✓	Power cord included	✗
Networking standards	IEEE 802.3at, IEEE 802.3bt	Quick installation guide	✓
Auto MDI/MDI-X	✓	Manual	✗
Duplex system	Full	Packaging content	• PoE extender • Safety warning and doc
Cable types supported	Cat5, Cat5e, Cat6, Cat6+, Cat6a, Cat6e, Cat7, Cat7e	Packaging data	
Web-based management	✓	Package length	21.4 cm
Firmware upgradeable	✓	Package width	125 mm
Syslog	✗	Package depth	47 mm
Forwarding rate	8000 Mpps	Package weight	114 g
MAC address table	2000 entries	Package volume	1257 cm ³
Packet buffer memory	128 MB	Package type	Box
Transmission method	tcp	Logistics data	
Supported network protocols	ip	Master (outer) cases per pallet (air)	42 pc(s)
Certificates		Products per pallet (air)	1008 pc(s)
Compliance certificates	BSMI, CE, EAC, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), Low Voltage Directive (LVD), RoHS	Pallet gross length	122 cm
	• IEEE802.3 10Base-T Ethernet • IEEE 802.3u 100Base-Tx Ethernet • IEEE 802.3ab 1000Base-T Ethernet	Pallet gross width	104 cm
Compliance industry standards	• IEEE 802.3z 1000 Base-X • IEEE 802.3x flow control • IEEE 802.3af PoE • IEEE 802.3at PoE plus • IEEE 802.3bt (60 W) PoE over 4 pair	Pallet height (air)	186.3 cm
		Pallet gross weight (sea)	43.2 kg
		Master (outer) cases per pallet (sea)	42 pc(s)
		Products per pallet (sea)	1008 pc(s)
		Pallet height (sea)	186.3 cm
		Customs product code (TARIC)	85176200
		Shipping (inner) case gross weight	43.2 kg
		Warranty period	2 year(s)
		Master (outer) case width	370 mm
		Master (outer) case length	391 mm
		Master (outer) case height	247 mm
		Master (outer) case gross weight	9.56 kg
Operational conditions			
Operating temperature (T-T)	-4 - 122 °F		
Operating relative humidity (H-H)	10 - 95%		
Storage temperature (T-T)	-40 - 70 °C		
Storage relative humidity (H-H)	10 - 95%		

Weight & dimensions

Width	180 mm
Depth	99 mm
Height	36 mm
Weight	257 g



4718937635955

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date