DELL E Series E2225HS computer monitor 54.5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL **Product family:** E Series **Product code:** DELL-E2225HS

Product name : E2225HS

- 54.5cm (21.45") Full HD 1920 x 1080 Edge LED VA
- 8ms, 16:9, 250cd/m², 3000:1
- VGA, HDMI, DisplayPort

54.5cm (21.45") Full HD 1920 x 1080 Edge LED VA, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 3000:1

DELL E Series E2225HS computer monitor 54.5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this affordable 22-inch height adjustable monitor certified by TÜV Rheinland® for 3-star eye comfort.
DELL E Series E2225HS. Display diagonal: 54.5 cm (21.4"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black

Display	
Display diagonal *	54.5 cm (21.4")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	VA
LED backlight	✓
Backlight type	Edge LED
Touchscreen *	✗
Display brightness (typical)	250 cd/m²
Response time *	8 ms
Anti-glare screen	✓
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	3000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.2493 x 0.241 mm
Pixel density	103 ppi
Horizontal scan range	30 - 84 kHz
Vertical scan range	50 - 76 Hz
Viewable size, horizontal	47.9 cm

Ergonomics	
VESA mounting *	✓
Panel mounting interface	100 x 100 mm
Wall mountable	✓
Cable management	✓
Cable lock slot *	✓
Cable lock slot type	Kensington
Height adjustment *	✓
Height adjustment	10 cm
Pivot	✗
Swivelling	✗
Tilt adjustment	✓
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✓
Plug and Play	✓
LED indicators	✓

Power	
Energy efficiency class (SDR) *	D
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	12 kWh
Power consumption (typical) *	11.5 W
Power consumption (standby) *	0.3 W
Power consumption (max)	21 W
Power consumption (off)	0.3 W
AC input voltage	100 - 220 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Display	
Viewable size, vertical	26 cm
Display diagonal (metric)	544.85 cm
High Dynamic Range (HDR) supported	✗
Surface hardness	3H
NTSC coverage (typical)	83%

Performance	
NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Flicker-free technology	✓
Low Blue Light technology	✓

Multimedia	
Number of speakers	2
RMS rated power	2 W
Built-in speaker(s) *	✓
Built-in camera *	✗

Design	
Market positioning *	Home
Product colour *	Black
Front bezel colour	Black
Detachable stand	✓
Feet colour	Black

Ports & interfaces	
Built-in USB hub *	✗
VGA (D-Sub) ports quantity	1
HDMI *	✓
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone out *	✗
HDCP	✓
HDCP version	1.4

Network	
Wi-Fi	✗

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Weight & dimensions	
Width (with stand)	504.3 mm
Depth (with stand)	200.4 mm
Height (with stand)	454.2 mm
Weight (with stand)	3.4 kg
Width (without stand)	504.3 mm
Depth (without stand)	49.6 mm
Height (without stand)	295.4 mm
Weight (without stand)	2.37 kg
Bezel width (side)	1.28 cm
Bezel width (top)	1.28 cm
Bezel width (bottom)	1.69 cm

Packaging data	
Package weight	4.95 kg

Packaging content	
Stand included	✓
Cables included	AC, HDMI
Quick start guide	✓
HDMI cable length	1.8 m

Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	Arsenic, Mercury, PVC/BFR

Other features	
Compliance certificates	RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date