



DELL E Series E2725H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black

Brand : DELL

Product family: E Series

Product code: DELL-E2725H

Product name : E2725H

- 68.6cm (27") Full HD 1920 x 1080 Edge LED VA
- 8ms, 16:9, 300cd/m², 3000:1
- VGA, DisplayPort

68.6cm (27") Full HD 1920 x 1080 Edge LED VA, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 3000:1

DELL E Series E2725H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black:

Get the essentials to enhance productivity with this affordable 27-inch monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL E Series E2725H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	VA
LED backlight	✓
Backlight type	Edge LED
Touchscreen *	✗
Display brightness (typical)	300 cd/m ²
Response time *	8 ms
Anti-glare screen	✓
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	3000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	81 ppi
Horizontal scan range	30 - 85 kHz
Vertical scan range	48 - 75 kHz
Viewable size, horizontal	59.8 cm

Ergonomics

Cable lock slot *	✓
Height adjustment *	✗
Pivot	✗
Swivelling	✗
Tilt adjustment	✓
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✓
Plug and Play	✓
LED indicators	✓

Power

Energy efficiency class (SDR) *	D
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	17 kWh
Power consumption (typical) *	17 W
Power consumption (standby) *	0.3 W
Power consumption (max)	30 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m

Display		Operational conditions	
Viewable size, vertical	33.6 cm	Non-operating altitude	0 - 12191 m
Display diagonal (metric)	68.59 cm	Weight & dimensions	
High Dynamic Range (HDR) supported	✗	Width (with stand)	623.3 mm
Surface hardness	3H	Depth (with stand)	188.3 mm
NTSC coverage (typical)	72%	Height (with stand)	458.9 mm
Dell ComfortView technology	✓	Weight (with stand)	4.48 kg
Performance		Width (without stand)	623.3 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	50.4 mm
AMD FreeSync *	✗	Height (without stand)	370.9 mm
Flicker-free technology	✓	Weight (without stand)	3.76 kg
Low Blue Light technology	✓	Bezel width (side)	1.27 cm
Multimedia		Bezel width (top)	1.29 cm
Built-in speaker(s) *	✗	Bezel width (bottom)	1.57 cm
Built-in camera *	✗	Packaging data	
Design		Package weight	6.8 kg
Market positioning *	Home	VGA cable length	1.5 m
Product colour *	Black	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✗	Cables included	AC, DisplayPort
VGA (D-Sub) ports quantity	1	Quick start guide	✓
HDMI *	✗	DisplayPort cable length	1.8 m
DisplayPorts quantity	1	Sustainability	
DisplayPort version	1.2	Sustainability certificates	ENERGY STAR, EPEAT Climate +, TCO
Headphone out *	✗	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDCP	✓	Other features	
HDCP version	1.4	(cdm) Box content	Cable- C13-Cable, 220 V, 2 m - SWI
AC (power) in	✓	Compliance certificates	RoHS
Network		Brand-specific features	
Wi-Fi	✗	Dell Display Manager (DDM) compatibility	✓
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		



0884116475781



884116475781

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.