## ASUS Prime X870-P WIFI AMD X870 Socket AM5 ATX

Brand : ASUS

Product name : Prime X870-P WIFI

PRIME X870-P WIFI Mainboard Sockel AM5 (AMD, ATX, PCIe 5.0, DDR5, 14+2+1 Power Stages, 4x M.2, WiFi 7, 2,5Gb Ethernet, USB-C 40Gbps)

Product code: 90MB1IS0-M0EAY0

ASUS Prime X870-P WIFI. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen <sup>™</sup> 3, AMD Ryzen <sup>™</sup> 5, AMD Ryzen <sup>™</sup> 7, AMD Ryzen 9 7th Gen, AMD Ryzen 9 8th Gen, AMD.... Supported memory types: DDR5-SDRAM, Maximum internal memory: 192 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. DisplayPort version: 1.4a. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 7 (802.11be), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E...





| Processor   |   | Rear panel I/O ports  |   |
|---|---|---|---|
| Processor manufacturer *<br>Processor socket *  | AMD<br>Socket AM5<br>AMD Ryzen™ 3, AMD Ryzen™ 5,                                  | USB 3.2 Gen 2 (3.1 Gen 2) Type-A<br>ports quantity *<br>USB4 Gen 2x2 ports quantity         | 1<br>2  |
| Compatible processor series *   | AMD Ryzen™ 7, AMD Ryzen 9 7th<br>Gen, AMD Ryzen 9 8th Gen, AMD<br>Ryzen 9 9th Gen | Ethernet LAN (RJ-45) ports *<br>HDMI ports quantity *<br>HDMI version                       | 1<br>1<br>2.1   |
| Supported processor sockets   | Socket AM5  | DisplayPort version   | 1.4a  |
| Memory  |   | Line-in   | 1   |
| Supported memory types *  | DDR5-SDRAM  | Microphone in   | 1   |
| Number of memory slots *  | 4   | Network   |   |
| Memory slots type<br>Memory channels<br>ECC<br>Non-ECC<br>Supported memory clock speed<br>(max)<br>Maximum internal memory *<br>Unbuffered memory | DIMM<br>Dual-channel<br>8000 MHz<br>192 GB  | Ethernet LAN<br>Ethernet interface type<br>Wi-Fi *<br>Top Wi-Fi standard<br>Wi-Fi standards | <ul> <li>Gigabit Ethernet</li> <li>Wi-Fi 7 (802.11be)</li> <li>802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)</li> </ul> |
| Storage controllers   |   | Bluetooth   | 4   |
| Supported storage drive types   | HDD & SSD   | Bluetooth version   | 5.4   |
| Supported storage drive interfaces *  | M.2, SATA III   | Features  |   |
| Number of HDDs supported<br>Number of storage drives supported<br>RAID support<br>RAID levels   | 2<br>6<br>✓<br>0, 1, 5, 10  | Motherboard chipset *<br>Audio output channels *<br>Product colour<br>Component for *       | AMD X870<br>7.1 channels<br>Black<br>PC   |
| Graphics  |   | Motherboard form factor *   | ATX   |
| Parallel processing technology<br>support *   | Not supported   | Motherboard chipset family *<br>Cooling type  | AMD<br>Passive  |
| On-board graphics card  | ×   | Power source type   | ATX   |
| Internal I/O  |   | Windows operating systems<br>supported  | Windows 10, Windows 11  |
| USB 2.0 connectors *  | 2   | Expansion slots   |   |
|   |   | PCI Express x16 (Gen 4.x) slots   | 3   |

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date

| rnal I/O   |        | Expansion slots   |   |
|--|--------|---|---|
| 3 3.2 Gen 1 (3.1 Gen 1)<br>nectors *   | 1      | PCI Express x16 (Gen 5.x) slots<br>Number of M.2 (M) slots  | 1<br>4  |
| B 3.2 Gen 2 (3.1 Gen 2)<br>nnectors *  | 1      | BIOS  |   |
| umber of SATA III connectors *<br>ront panel audio connector   | 2<br>✓ | BIOS type *<br>BIOS memory size   | UEFI AMI<br>256 Mbit  |
| TX Power connector (24-pin)  | 4      | Packaging data  |   |
| PU fan connector<br>lumber of chassis fan connectors<br>PS power connector (8-pin)<br>lumber of COM connectors<br>PM connector<br>2V power connector<br>GB LED pin header<br>ear panel I/O ports |        | Package width<br>Package depth<br>Package height<br>Package weight<br>Weight & dimensions<br>Width<br>Depth<br>Height | 353 mm<br>273 mm<br>68 mm<br>1.56 kg<br>305 mm<br>244 mm<br>48 mm |
| USB 2.0 ports quantity *<br>USB 3.2 Gen 1 (3.1 Gen 1) Type-A<br>ports quantity *   | 4<br>3 | Packaging content   |   |
|  |        | Cables included   | SATA  |
|  |        | Other features  |   |
|  |        | Weight<br>Back-to-BIOS button   | 1.56 kg<br>✔  |



4711387718148

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.