

GIGABYTE C500 PANORAMIC STEALTH Midi Tower White

Brand : GIGABYTE

Product code: GB-C500PI ST

Product name : C500 PANORAMIC STEALTH

- Panoramic Tempered Glass Front and Side Panels
- Optimized Airflow Design
- Support Back-Connect Motherboard Design, Compatible with GIGABYTE Stealth Series
- RGB Fusion with ARGB Connector Hub
- Support Vertical GPU Installation
- With USB 3.0 x2 and USB 3.2 Gen2 Type-C x1 on I/O panel
- Pre-installed four ARGB fans

Mid Tower, Mini ITX / Micro ATX / ATX, 501 x 235 x 430 mm, 8.1 kg

GIGABYTE C500 PANORAMIC STEALTH. Form factor: Midi Tower, Type: PC, Product colour: White. Power supply location: Bottom, Supported power supply form factors: ATX. Front fans diameters supported: 120,140 mm, Side fans installed: 3x 120 mm, Side fans diameters supported: 120 mm. Supported HDD sizes: 2.5,3.5", SSD form factor: 2.5". Width: 235 mm, Depth: 430 mm, Height: 501 mm



Design		Cooling	
Material	Glass, Plastic, Steel	Number of side fans supported (max)	3
Form factor *	Midi Tower	Side fans diameters supported	120 mm
Type *	PC	Rear fans installed	1x 120 mm
Product colour *	White	Number of rear fans supported (max)	1
Supported motherboard form factors *	ATX, Mini-ATX, Mini-ITX	Rear fans diameters supported	140 mm
Number of 3.5" bays *	2	Number of top fans supported (max)	3
Number of 2.5" bays	3	Top fans diameters supported	120,140 mm
Number of internal 3.5" bays	2	Number of bottom fans supported (max)	3
Number of expansion slots	7	Bottom fans diameters supported	120 mm
Side window	✓	Side radiator sizes supported	360 mm
Suitable for	Gaming	Rear radiator sizes supported	140 mm
Tempered glass panel(s)	✓	Top radiator sizes supported	360 mm
Anti-dust filter	✓	Storage	
On/off button	✓	Supported HDD sizes *	2.5,3.5"
Maximum CPU cooler height	17.6 cm	SSD form factor	2.5"
Maximum graphics card length	41 cm	Weight & dimensions	
Maximum PSU length	20 cm	Width	235 mm
Power supply		Depth	430 mm
Power supply included *	✗	Height	501 mm
Power supply location	Bottom	Weight	8.1 kg
Supported power supply form factors	ATX	Packaging data	
Ports & interfaces		Package width	318 mm
Audio input	✓	Package depth	560 mm
Audio output	✓	Package height	520 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Package weight	9.97 kg
Display			
Built-in display	✗		
Cooling			
Front fans diameters supported	120,140 mm		

Cooling

Side fans installed

3x 120 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date